GROUND-WATER LEVELS, 1980, SNAKE RIVER PLAIN, IDAHO AND EASTERN OREGON

Compiled by M. D. Bassick

U.S. GEOLOGICAL SURVEY

Open-File Report 85-330

A contribution of the

Regional Aquifer-System Analysis Program

Boise, Idaho

1985

UNITED STATES DEPARTMENT OF THE INTERIOR

DONALD PAUL HODEL, Secretary

GEOLOGICAL SURVEY

Dallas L. Peck, Director

For additional information
write to:

Idaho Office Chief
U.S. Geological Survey, WRD
230 Collins Road
Boise, ID 83702
(208) 334-1750

Copies of this report can
be purchased from:

U.S. Geological Survey
Western Distribution Branch
Open-File Services Section
Box 25425, Federal Center
Denver, CO 80225
(303) 236-7476

CONTENTS

	Page
Abstract	1
Introduction	2
Well-numbering system	2
References cited	6
Explanation of abbreviations and geohydrologic unit descriptions used in table 1	7

ILLUSTRATIONS

Figure 1.	Map showing configuration of the water table, spring 1980	3
2.	Diagram showing well-numbering system	5

TABLE

Table 1.	Ground-water levels and well data, Snake River Plain, 1980	9

CONVERSION FACTORS

Multiply	By	To obtain
acre	4,047	square meter
foot (ft)	0.3048	meter
inch (in.)	25.40	millimeter
mile (mi)	1.609	kilometer

GROUND-WATER LEVELS, 1980, SNAKE RIVER PLAIN, IDAHO AND EASTERN OREGON

Compiled by M. D. Bassick

ABSTRACT

Well inventory and ground-water level data for 1,562 sites were collected on and near the Snake River Plain in the spring and summer of 1980 as part of the U.S. Geological Survey's RASA (Regional Aquifer-System Analysis) program. The data supplement a report that describes the configuration of the water table, depth to water, water-level fluctuations, and water movement in the Snake River Plain regional aquifer system.

INTRODUCTION

The Snake River Plain is one of 28 regional ground-water systems selected for study by the U.S. Geological Survey in their RASA (Regional Aquifer-System Analysis) program. Well inventory and ground-water level data were collected for 1,562 wells on and near the Snake River Plain in the spring of 1980. Measurements in about 850 wells were repeated in August 1980 to determine effects of ground-water withdrawals on water levels.

Water-level data for about 1,200 wells were used to construct a water-table map (fig. 1) and calibrate ground-water flow models of eastern and western parts of the plain.

This report lists depth to water, water-level altitudes, geohydrologic, and physical data for each well measured. The data are sorted alphabetically by county and by the Idaho well-numbering system. Water-level altitudes for wells that were not completed in the regional aquifer and not used as map controls or that were outside the boundary of the Snake River Plain are marked with an asterisk in table 1.

The purpose of this report is to supplement a separate report (Lindholm and others, U.S. Geological Survey, written commun., 1985) that describes the configuration of the water table, depth to water, water-level fluctuations, and water movement in the Snake River Plain regional aquifer system.

Nomenclature used in table 1 is based on that in the U.S. Geological Survey's Ground-Water Site Inventory data base. Some modifications made for clarity are explained in the abbreviations. Data are stored on an Amdahl[1] computer at the U.S. Geological Survey Computer Center in Reston, Va., and can be accessed by System 2000 commands.

WELL-NUMBERING SYSTEM

The well-numbering system used by the U.S. Geological Survey in Idaho indicates the location of wells within the official rectangular subdivision of the public lands, with reference to the Boise base line and meridian. The first two segments of the number designate the township and range.

[1] Use of trade names in this report is for identification purposes only and does not constitute endorsement by the U.S. Geological Survey.



Figure 1.--Configuration of the water table, spring 1980.

The third segment gives the section number; three letters, which indicate the ¼ section (160-acre tract), ¼-¼ section (40-acre tract), and ¼-¼-¼ section (10-acre tract); and serial number of the well within the tract. Quarter sections are lettered A, B, C, and D in counterclockwise order from the northeast quarter of each section (fig. 2). Within quarter sections, 40-acre and 10-acre tracts are lettered in the same manner. Well 8S-24E-31DAC1 is in the SW¼NE¼SE¼, sec. 31, T. 8 S., R. 24 E., and is the first well inventoried in that tract. The well-numbering system in Oregon is referenced to the Willamette base line and meridian.

In addition, a unique identification number is assigned to each well. This number is based on the well's location with respect to latitude and longitude. For example, the number 424053113412801 indicates well 8S-24E-31DAC1 is at latitude 42°40'53" and longitude 113°41'28". The sequential ending number (01, etc.) allows for additional wells at the same general location.



Figure 2. -- Well-numbering system.

REFERENCES CITED

(Reference numbers correlate with citations for geohydrologic units, p. 7-8)

1. Keroher, G. C., 1970, Lexicon of geologic names of the United States for 1961-1967: U.S. Geological Survey Bulletin 1350, 848 p.

2. Keroher, G. C., and others, 1966, Lexicon of geologic names of the United States for 1936-1960, parts 1-3: U.S. Geological Survey Bulletin 1200, 4341 p.

3. Lindholm, G. F., Garabedian, S. P., Newton, G. D., and Whitehead, R. L., 1983, Configuration of the water table, March 1980, in the Snake River Plain regional aquifer system, Idaho and eastern Oregon: U.S. Geological Survey Open-File Report 82-1022, scale 1:500,000.

4. Luttrell, G. W., Shubert, M. L., Wright, W. B., Jussen, V. M., and Swanson, R. W., 1981, Lexicon of geologic names of the United States for 1968-1975: U.S. Geological Survey Bulletin 1520, 342 p.

EXPLANATION OF ABBREVIATIONS AND GEOHYDROLOGIC UNIT DESCRIPTIONS USED IN TABLE 1

Abbreviations

Type of opening

F Fractured
L Louvered
P Perforated
R Wire wound
S Screened
T Sand point
W Walled
X Open hole

Site status

D Dry
E Flowed recently[1]
O Obstruction
P Pumping
R Recently pumped
S Nearby pumping
V Foreign substance

[1]Flowing on arrival, closed 10 minutes prior to measurement

Other notations

-, no data available
*, see p. 2 for explanation
<, less than

Geohydrologic Unit Descriptions

(Reference numbers correlate with those on p. 6)

Code	Geologic name	Remarks, reference number, and page of citation
	Quaternary (Holocene or Pleistocene)	
110ALVM	Alluvium of Quaternary age	No formal name
110QRNR	Rocks of Quaternary age, undifferentiated	No formal name
110SDMS	Sediments of Quaternary age	No formal name
110SKRV	Snake River Group	2, p. 3640-3641
110VLCC	Volcanics	No formal name
	Holocene	
111ALVM	Alluvium of Holocene age	No formal name
111TRRCY	Terrace gravel of Holocene age	No formal name
	Pleistocene	
112ALVM	Pleistocene alluvium	No formal name
112AMCF	American Falls Lake Beds	2, p. 75
112BRUN	Bruneau Formation	2, p. 96
112GLFR	Glenns Ferry Formation	1, p. 292
112HKBR	Huckleberry Ridge Tuff	4, p. 144

EXPLANATION OF ABBREVIATIONS AND GEOHYDROLOGIC UNIT DESCRIPTIONS USED IN TABLE 1--Continued

Code	Geologic name	Remarks, reference number, and page of citation
	Pleistocene--continued	
112IDHO	Idaho Group	2, p. 1852-1853
112LVCK	Lava Creek Tuff	4, p. 177
112MEON	Melon Gravel of Snake River Group	1, p. 481
112MCHD	Michaud Gravel	1, p. 486
112OTSH	Pleistocene outwash	No formal name
112PCPC	Pleistocene and Pliocene rocks, undifferentiated	No formal name
112PLSC	Pleistocene rocks, undifferentiated	No formal name
112RAFT	Raft Formation	2, p. 3187
112SNBM	Sunbeam Formation	2, p. 736
112TRRCO	Pleistocene terrace gravel	No formal name
112YLSN	Yellowstone Group, undifferentiated	No formal name
	Tertiary	
120TRTR	Tertiary rocks, undifferentiated	No formal name
120VLCC	Tertiary volcanic rocks, undifferentiated	No formal name
	Pliocene	
121BNBR	Banbury Formation	2, p. 208
121IDVD	Idavada Volcanics	1, p. 356-357
121NELY	Neeley Formation	2, p. 2700
121SLLK	Salt Lake Formation	2, p. 3416-3417
121SRLG	Starlight Formation	2, p. 720
121VPSM	Pliocene volcanic pyroclastic and sedimentary rocks, undifferentiated	No formal name
	Paleozoic	
300CRBN	Paleozoic carbonate rocks, undifferentiated	No formal name
	Permian	
311PRMNU	Upper Permian rocks, undifferentiated	No formal name

Table 1.--Ground-water levels and well data, Snake River Plain, 1980

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
ADA COUNTY, IDAHO												
05N 01W 29CBA1	434433116291601	2630	332	12	P	272 TO 332	112IDHO	3/20/80	V	175.69	2454.31	
05N 01W 35BAA1	434407116252801	2610	153	14	P	49 TO 109	112IDHO	4/10/80		60.75	2549.25	
05N 01W 36ABB1	434406116240801	2618	105	6	-	-	112IDHO	4/10/80		77.19	2540.81	
								8/ 4/80	R	73.39	2544.61	
05N 01E 29DCA1	434415116213401	2740	246	4	P	243 TO 246	112IDHO	3/19/80		182.70	2557.30	
								8/ 4/80		182.29	2557.71	
05N 01E 34DBB1	434341116192001	2680	175	14	P	0 TO 175	112IDHO	4/ 9/80		30.94	2649.06	
								8/ 4/80		27.59	2652.41	
04N 01W 01CAA1	434244116241101	2552	260	6	X	239 TO 260	112IDHO	3/19/80		6.97	2545.03	
								8/ 4/80	P	10.14	2541.86	
04N 01W 04DDA1	434233116270901	2523	120	6	X	105 TO 120	111TRRCY	3/18/80		24.24	2498.76	
								8/ 4/80	R	26.92	2496.08	
04N 01W 13BAB1	434131116242301	2520	-	4	-	-	-	4/10/80	E	-7.98	2527.98	*
04N 01W 13CAD1	434055116241001	2521	87	4	-	-	111ALVM	4/ 9/80	E	-4.08	2525.84	*
04N 01W 13DDB1	434048116235101	2524	130	3	-	-	112GLFR	4/ 9/80	E	-7.33	2532.29	*
								8/15/80		-6.05	2531.01	
04N 01W 15BBB1	434131116270501	2493	43	4	X	31 TO 43	111ALVM	3/18/80		5.41	2487.59	
								8/ 4/80		3.91	2489.09	
04N 01W 19AAB1	434131116294601	2464	450	4	X	428 TO 450	112IDHO	4/ 9/80		-48.97	2514.97	*
								8/15/80		-34.85	2500.85	
04N 01W 22DBB1	434013116262801	2545	93	6	X	80 TO 93	111TRRCY	4/ 9/80		43.15	2501.85	
								8/ 4/80		42.89	2502.11	
04N 01W 23AAA1	434039116244801	2513	166	3	-	-	112IDHO	4/ 9/80	E	-10.96	2524.61	*
04N 01W 31AAA1	433852116293401	2508	462	6	X	455 TO 462	112IDHO	4/ 9/80	E	-21.57	2529.57	*
04N 01W 35AAA1	433852116244801	2570	44	24	-	-	111TRRCY	3/ 5/80		9.21	2561.39	
								8/31/80		2.59	2568.01	
04N 01W 36DAD1	433816116233401	2584	184	4	-	-	111TRRCY	4/ 9/80		4.47	2580.00	
04N 01E 14ABA1	434123116175401	2620	100	6	-	-	112IDHO	3/20/80		26.47	2593.53	
								8/ 5/80		17.96	2602.04	
04N 01E 16AAA1	434129116200301	2565	88	6	X	87 TO 88	111ALVM	4/10/80		2.60	2562.40	
								8/ 4/80	P	0.00	2565.00	
04N 01E 21CCC1	433952116210801	2616	80	4	-	-	111TRRCY	3/20/80		45.42	2570.58	
								8/ 4/80	R	42.45	2573.55	
04N 01E 27ADD1	433923116184901	2652	70	10	-	-	111TRRCY	3/19/80		36.62	2615.38	
04N 01E 33BBC1	433847116211201	2621	50	6	-	-	111TRRCY	3/18/80		24.03	2596.97	
04N 02E 19CCC1	433946116161401	2621	104	6	X	97 TO 104	111ALVM	4/ 9/80		7.13	2613.87	
								8/ 5/80		5.30	2615.70	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
04N 02E 26CCC1	433856116113001	2877	741	12	P	200 TO 741	112IDHO	4/10/80		117.55	2759.75	*
								8/ 6/30	P	193.49	2683.81	
04N 02E 33CAD1	433817116132601	2675	21	4	-	-	111TRRCY	4/10/80		12.15	2662.85	
03N 01W 14AAA1	433614116244801	2590	150	3	-	-	111TRRCY	4/ 9/80		12.75	2577.25	
								8/ 5/80		6.59	2583.41	
03N 01W 14CBB1	433546116255601	2569	100	6	X	96 TO 100	111TRRCY	4/ 9/80	R	1.94	2567.06	
03N 01W 24ABB1	433522116240201	2629	212	6	S	202 TO 212	112IDHO	4/ 9/80		24.08	2604.92	
								8/ 5/80	P	34.97	2594.03	
03N 01W 25DAD1	433354116233501	2712	330	6	S	327 TO -	112IDHO	4/10/80	R	91.28	2620.72	
								8/ 5/80		88.80	2623.20	
03N 01E 02ABA1	433758116175301	2671	110	6	-	-	111TRRCY	4/11/80		14.97	2656.03	
								8/ 5/80		10.32	2660.68	
03N 01E 04BBA1	433801116205601	2626	50	36	-	-	111TRRCY	4/ 9/80		13.10	2613.67	
03N 01E 05AAB2	433802116213101	2616	82	6	S	77 TO 82	111TRRCY	4/ 9/80		13.10	2602.92	
								8/ 4/80		5.54	2610.48	
03N 01E 07CBA1	433643116231801	2604	63	12	P	10 TO 60	111TRRCY	4/ 9/80		10.82	2593.18	
								8/ 5/80	P	13.21	2590.79	
03N 01E 08DBB1	433638116214901	2616	43	18	-	-	111TRRCY	4/ 9/80		11.23	2604.77	
								8/ 6/80		7.11	2608.89	
03N 01E 15AAC1	433603116190201	2704	129	4	S	124 TO 129	112TRRCO	4/11/80		38.97	2665.03	
								8/ 6/30		38.13	2665.87	
03N 01E 16CDC1	433527116205001	2650	-	-	-	-	-	4/10/80		14.41	2635.59	
								8/ 6/80		4.27	2645.73	
03N 01E 24BAB1	433524116171401	2738	230	6	P	214 TO 225	112IDHO	4/10/80		44.54	2693.46	
								8/ 6/80	R	49.22	2688.78	
03N 01E 27CDD1	433341116193101	2712	119	4	-	-	112TRRCO	4/10/80		43.70	2668.30	
								8/ 5/80		36.82	2675.18	
03N 01E 29CBB1	433400116222301	2660	-	-	-	-	-	4/ 9/80		26.00	2634.00	
03N 01E 34CCC1	433249116192801	2721	95	6	-	-	112TRRCO	4/10/80		66.28	2654.72	
03N 02E 02BBA1	433759116111501	2865	282	8	S	171 TO 231	112IDHO	4/11/80		66.69	2793.31	*
					X	231 TO 282						
03N 02E 03CCA1	433719116123201	2690	48	8	-	-	111TRRCY	4/11/80		22.54	2667.46	
03N 02E 06ACC1	433749116151801	2710	79	36	-	-	111TRRCY	4/10/80		35.24	2674.76	
								8/ 5/80		32.53	2677.47	
03N 02E 08ADC1	433646116141001	2726	90	4	X	50 TO 90	111TRRCY	4/10/80		31.95	2694.95	
03N 02E 10CDD1	433618116121201	2695	-	-	-	-	-	4/11/80		11.46	2683.54	
03N 02E 11CBD1	433632116111701	2710	45	8	-	-	111ALVM	4/10/80		14.50	2695.50	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
03N 02E 12BAB1	433706116095801	2900	370	8	P	90 TO 95	112IDHO	4/11/80		25.05	2874.95	
								8/15/80		24.46	2875.54	
03N 02E 18BDC1	433552116160101	2745	87	4	X	77 TO 87	112TRRCO	4/10/80		48.23	2696.77	
								8/15/80		50.50	2694.50	
03N 02E 19DDD1	433432116151601	2768	105	4	-	-	112TRRCO	4/10/80		43.77	2724.23	
								8/ 6/80		39.10	2728.90	
03N 02E 21BCC1	433502116135201	2751	58	14	-	-	111TRRCY	4/ 9/80		13.92	2737.17	
								8/15/80		9.16	2741.93	
03N 02E 24ACA2	433508116092901	2760	110	12	X	55 TO 110	112IDHO	4/11/80		41.41	2718.59	
03N 02E 29CAB1	433359116144401	2805	-	-	-	-	112TRRCO	4/10/80		116.55	2688.45	
								8/ 6/80	R	121.94	2683.06	
03N 03E 07CDA1	433625116084401	3280	290	10	S	129 TO 290	112IDHO	4/10/80		51.32	3228.68	*
								8/15/80		100.30	3179.70	
03N 03E 19CDB1	433440116084501	2745	50	6	-	-	111ALVM	4/11/80		3.69	2741.31	
								8/15/80		3.30	2741.70	
03N 03E 29CCD1	433340116074401	2825	147	8	-	-	111TRRCY	4/11/80		75.34	2749.66	
								8/15/80		75.16	2749.84	
03N 03E 33DAA1	433310116054201	2862	127	6	X	120 TO 127	112IDHO	4/ 8/80		52.70	2773.30	
								8/15/80		56.73	2805.27	
02N 01W 04DDA1	433207116271201	2614	203	4	-	-	112TRRCO	4/10/80		42.98	2571.22	*
02N 01W 11ADA1	433143116245101	2685	130	16	P	64 TO 116	112TRRCO	4/10/80		80.98	2604.02	
								8/ 5/80		76.35	2608.65	
02N 01W 15ADC1	433038116261201	2675	96	6	X	95 TO 96	112TRRCO	4/10/80		59.77	2615.23	
02N 01W 27BCC1	432853116270901	2689	410	4	X	400 TO 410	112TRRCO	3/18/80		96.91	2592.09	
								8/14/80		85.64	2603.36	
02N 01W 34DAD1	432750116260001	2790	353	14	P	258 TO 352	112IDHO	3/19/80		182.39	2607.61	
02N 01E 07AAB1	433154116223801	2729	215	6	X	214 TO 215	112TRRCO	3/19/80	R	97.81	2631.19	
								8/ 5/80		96.53	2632.47	
02N 01E 16DDC1	433011116201301	2780	320	12	S	230 TO 240	112IDHO	4/10/80		152.28	2627.72	
					S	260 TO 300						
02N 01E 19DAD1	432932116222701	2721	102	6	-	-	111TRRCY	3/19/80	R	71.19	2649.81	
								8/ 5/80		58.80	2662.20	
02N 01E 23BAD1	432959116181601	2910	386	12	P	332 TO 382	112TRRCO	4/10/80		280.55	2629.45	
02N 01E 31DDC1	432734116223901	2748	248	6	X	225 TO 248	112TRRCO	3/17/80		134.45	2613.55	
								8/14/80		133.22	2614.78	
02N 01E 36BBB1	432825116173501	2867	305	6	X	300 TO 305	112IDHO	4/ 8/80		254.32	2612.68	
								8/14/80		257.09	2609.91	
02N 02E 03AAA1	433243116113901	2910	530	12	P	470 TO 503	112IDHO	3/20/80		240.13	2669.87	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
02N 02E 04CBA1	433218116134201	2884	400	16	P	300 TO 400	112IDHO	3/20/80		199.15	2684.85	
02N 02E 06CCC2	433200116162001	2770	195	6	X	185 TO 195	112TRRCO	4/ 8/80		89.94	2680.06	
								8/ 6/80		89.85	2680.15	
02N 02E 12AAC1	433143116092001	3035	503	8	P	417 TO 496	112IDHO	3/20/80	R	352.25	2682.75	
					X	502 TO 503						
02N 02E 17AAD1	433050116140301	3139	880	16	P	537 TO 692	112IDHO	3/20/80		492.46	2646.54	
					P	697 TO 860						
02N 02E 27DCD1	432825116120101	3117	775	16	P	570 TO 575	112IDHO	4/11/80		492.90	2624.10	
					P	595 TO 600						
					P	660 TO 680						
					P	690 TO 721						
					P	738 TO 743						
					P	755 TO 760						
					X	770 TO 775						
02N 02E 29AAD1	432908116140001	2980	-	12	-	-	112IDHO	4/ 8/80		348.15	2631.85	
								6/29/80		368.70	2611.30	
02N 02E 31DCD1	432737116153001	2932	440	14	P	368 TO 390	112IDHO	4/ 8/80		320.90	2611.10	
					P	426 TO 436						
02N 02E 34CCD1	432732116123401	3045	504	8	P	484 TO 504	112IDHO	3/13/80		445.17	2599.83	
								8/13/80	P	447.45	2597.55	
02N 03E 06BCC2	433221116090702	3015	-	-	-	-	112IDHO	3/20/80		341.31	2673.69	
02N 03E 12CCB1	433113116030801	3080	275	10	X	26 TO 275	110SKRV	4/ 8/80		28.63	3051.37	*
								8/15/80		25.96	3054.04	
02N 03E 18ACB1	433044116082601	3095	470	6	-	-	-	4/ 8/80	R	411.56	2683.44	
02N 03E 28CAC1	432841116062801	3355	975	8	P	866 TO 890	112IDHO	4/ 8/80		671.53	2683.47	
					X	904 TO 975						
02N 03E 35BBC1	432811116042201	3421	1128	12	P	720 TO 1120	112IDHO	3/13/80		685.90	2735.10	
02N 04E 19CDC1	432918116013801	3940	995	8	P	940 TO 995	112IDHO	3/13/80		483.60	3456.40	
01N 01W 07ACC1	432615116300801	2802	645	18	X	18 TO 360	110SKRV	3/19/80		236.35	2565.65	
					X	360 TO 545						
01N 01W 15DAA1	432520116260401	2890	541	16	P	293 TO 372	110SKRV	3/18/80		315.90	2574.10	
					P	372 TO 472						
					P	472 TO 541						
01N 01W 16BCA1	432534116280401	2796	374	23	X	22 TO 374	110SKRV	3/18/80		218.57	2577.43	
01N 01W 27ADD1	432344116255901	2904	500	20	-	-	112TRRCO	8/14/80		361.35	2542.65	
01N 01W 30AAD1	432351116293701	2800	360	20	X	21 TO 360	110SKRV	3/19/80		253.76	2546.24	
01N 01E 01ADC1	432710116163901	2875	480	16	P	280 TO 380	112TRRCO	3/14/80		264.50	2610.50	
					X	400 TO 415						

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
					S	415 TO 430						
					X	430 TO 445						
					S	445 TO 455						
					S	455 TO 473						
					X	473 TO 480						
01N 01E 03CCC1	432644116195401	2792	288	12	X	27 TO 168	110SKRV	3/14/80		184.04	2597.96	
					P	188 TO 288						
01N 01E 05CCD1	432641116221201	2817	440	16	S	279 TO 289	112IDHO	3/14/80		216.20	2600.80	
					S	299 TO 319						
					S	338 TO 368						
					S	390 TO 410						
					S	419 TO 429						
					X	434 TO 440						
01N 01E 16AAC1	432538116201101	2805	335	20	-	-	-	3/14/80		197.05	2607.95	
01N 01E 19ADB1	432442116223901	2880	440	16	X	18 TO 440	110SKRV	3/17/80		293.66	2586.34	
								8/14/80		296.43	2583.57	
01N 01E 25DBA1	432336116164601	2849	530	20	X	35 TO 530	110SKRV	3/14/80		257.96	2591.04	
01N 01E 34BBB1	432311116195701	2855	400	-	-	-	110SKRV	3/14/80		270.06	2584.94	
01N 02E 08AD41	432620116140101	2933	384	6	-	-	112IDHO	3/13/80		339.16	2593.84	
								8/13/80		331.61	2601.39	
01N 02E 15DCA1	432504116115901	2970	600	6	-	-	112IDHO	3/13/80		365.85	2604.15	
								7/15/80		366.31	2603.69	
01N 04E 28CAC1	432326115591601	3360	763	16	S	500 TO 510	112GLFR	7/ 3/80		390.75	2969.25	
					S	608 TO 688						
					S	712 TO 752						
01N 04E 32AAB1	432306115595201	3370	711	8	-	-	112IDHO	3/12/80		616.37	2753.63	*
								8/13/80		623.03	2746.97	
01S 01W 05BAC1	432209116282501	2738	370	20	X	9 TO 370	110SKRV	3/19/80		275.19	2462.81	
01S 01W 07CBB1	432058116303601	2540	225	6	X	183 TO 225	112TRRCO	3/19/80	P	136.66	2403.34	*
								8/14/80		133.39	2406.61	
01S 01W 19AAB1	431944116294401	2615	388	16	P	225 TO 270	112IDHO	3/19/80		219.27	2395.73	
					P	284 TO 383						
01S 01W 29CBC1	431816116292801	2575	295	20	P	200 TO 282	112TRRCO	3/19/80		195.77	2379.23	
01S 01E 06CCD1	432127116231701	2965	560	16	P	442 TO 487	112IDHO	3/19/80		434.42	2530.58	
								8/14/80		434.13	2530.87	
01S 01E 07CBA1	432056116232301	2935	-	18	-	-	112IDHO	3/19/80		409.09	2525.91	
01S 04E 20BBB1	431943116004301	3188	682	6	X	676 TO 682	112BRUN	3/12/80		514.24	2673.76	*
								8/13/80	R	577.46	2610.54	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
01S 04E 30AAC1	431839116010701	3150	636	12	X	550 TO 750	112SRUN	3/12/80		483.62	2666.38	
								8/12/80		483.39	2666.61	
02S 01E 18DDA1	431434116223201	2320	40	-	-	-	-	4/14/80	P	11.52	2308.48	*
								8/14/80	P	11.37	2308.63	
02S 01E 23ADD1	431402116173701	3155	816	16	P	615 TO 816	112IDHO	4/14/80		694.44	2460.56	
								8/14/80		694.32	2460.68	
02S 04E 09DDD2	431534115583502	3122	600	6	X	226 TO 603	112SRUN	3/12/80		420.57	2701.43	
								8/12/80		420.58	2701.42	
BANNOCK COUNTY, IDAHO												
05S 33E 36AAA1	425655112320701	4460	90	6	-	-	112ALVM	3/18/80		65.06	4394.94	
								8/ 6/80		65.37	4394.63	
05S 34E 13DBC1	425902112252701	4567	800	20	P	155 TO 200	112ALVM	3/19/80	V	155.34	4411.66	*
								8/ 6/80	V	154.36	4412.64	
05S 34E 20CBB2	425816112305102	4455	154	6	-	-	111ALVM	3/19/80		53.34	4401.66	
								8/12/80		53.44	4401.56	
05S 34E 27CCC2	425700112282901	4478	-	6	-	-	112ALVM	3/17/80		73.74	4404.26	
05S 34E 29CCC1	425702112305001	4469	125	6	-	-	112ALVM	3/14/80		65.58	4404.12	
								8/12/80		64.33	4405.37	
05S 34E 32DDD1	425610112294501	4470	100	6	-	-	112ALVM	3/14/80		67.35	4402.65	
05S 34E 34CCC1	425609112282801	4478	-	6	-	-	112ALVM	3/14/80		72.87	4405.13	
								8/12/80		70.75	4407.25	
07S 35E 20ADD2	424753112224901	4519	110	8	P	93 TO 105	112ALVM	3/17/80		23.78	4495.22	*
07S 35E 23CAA1	424748112195501	4514	86	6	-	-	110ALVM	3/17/80		33.75	4480.25	*
								8/11/80		30.41	4483.59	
10S 36E 08DCD1	423347112161001	5016	216	16	P	115 TO 120	121SLLK	5/16/80		69.88	4946.12	*
								7/17/80		70.33	4945.67	
11S 37E 16BBB1	422821112085701	4847	64	16	-	-	111ALVM	5/14/80		14.32	4832.68	*
								7/17/80		11.90	4835.10	
BINGHAM COUNTY, IDAHO												
03N 32E 13BBD1	433545112391501	5121	758	8	P	658 TO 735	110SKRV	3/18/80		634.88	4487.03	
								7/23/80		636.70	4485.21	
03N 32E 13DCA1	433509112384801	5165	790	10	P	679 TO 730	110SKRV	3/18/80		677.26	4488.25	
								8/14/80		679.63	4485.88	
03N 32E 14CDD1	433503112400701	5150	750	8	X	662 TO 750	110SKRV	3/18/80		674.41	4475.59	
								7/10/80		675.85	4474.15	
03N 32E 36ACD1	433255112381801	5250	865	8	P	750 TO 865	110SKRV	3/18/80		768.31	4481.69	
								7/23/80		770.08	4479.92	
02N 31E 35DCC1	432700112470801	5023	634	6	P	600 TO 630	110SKRV	3/18/80		587.22	4436.46	
								8/19/80		587.94	4435.74	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
01N 30E 10B9A1	432618112555501	4979	563	6	-	-	110SKRV	3/19/80		553.23	4426.16	
								8/19/80		553.80	4425.20	
01N 33E 26CDC1	432257112331301	4755	338	6	X	18 TO 336	110SKRV	3/26/80		326.30	4428.70	
								8/ 5/80	D	-	-	
01N 33E 36CCB1	432211112322001	4721	415	20	X	18 TO 415	110SKRV	3/26/80		292.69	4428.31	
01N 34E 33ADA1	432239112273901	4865	490	6	-	-	110SKRV	3/26/80		430.12	4434.88	
01N 35E 16CDA1	432451112210301	4865	420	-	-	-	110SKRV	3/15/80		375.80	4489.20	
01N 35E 28EAB1	432347112212001	4815	-	-	-	-	110SKRV	3/17/80		327.55	4487.45	
01N 36E 24BAB1	432438112103401	4650	165	8	-	-	110SKRV	3/19/80		132.53	4518.38	
								8/ 6/80		129.84	4521.07	
01N 36E 25ADA1	432331112094501	4609	-	-	-	-	110SKRV	3/19/80		89.15	4519.85	
								8/ 6/80		85.44	4523.56	
01N 36E 34AAA1	432253112121001	4642	-	-	-	-	110SKRV	3/19/80		132.10	4509.90	
								8/ 6/80		130.98	4511.02	
01N 37E 21ADD1	432413112061401	4643	154	6	-	-	110SKRV	3/26/80		103.66	4539.34	
01N 37E 31DDD1	432204112083501	4614	113	5	-	-	110SKRV	3/14/80	P	87.40	4526.60	*
01N 37E 34CCA1	432210112055301	4645	130	8	X	8 TO 130	110SKRV	3/15/80		103.06	4541.94	
								8/ 7/80		91.17	4553.83	
01N 37E 34DDC1	432202112050701	4633	164	6	X	40 TO 164	110SKRV	3/16/80		81.99	4551.01	
01S 30E 15BCA1	432019112563201	5133	751	6	-	-	110SKRV	3/19/80		715.28	4417.80	
								8/19/80		715.76	4417.32	
01S 32E 14ABC1	432021112404801	4762	432	22	X	5 TO 432	110SKRV	3/27/80		339.06	4422.94	
01S 32E 22BDB1	431929112421701	4740	400	18	X	22 TO 400	110SKRV	3/28/80		319.12	4420.88	
01S 32E 25CDB1	431810112395101	4673	338	18	-	-	110SKRV	3/28/80		251.08	4421.92	
01S 33E 11BCC1	432101112342201	4713	380	18	X	4 TO 380	110SKRV	3/26/80		286.52	4426.48	
01S 33E 22CAD1	431904112350101	4661	298	18	X	20 TO 298	110SKRV	3/27/80		235.57	4425.43	
01S 33E 25ACA1	431831112321901	4615	248	21	-	-	110SKRV	3/27/80		187.98	4427.02	
01S 34E 01CCB1	432138112260301	4790	-	-	-	-	110SKRV	3/28/80		353.55	4436.45	
01S 34E 04DAD1	432140112282701	4814	-	-	-	-	110SKRV	3/26/80		378.79	4435.21	
01S 34E 21DAC1	431902112284301	4547	-	-	-	-	110SKRV	3/28/80		112.35	4434.65	
01S 34E 24BAB1	431941112253701	4646	262	16	-	-	110SKRV	3/28/80		215.21	4431.79	
01S 34E 27CBA1	431820112291501	4561	177	16	X	18 TO 177	110SKRV	3/27/80		131.51	4429.49	
								8/ 5/80		131.46	4429.54	
01S 34E 27DCB1	431807112274801	4562	-	-	-	-	110SKRV	3/26/80		125.45	4436.55	
01S 34E 31BAA1	431755112313001	4578	205	18	X	4 TO 120	110SKRV	3/26/80		151.89	4426.11	
					X	110 TO 205						

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
01S 34E 36CDC1	431711112253801	4532	-	16	-	-	110SKRV	3/14/80		97.06	4434.94	
01S 35E 11AAA1	432121112190201	4681	235	18	X	190 TO 235	110SKRV	3/17/80		185.69	4495.31	
01S 35E 11CAD1	432042112193201	4662	297	18	X	15 TO 297	110SKRV	3/17/80		174.51	4487.49	
01S 35E 16AAA1	432029112212301	4659	510	18	X	25 TO 510	110SKRV	3/17/80		168.04	4490.96	
01S 35E 21DAD1	431902112212601	4577	200	18	X	18 TO 200	110SKRV	3/18/80		120.80	4456.20	
01S 35E 26BBA1	431845112194901	4615	200	18	X	24 TO 200	110SKRV	3/16/80		133.50	4481.50	
01S 35E 36DBA1	431727112180101	4542	-	-	-	-	110SKRV	3/18/80		55.37	4486.63	
01S 36E 03DAC1	432134112131001	4669	-	-	-	-	110SKRV	3/26/80		164.37	4504.63	
01S 36E 12DDC1	432029112105001	4609	-	6	-	-	110SKRV	3/16/80		81.41	4527.59	
01S 36E 13DCA1	431948112104001	4599	72	-	-	-	110SKRV	3/14/80		65.60	4533.40	
								8/ 6/80		46.83	4552.17	
01S 36E 28DDC1	431757112142901	4549	55	6	-	-	110SKRV	3/27/80		45.98	4503.52	
01S 36E 33CBD1	431715112151201	4543	-	6	-	-	110SKRV	3/27/80	R	42.39	4500.61	
								8/ 6/80	P	32.11	4510.89	
01S 36E 19DCC1	431940112170701	4629	-	-	-	-	110SKRV	3/18/80		141.98	4487.02	
01S 37E 15DDD1	431936112060001	4613	99	6	X	95 TO 99	110SKRV	3/26/80		68.33	4544.67	
01S 37E 20CDD1	431844112090601	4594	102	6	P	90 TO 98	110SKRV	3/14/80		57.55	4536.45	
01S 37E 20CDD2	431844112090602	4594	63	6	-	-	110SKRV	3/14/80		57.22	4536.78	
01S 37E 28AAA1	431840112071201	4600	62	6	-	-	111ALVM	3/26/80	O	-	-	*
01S 37E 36CDA1	431705112041301	4780	414	16	X	349 TO 414	121SLLK	3/26/80		247.82	4532.18	*
								8/ 7/80		250.68	4529.32	
02S 30E 30BBB1	431333113001701	5100	738	8	P	704 TO 734	110SKRV	3/28/80		689.14	4411.17	
								8/ 5/80		689.66	4410.65	
02S 31E 10BDC1	431553112492001	4771	390	8	-	-	110SKRV	3/28/80		356.18	4415.49	
								8/ 5/80		356.63	4415.04	
02S 32E 02DDA2	431621112401701	4636	349	-	-	-	110SKRV	3/15/80		215.99	4420.01	
								8/ 5/80		216.40	4419.60	
02S 32E 12DCA1	431533112392301	4607	283	22	X	5 TO 225	110SKRV	3/15/80		186.76	4420.24	
					X	273 TO 304						
02S 32E 20DCD1	431338112441501	4613	309	20	X	9 TO 309	110SKRV	3/26/80	V	193.41	4419.59	
								8/ 5/80	V	193.77	4419.23	
02S 32E 23BBB1	431422112411901	4585	194	6	X	171 TO 194	110SKRV	3/28/80		168.90	4416.42	
								8/ 5/80		168.87	4416.45	
02S 32E 28CBB1	431310112434801	4575	-	-	-	-	110SKRV	3/26/80	V	155.76	4419.24	
								8/ 5/80	V	156.08	4418.92	
02S 32E 33BCA1	431231112433301	4565	-	-	-	-	110SKRV	3/26/80	V	141.16	4423.84	
								8/ 5/80	V	141.36	4423.64	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)
02S 32E 36BDC1	431217112395501	4552	300	18	-	-	110SKRV	3/17/80		137.65	4414.35
								8/ 5/80		137.88	4414.12
02S 33E 02ABA1	431700112333301	4597	265	18	X	7 TO 265	110SKRV	3/15/80	V	171.37	4425.63
02S 33E 04DAC1	431630112354901	4595	240	-	-	-	110SKRV	3/16/80		174.09	4420.91
02S 33E 10BDB1	431554112351601	4577	250	18	X	5 TO 250	110SKRV	3/16/80		155.71	4421.29
02S 33E 15DCB1	431436112345501	4545	240	18	-	-	110SKRV	3/16/80	V	123.75	4422.15
02S 33E 16ABB1	431520112360901	4556	-	-	-	-	110SKRV	3/16/80		134.80	4421.20
								8/ 5/80		135.02	4420.98
02S 33E 20DDA1	431343112365501	4548	220	16	X	15 TO 220	110SKRV	3/16/80		124.10	4423.90
								8/ 5/80		135.02	4420.98
02S 33E 25CBC1	431256112330501	4485	136	18	X	5 TO 136	110SKRV	3/17/80	V	60.96	4424.04
02S 33E 31AAB1	431238112381301	4552	200	18	-	-	110SKRV	3/16/80		133.20	4418.80
02S 33E 34DAC1	431205112343301	4495	115	16	X	6 TO 115	110SKRV	3/17/80	V	73.30	4421.70
02S 34E 08CCB1	431531112304701	4494	150	16	X	6 TO 150	110SKRV	3/15/80		69.20	4424.80
								8/ 5/80		69.03	4424.97
02S 34E 10PAB1	431608112280401	4491	125	16	X	6 TO 125	110SKRV	3/15/80	V	60.77	4430.23
								8/ 5/80	V	60.22	4430.78
02S 34E 12BCD1	431552112255301	4485	140	18	X	50 TO 140	110SKRV	3/14/80		48.14	4436.86
02S 34E 20CCD1	431336112303101	4470	74	16	X	5 TO 74	110SKRV	3/17/80	V	46.92	4423.08
02S 34E 22CCD1	431336112280901	4465	125	12	X	65 TO 125	110SKRV	3/17/80		41.24	4423.76
02S 34E 26DCC1	431242112264001	4457	97	-	-	-	110SKRV	3/17/80		36.53	4420.47
02S 34E 33BBA1	431242112292801	4456	40	6	X	5 TO 40	110SKRV	3/20/80		33.33	4423.56
								8/ 6/80		28.77	4428.12
02S 35E 02DAB1	431632112191201	4538	292	16	X	90 TO 292	110SKRV	3/13/80		83.61	4454.39
02S 35E 08CCB1	431530112233901	4504	105	-	-	-	110SKRV	3/14/80		79.86	4424.14
02S 35E 10BDC1	431543112210001	4515	150	16	X	63 TO 150	110SKRV	3/13/80	V	73.69	4441.31
02S 35E 10CAA1	431541112204401	4515	80	6	-	-	110SKRV	3/13/80		77.21	4437.79
02S 35E 11DDD1	431517112190101	4510	97	8	P	88 TO 93	111ALVM	3/14/80		71.37	4438.63
								8/27/80		31.09	4478.91
02S 35E 11DDD2	431517112190102	4510	376	8	P	121 TO 126	110SKRV	3/14/80		71.49	4438.51
								8/27/80		64.18	4445.82
02S 35E 11DDD3	431517112190103	4510	570	8	P	456 TO 461	110SKRV	3/14/80		70.48	4439.52
								8/27/80		63.64	4446.36
02S 35E 11DDD4	431517112190104	4510	682	-	P	674 TO 679	110SKRV	3/14/80		70.42	4439.58
								8/27/80		63.88	4446.12
02S 35E 19AAD1	431415112234201	4487	66	-	-	-	110SKRV	3/14/80		61.82	4425.18
								8/ 5/80		57.76	4429.24

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
02S 35E 22DAC1	431349112202001	4525	120	6	X	20 TO 120	110SKRV	3/13/80		88.39	4436.61	
								8/ 9/80		78.54	4446.46	
02S 35E 28CDD1	431242112215601	4483	60	6	-	-	110SKRV	3/14/80		50.49	4432.51	
02S 35E 30DCC1	431241112241101	4473	75	-	-	-	110SKRV	3/17/80		47.13	4425.87	
								8/ 5/80		40.48	4432.52	
02S 36E 01DAA1	431631112104401	4574	-	-	-	-	110ALVM	3/26/80		30.20	4543.80	
								8/ 7/80		10.53	4563.47	
02S 36E 01DAA2	431631112104501	4574	60	6	X	59 TO 60	110ALVM	3/26/80		29.90	4544.10	
								8/ 7/80		11.41	4562.59	
02S 36E 09DAB1	431536112143101	4551	60	6	-	-	110ALVM	3/13/80		27.03	4523.97	
								8/ 7/80		12.68	4538.32	
02S 36E 30BBA1	431330112173801	4524	44	-	-	-	110ALVM	3/13/80		35.60	4488.40	
								8/ 7/80		12.99	4511.01	
02S 36E 36CDD1	431148112111801	4636	98	6	X	97 TO 98	121SLLK	3/20/80		76.61	4559.39	*
								8/ 6/80		77.50	4558.50	
02S 37E 10ADA1	431545112060901	4615	-	6	-	-	121SLLK	3/26/80	P	62.29	4552.71	*
								8/ 7/80	P	54.49	4560.51	
03S 31E 16CCB1	430930112505701	4640	318	20	-	-	110SKRV	3/28/80		230.87	4409.13	
								8/ 7/80		231.50	4408.50	
03S 31E 17CAB1	430945112515201	4671	259	18	-	-	110SKRV	3/28/80	D	-	<4412.00	*
03S 31E 20ACB1	430905112513301	4641	285	16	X	5 TO 230	110SKRV	3/28/80		229.80	4411.20	
					X	230 TO 283						
03S 31E 28DAB1	430759112500501	4569	193	10	X	6 TO 193	110SKRV	3/28/80		158.44	4410.56	
								8/ 7/80		158.98	4410.02	
03S 32E 04ACA1	431138112425401	4535	-	18	-	-	110SKRV	3/26/80		115.64	4419.36	
								8/ 5/80		115.92	4419.08	
03S 32E 04ACA2	431138112425801	4535	-	-	-	-	110SKRV	3/26/80	V	115.05	4419.95	
03S 32E 07DAC1	431021112452001	4541	160	16	-	-	110SKRV	3/26/80	V	131.45	4409.55	
								8/ 6/80	V	132.00	4409.00	
03S 32E 10CBC1	431023112423801	4501	200	6	-	-	110SKRV	3/27/80		83.08	4418.92	
								8/ 6/80		83.45	4418.45	
03S 32E 17CDA1	430925112443501	4511	-	-	-	-	110SKRV	3/27/80		85.13	4425.87	
								8/ 6/80	V	85.55	4425.45	
03S 32E 21DCD1	430824112425801	4490	-	-	-	-	110SKRV	3/18/80	V	70.38	4419.62	
								8/ 6/80	V	70.68	4419.32	
03S 32E 24ACA1	430954112392201	4460	155	18	X	9 TO 193	110SKRV	3/27/80		45.47	4415.41	
03S 33E 05CDB1	431111112373801	4522	160	16	X	5 TO 160	110SKRV	3/27/80	V	99.18	4423.82	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
03S 33E 12CAD1	431020112323701	4472	-	-	-	-	110SKRV	3/19/80	V	54.67	4417.33	
								8/ 6/80	V	53.16	4418.84	
03S 33E 12DCB1	431016112323601	4482	-	-	-	-	110SKRV	3/19/80		66.86	4415.14	
03S 33E 14BBA1	431006112340901	4461	44	6	X	3 TO 44	110SKRV	3/20/80		42.55	4419.00	
								8/ 6/80		40.72	4420.83	
03S 33E 17AAD1	430955112365001	4512	185	18	-	-	110SKRV	3/20/80		96.16	4416.59	
								8/ 6/80		95.61	4417.14	
03S 33E 22BBA1	430908112351901	4484	127	16	X	18 TO 97	110SKRV	3/20/80		69.36	4414.95	
					P	121 TO 127						
03S 33E 25CCC1	430729112331201	4450	183	6	-	-	110SKRV	3/20/80		37.37	4412.63	*
								8/27/80		35.99	4414.01	
03S 33E 25CCC2	430729112331202	4450	583	-	P	546 TO 551	110SKRV	3/20/80		36.62	4413.38	*
								8/27/80		35.68	4414.32	
03S 33E 26CCB1	430740112342201	4450	65	6	-	-	110SKRV	3/19/80		36.70	4413.30	
								8/ 6/80		33.27	4416.73	
03S 33E 29BBA1	430822112374201	4481	120	16	-	-	110SKRV	3/27/80		64.81	4416.19	
								8/ 6/80	V	62.97	4418.03	
03S 33E 36DED1	430650112322501	4446	63	16	X	18 TO 63	110SKRV	3/19/80		42.10	4403.90	
03S 34E 02BCC1	431126112271501	4443	265	6	X	100 TO 102	110SKRV	3/29/80		24.71	4418.29	
								8/27/80		21.10	4421.90	
03S 34E 02BCC2	431126112271502	4443	322	-	P	314 TO 319	110SKRV	3/29/80		24.61	4418.39	
								8/27/80		21.32	4421.68	
03S 34E 02BCC3	431126112271503	4443	676	-	P	668 TO 673	110SKRV	3/29/80		24.52	4418.48	
								8/27/80		21.27	4421.73	
03S 34E 08BAB1	431052112303101	4447	37	7	X	5 TO 37	110SKRV	3/19/80		27.95	4419.53	
03S 34E 13DBD1	430930112251401	4466	90	16	X	60 TO 90	110SKRV	3/13/80		47.90	4418.10	
03S 34E 22DAD1	430838112272301	4434	-	-	-	-	110SKRV	3/13/80		21.51	4412.49	
03S 34E 23AAA1	430911112260601	4465	60	6	-	-	110ALVM	3/13/80		44.18	4420.82	
03S 34E 23ABA1	430912112262301	4464	152	16	P	80 TO 127	110SKRV	3/12/80		43.71	4420.29	
					X	127 TO 152						
03S 34E 23ACC1	430846112264101	4443	158	16	P	20 TO 95	110SKRV	3/12/80		28.71	4414.29	
								8/ 7/80		25.30	4417.70	
03S 34E 28BAC1	430812112291201	4420	120	16	P	24 TO 70	110SKRV	3/13/80		7.53	4412.47	
								8/ 8/80		6.35	4413.65	
03S 34E 30CCA1	430741112315301	4455	55	18	-	-	110SKRV	3/19/80		41.30	4413.70	
								8/ 6/80		39.46	4415.54	
03S 35E 01DDB1	431108112175501	4513	371	24	X	195 TO 371	110SKRV	3/13/80		38.60	4474.40	
03S 35E 03DAC1	431110112202301	4498	523	16	P	423 TO 520	110SKRV	3/20/80	R	51.22	4446.78	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
03S 35E 04CAD1	431116112215701	4490	793	16	X	371 TO 793	110SKRV	8/ 8/80	R	26.53	4471.47	
								3/20/80	R	51.19	4438.91	
								8/ 8/80	R	30.37	4459.63	
03S 35E 06DDB1	431108112235801	4461	-	6	-	-	110ALVM	3/29/80		30.68	4430.32	
03S 35E 10BBB1	431051112211101	4493	132	16	X	71 TO 132	110SKRV	3/14/80	R	45.52	4447.48	
								8/ 8/80	R	22.55	4470.45	
03S 35E 30BDC1	430753112244301	4467	70	6	-	-	110ALVM	3/19/80	R	46.22	4420.78	
								8/ 6/80	R	39.90	4427.10	
03S 35E 32BBD1	430716112233801	4472	-	6	-	-	110ALVM	3/14/80		56.92	4415.08	*
04S 31E 05CBC1	430607112515601	4593	-	-	-	-	110SKRV	3/28/80		186.73	4406.27	
04S 31E 09DDB1	430508112495701	4519	-	16	-	-	110SKRV	3/28/80		111.15	4407.85	
								8/ 8/80	V	113.00	4406.00	
04S 31E 20BBB1	430402112520301	4523	201	16	X	5 TO 201	110SKRV	3/28/80		120.98	4402.36	
04S 31E 22ADD1	430338112482901	4441	-	-	-	-	110SKRV	3/28/80		37.15	4403.85	
								8/ 8/80		37.71	4403.29	
04S 31E 24BDB1	430346112470501	4452	150	12	X	4 TO 150	110SKRV	3/28/80		48.26	4404.12	
04S 31E 28BCB1	430253112505001	4462	-	-	-	-	110SKRV	3/28/80		63.03	4399.62	
04S 31E 31CCD1	430128112530101	4533	161	-	-	-	110SKRV	3/28/80		139.55	4393.45	
04S 31E 36ABA1	430216112464001	4401	17	1	T	15 TO 18	112AMCF	3/28/80		6.93	4394.85	
								8/ 8/80		3.41	4398.37	
04S 32E 11DBA1	430518112403501	4441	321	16	X	255 TO 270	110SKRV	3/29/80	V	33.06	4407.94	
					P	285 TO 320						
04S 32E 13CBB1	430425112401101	4410	60	6	-	-	110SKRV	3/29/80		18.26	4392.60	
								8/ 7/80		16.06	4394.80	
04S 33E 03CBB2	430610112353301	4447	53	6	X	12 TO 53	110SKRV	3/ 5/80		39.52	4408.42	
								8/31/80		36.75	4411.19	
04S 33E 05BBC1	430625112375801	4452	76	16	X	10 TO 76	110SKRV	3/27/80		46.92	4405.08	
04S 33E 08DDA1	430504112365101	4451	115	16	-	-	110SKRV	3/28/80		56.62	4394.38	
04S 33E 16ACA1	430439112361101	4415	-	-	-	-	110ALVM	3/28/80	V	21.50	4393.50	
								8/ 6/80	V	21.04	4401.96	
04S 33E 18CBC1	430419112390301	4422	-	8	-	-	110SKRV	3/29/80		29.80	4392.77	
04S 33E 20DBD1	430324112370801	4414	56	22	X	3 TO 56	110SKRV	3/28/80	V	35.75	4378.52	
04S 33E 21DDA1	430320112353601	4402	45	16	X	5 TO 45	110SKRV	3/28/80		33.25	4368.75	
04S 33E 29BCD1	430246112374001	4394	18	10	-	-	110SKRV	3/29/80		21.57	4372.43	
04S 34E 05CCD1	430546112303501	4405	31	6	-	-	111ALVM	3/14/80		4.31	4400.38	
								8/ 6/80		4.62	4400.57	
04S 34E 11DBD1	430505112262701	4453	270	16	P	154 TO 220	110SKRV	3/19/80	V	37.76	4415.24	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								8/ 6/80	V	37.35	4415.65	
04S 34E 13DDB1	430409112250901	4442	324	12	X	217 TO 324	110SKRV	3/14/80	V	28.51	4413.49	
04S 34E 14CAD1	430412112265301	4444	305	16	X	211 TO 305	110SKRV	3/19/80	V	38.25	4405.75	
04S 34E 21CAD1	430318112291101	4435	380	16	X	225 TO 380	110SKRV	3/19/80	V	25.56	4409.44	
04S 34E 22AAC1	430346112273701	4440	355	16	X	224 TO 355	110SKRV	3/19/80	V	30.17	4409.83	
04S 34E 27AAB1	430302112273801	4435	330	-	-	-	110SKRV	3/19/80	V	27.95	4407.05	
04S 34E 32BBD1	430200112303701	4420	250	16	X	187 TO 250	110SKRV	3/19/80	V	11.61	4408.39	
								8/ 6/80	V	11.58	4408.42	
04S 34E 35DAB1	430140112262701	4442	56	6	-	-	110ALVM	3/14/80	R	36.27	4405.73	
								8/ 6/80	R	39.81	4402.19	
04S 34E 36CBD2	430137112255501	4453	191	12	-	-	110SKRV	3/14/80		41.92	4411.08	
								8/ 6/80		40.82	4412.18	
05S 30E 10DCA1	425954112555401	4554	200	24	X	5 TO 200	110SKRV	3/14/80		167.10	4387.68	
05S 30E 12BBA1	430030112541301	4501	200	12	X	6 TO 200	110SKRV	3/15/80		110.21	4391.30	
								8/ 8/80		112.03	4389.48	
05S 30E 15CAC1	425901112562801	4575	322	18	X	5 TO 322	110SKRV	3/14/80		190.35	4384.65	
								8/ 8/80	V	192.64	4382.36	
05S 30E 18ACA1	425929112593301	4740	415	24	X	23 TO 415	110SKRV	3/14/80		356.12	4383.93	
05S 30E 22ACA1	425836112555401	4548	-	-	-	-	110SKRV	3/14/80		163.64	4384.36	
								8/ 8/80	V	165.98	4382.02	
05S 30E 25DBC1	425718112534201	4458	148	16	X	20 TO 152	110SKRV	3/13/80		79.99	4378.01	
								8/ 8/80	V	82.32	4375.68	
05S 30E 35CAD1	425626112550101	4502	-	18	X	5 TO 220	110SKRV	3/13/80		127.80	4374.20	
05S 31E 04DAD1	430053112494201	4448	81	8	X	8 TO 81	110SKRV	3/15/80	R	51.44	4397.36	
								8/ 8/80		51.45	4397.35	
05S 31E 06DCD1	430035112522701	4518	178	16	X	5 TO 182	110SKRV	3/14/80		124.36	4393.64	
05S 31E 09ACC1	430008112501501	4460	200	16	X	10 TO 200	110SKRV	3/14/80		63.42	4396.58	
05S 31E 14BDC1	425916112481101	4433	285	16	P	215 TO 285	110SKRV	3/15/80		41.00	4392.40	
05S 31E 16CCA1	425903112503401	4433	163	16	X	72 TO 83	110SKRV	3/17/80		42.37	4390.63	
								8/ 9/80		42.91	4390.09	
05S 31E 19DDC1	425803112521301	4427	61	6	-	-	110SKRV	3/15/80		44.60	4382.44	
								8/ 8/80		46.10	4380.94	
05S 31E 27ABA1	425757112485201	4399	48	16	X	16 TO 0	110SKRV	3/15/80		21.49	4378.34	
								8/31/80		12.48	4387.35	
05S 31E 31DDC1	425614112522001	4415	-	-	-	-	110SKRV	3/15/80		38.12	4376.88	
05S 31E 33DCB1	425625112501401	4398	-	-	-	-	110SKRV	3/17/80	P	29.84	4368.16	*
05S 31E 35ABD1	425653112473801	4365	250	14	P	200 TO 250	111ALVM	3/17/80		3.19	4361.81	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
05S 32E 07CCC2	425940112461302	4374	15	1	T	12 TO 14	110ALVM	8/ 9/80	R	20.94	4344.06	
								3/15/80		1.96	4372.72	
								8/ 9/80		3.55	4371.13	
05S 32E 18CDC1	425849112454801	4373	240	8	-	-	110ALVM	5/21/80	E	-10.98	4384.80	*
								8/ 9/80	E	-8.20	4382.02	
06S 30E 03CDD1	425516112561701	4586	265	20	X	19 TO 265	110SKRV	3/13/80		213.52	4372.48	
06S 30E 11BDA1	425501112550701	4542	252	16	X	4 TO 252	110SKRV	3/13/80		172.50	4369.50	
06S 30E 15ACA1	425410112555901	4569	276	18	X	18 TO 276	110SKRV	3/13/80		202.59	4366.81	
								8/ 8/80		204.14	4365.26	
06S 30E 19CCA1	425252113000701	4622	352	20	X	11 TO 352	110SKRV	3/11/80		275.93	4346.27	
06S 30E 24ABA1	425331112533501	4462	134	18	X	17 TO 69	110SKRV	3/13/80		94.20	4367.80	
					X	114 TO 134						
06S 31E 06CCD1	425521112525901	4461	-	20	X	20 TO 82	110SKRV	3/17/80		87.28	4373.72	
								8/ 8/80	S	90.21	4370.79	
06S 31E 09BAB1	425520112503001	4398	-	-	-	-	110SKRV	3/15/80		23.64	4375.06	
06S 31E 11BCC1	425455112483601	4398	54	-	-	-	112AMCF	3/17/80		31.81	4366.20	
								8/ 8/80		21.59	4376.42	
06S 31E 16BAA1	425427112503801	4392	134	12	-	-	-	3/15/80		16.30	4375.91	
06S 31E 21DCB1	425254112502001	4395	213	8	-	-	112AMCF	3/13/80		31.28	4364.22	
BLAINE COUNTY, IDAHO												
01N 18E 01DAA1	432657114144801	5136	84	6	P	77 TO 84	110ALVM	3/26/80		49.25	5087.34	*
								8/30/80		42.00	5094.59	
01N 18E 36DDD1	432207114145801	4963	44	6	-	-	110QRNR	3/26/80		34.02	4929.61	*
01S 17E 17BBB1	432028114282401	4938	153	18	X	28 TO 153	112BRUN	3/25/80		42.41	4895.59	*
								8/18/80		41.97	4896.03	
01S 18E 14AAB1	432042114163801	4904	120	6	-	-	110QRNR	3/25/80	E	-22.61	4926.93	*
								7/ 8/80		-32.32	4936.54	
01S 19E 03CCB2	432143114114301	4933	51	6	P	25 TO 35	111ALVM	3/ 5/80		19.97	4913.73	*
								8/31/80		10.85	4922.85	
01S 19E 11BBB1	432136114102901	4917	87	72	P	47 TO 87	112OTSH	3/25/80		10.17	4907.21	*
01S 19E 22AAA1	431950114102901	4895	150	6	-	-	110QRNR	3/25/80	E	-5.61	4891.00	*
								8/10/80	E	-6.81	4892.20	
01S 20E 27BDA1	431836114040101	4828	140	6	X	92 TO 140	110SKRV	3/25/80		66.20	4762.58	*
01S 21E 16DCB1	432005113575301	4854	110	18	X	101 TO 110	111ALVM	3/19/80	P	57.56	4796.44	*
01S 21E 22BCC1	431932113571501	4820	231	8	S	185 TO 210	111ALVM	3/19/80		75.07	4744.93	*
					X	230 TO 231						
01S 21E 34BDD1	431744113570001	4772	192	6	X	134 TO 192	110SKRV	3/19/80		158.00	4614.00	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
01S 21E 35DCB1	431727113552801	4759	165	6	P	152 TO 162	111ALVM	3/18/80		82.05	4676.95	*
								8/ 9/80		38.80	4720.20	
01S 22E 09CCA1	432053113511201	4863	98	6	X	21 TO 102	110SKRV	3/18/80		65.76	4797.24	*
								8/ 9/80		58.35	4804.65	
01S 22E 19D8D1	432008113525201	4815	115	6	X	63 TO 115	110SKRV	4/ 1/80		32.36	4782.64	*
								8/ 9/80		8.05	4806.95	
01S 23E 26CCC1	431810113413601	5030	1030	4	P	1000 TO 1025	110SKRV	3/18/80		955.08	4074.92	
								8/ 9/80		955.98	4074.02	
02S 20E 01ACC2	431642114013002	4790	208	10	P	185 TO 194	110SKRV	3/25/80		145.68	4644.39	*
								8/10/80		146.86	4643.21	
02S 20E 18CAA2	431501114072801	4900	232	16	-	-	110SKRV	4/ 1/80		40.47	4859.53	*
02S 29E 18CCA1	431439113071401	5110	775	8	X	6 TO 475	110SKRV	3/16/80		730.15	4379.85	
					X	475 TO 775						
03S 27E 24DDA1	430836113143401	4982	900	4	P	849 TO 898	110SKRV	3/16/80		855.03	4127.07	
								8/ 8/80		855.23	4126.87	
04N 17E 13AAB1	434108114221001	5813	187	10	P	34 TO 52	110ALVM	3/15/80		16.80	5796.28	*
								8/31/80		15.44	5797.64	
07S 26E 01ABD1	425048113212901	4585	555	6	-	-	110SKRV	3/17/80		484.15	4100.85	
07S 26E 13CCB1	424836113221801	4453	395	-	-	-	110SKRV	3/17/80		358.83	4094.17	
07S 26E 30BAD1	424719113274801	4326	351	16	X	7 TO 309	110SKRV	3/19/80		241.40	4085.35	
					X	311 TO 351						
07S 27E 16CCC1	424822113185201	4575	-	-	-	-	110SKRV	3/17/80		403.31	4171.69	
								8/ 7/80		403.60	4171.40	
08S 26E 06ABA1	424541113273001	4292	251	16	X	16 TO 265	110SKRV	3/19/80		208.39	4083.93	
08S 26E 15ACA1	424347113235401	4330	341	18	X	245 TO 260	110SKRV	3/19/80		241.10	4083.90	
								8/ 6/80	R	245.85	4084.15	
08S 26E 15BCA1	424348113242701	4270	254	6	X	16 TO 254	110SKRV	3/19/80		241.10	4029.20	
								8/ 6/80		245.85	4024.45	
08S 26E 27ABA1	424215113240701	4238	225	8	X	179 TO 225	110SKRV	3/19/80		138.25	4100.25	
								8/ 6/80		137.99	4100.51	
08S 26E 33BCB1	424112113255401	4212	242	8	P	212 TO 242	110SKRV	3/19/80		111.58	4101.15	
								8/ 6/80		110.95	4101.78	
08S 26E 33BCB2	424112113255402	4212	33	18	X	1 TO 33	110SKRV	3/19/80		24.04	4188.69	
								8/ 6/80		21.67	4191.06	
08S 27E 07DAB1	424419113201801	4325	390	18	X	17 TO 200	110SKRV	3/17/80		170.03	4154.97	
								8/ 6/80	P	178.83	4146.17	
08S 27E 19DAC1	424231113201701	4236	146	6	X	125 TO 146	110SKRV	3/17/80		122.78	4113.22	
08S 27E 23DDD1	424221113152501	4296	92	6	X	85 TO 93	110SKRV	3/17/80		75.26	4221.08	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
08S 27E 28BCB1	424200113183101	4265	207	6	X	158 TO 207	110SKRV	8/ 6/80	P	74.74	4221.60	
								3/17/80	P	110.43	4154.57	*
								8/ 6/80	P	110.02	4154.98	
08S 27E 31DDA1	424042113201101	4202	140	8	X	86 TO 140	110SKRV	3/18/80		27.93	4174.54	
								8/ 6/80		27.40	4175.07	
08S 28E 21AAC1	424258113105101	4398	355	10	X	196 TO 355	110SKRV	3/17/80		162.78	4235.22	
08S 28E 28DCD1	424127113110201	4345	146	6	P	120 TO 141	110SKRV	3/18/80		104.93	4240.07	
								8/ 6/80		104.52	4240.48	
08S 28E 32CDD1	424032113123001	4379	-	8	-	-	110SKRV	3/18/80		160.50	4218.50	
								8/ 6/80		159.84	4219.16	
09S 27E 12ACC1	423916113144201	4259	333	6	P	74 TO 75	110SKRV	3/18/80		70.63	4188.37	
								8/ 6/80	P	69.72	4189.28	
08S 27E 35CDC1	424033113160901	4238	100	6	P	47 TO 0	110SKRV	3/18/80		47.60	4190.40	
								8/ 6/80	P	48.19	4189.81	
BONNEVILLE COUNTY, IDAHO												
03N 34E 32BEC1	433307112300001	5216	786	8	P	741 TO 786	110SKRV	3/18/80		722.03	4494.52	
								8/19/80		724.05	4492.50	
03N 35E 01CAD1	433658112173201	4948	615	20	X	18 TO 615	110SKRV	3/25/80		427.06	4520.94	
03N 35E 02BCB1	433718112190801	5035	690	20	X	16 TO 690	110SKRV	3/26/80		504.27	4530.73	
03N 35E 09BAA1	433643112210401	5119	733	22	-	-	110SKRV	4/ 3/80		617.43	4501.57	
03N 35E 10DBC1	433608112194801	5100	672	20	X	26 TO 672	-	3/26/80		587.85	4512.15	
03N 35E 34BCC1	433252112202801	5115	710	20	X	37 TO 710	110SKRV	4/ 7/80	V	609.52	4505.48	
03N 36E 08BAD1	433631112151101	4907	470	20	X	21 TO 470	110SKRV	3/25/80		379.12	4527.88	
03N 36E 12BDA1	433630112101901	4980	-	20	X	25 TO 470	110SKRV	3/14/80		430.35	4549.65	
03N 36E 17ACD1	433527112144901	4893	493	20	X	17 TO 493	110SKRV	3/25/80		371.50	4521.50	
03N 36E 32DDC1	433226112144901	4889	438	21	X	9 TO 438	110SKRV	3/25/80		371.10	4517.90	
03N 37E 02CBD1	433656112043901	4815	508	20	X	18 TO 216	110SKRV	3/14/80		171.02	4644.95	
								8/ 5/80		153.56	4662.41	
03N 37E 04BDA1	433721112065101	4855	455	20	X	355 TO 455	110SKRV	3/14/80		291.65	4563.35	
03N 37E 12BDB1	433625112031801	4752	550	6	X	200 TO 550	110SKRV	3/19/80		130.65	4621.44	
								8/19/80		105.71	4646.38	
03N 37E 15DAD1	433510112045701	4803	252	16	X	59 TO 252	110SKRV	3/14/80		206.06	4596.94	
03N 37E 28DDD1	433314112060901	4798	265	6	-	-	110SKRV	3/17/80		233.27	4564.73	
								8/ 6/80	R	222.65	4575.35	
03N 37E 31DBC1	433237112090301	4801	360	20	X	46 TO 360	110SKRV	3/17/80		245.94	4555.06	
03N 38E 07CBB1	433612112023001	4757	212	6	X	171 TO 212	110SKRV	3/20/80		89.73	4667.27	
03N 38E 17DDC1	433458112002501	4769	152	8	X	137 TO 152	111ALVM	3/19/80		124.18	4644.82	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								8/ 5/80		100.27	4668.73	
03N 38E 22BAB1	433457111583701	4790	155	8	X	66 TO 155	110SKRV	3/18/80		122.06	4667.94	
								8/19/80		93.97	4696.03	
03N 38E 35CCC1	433229111574201	4785	220	8	X	157 TO 181	111ALVM	3/19/80		123.84	4661.16	
03N 40E 08BAA1	433638111462901	5042	425	18	-	-	121SLLK	3/19/80		169.47	4873.13	*
								7/22/80		142.76	4899.84	
02N 35E 10ACB1	433122112194901	5015	653	20	X	14 TO 653	110SKRV	4/ 3/80		507.65	4507.35	
02N 35E 02BBC1	433218112191601	5089	800	10	X	108 TO 679	110SKRV	3/18/80		579.82	4510.01	
								8/19/80		584.63	4505.20	
02N 35E 02BBC2	433218112191602	5089	982	-	P	909 TO 914	110SKRV	3/18/80		579.79	4510.04	
								8/19/80		583.29	4506.54	
02N 35E 02BBC3	433213112191603	5089	1147	-	P	1117 TO 1122	110SKRV	3/18/80		579.92	4509.91	
								8/19/80		583.47	4506.36	
02N 35E 12ACB1	433120112172801	4965	755	20	X	44 TO 590	110SKRV	4/ 3/80		457.57	4507.43	
					X	724 TO 755						
02N 36E 18CDA1	433000112162001	4885	476	22	X	16 TO 476	110SKRV	3/26/80		371.33	4513.67	
02N 36E 24BDA1	432934112102201	4734	335	16	X	4 TO 335	110SKRV	3/17/80		217.49	4516.51	
02N 37E 02ABA1	433220112040701	4724	501	6	X	223 TO 230	110SKRV	3/19/80		166.06	4555.87	
								8/19/80		155.37	4569.56	
02N 37E 08CDD1	433044112090001	4724	220	6	X	11 TO 220	110SKRV	3/17/80		175.66	4549.14	
								8/ 5/80	R	168.34	4555.46	
02N 37E 20BAA1	432946112075801	4722	204	6	X	48 TO 204	110SKRV	3/13/80		175.25	4547.16	
								8/ 6/80		172.52	4549.89	
02N 37E 22DDD1	432858112050301	4716	199	6	X	55 TO 199	110SKRV	3/13/80		163.77	4552.23	
02N 37E 29CDD1	432808112075901	4670	152	8	-	-	110SKRV	3/13/80	R	132.21	4537.79	
								8/11/80	R	125.95	4544.15	
02N 38E 08DAA1	433107112072101	4745	409	6	X	298 TO 409	110SKRV	3/19/80		175.15	4569.85	
02N 38E 16ADD1	433029111590201	4738	225	4	X	185 TO 225	110SKRV	3/17/80		118.43	4619.57	
								8/ 6/80		97.38	4640.62	
02N 38E 29CCD1	432806112010501	4707	192	8	X	66 TO 192	110SKRV	3/17/80		160.46	4546.54	
01N 36E 01CCB1	432633112105301	4674	217	16	P	150 TO 182	110SKRV	3/13/80		154.56	4519.49	
								8/11/80		153.66	4520.39	
01N 37E 04CBC1	432637112071801	4655	130	8	X	22 TO 130	110SKRV	3/12/80		114.60	4540.40	
								8/11/80	R	106.63	4548.37	
01N 37E 07CCD1	432531112092601	4637	138	6	X	6 TO 138	110SKRV	3/13/80	R	115.77	4521.23	
01N 37E 15BBA1	432528112055701	4645	140	-	P	111 TO 116	110SKRV	3/13/80		104.18	4541.52	
								8/11/80		93.35	4552.35	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
01N 37E 15BBA2	432528112055702	4645	255	-	P	180 TO 185	110SKRV	3/13/80		103.85	4541.85	
								8/11/80		93.40	4552.30	
01N 37E 15BBA3	432528112055703	4645	356	-	T	315 TO 318	110SKRV	3/13/80		102.28	4543.42	
								8/11/80		89.65	4556.05	
BUTTE COUNTY, IDAHO												
10N 27E 19CAA1	441052113171001	6037	127	16	P	54 TO 128	111ALVM	3/26/80		37.94	5999.06	*
								7/11/80	P	44.27	5992.73	
07N 31E 22BDD1	435522112444201	4935	433	8	P	353 TO 431	110SKRV	3/15/80		352.60	4582.41	
								7/22/80		353.46	4581.55	
07N 31E 26BBC1	435443112435801	4885	406	10	P	322 TO 401	110SKRV	3/15/80		304.11	4581.44	
								7/22/80		305.17	4580.38	
07N 31E 28CAC1	435416112460401	4896	432	10	P	321 TO 371	110SKRV	3/15/80		314.67	4581.42	
								7/22/80		315.55	4580.54	
07N 31E 28DAB1	435419112453101	4891	395	10	P	312 TO 382	110SKRV	3/15/80		310.05	4581.25	
								7/22/80		311.03	4580.27	
07N 31E 33DCD1	435308112454101	4872	395	10	P	296 TO 316	110SKRV	3/15/80		291.48	4581.03	
								7/22/80		292.36	4580.15	
07N 31E 34BDD1	435339112444601	4848	320	6	P	285 TO 320	110SKRV	3/ 5/80		267.70	4581.13	
								8/31/80		269.48	4579.35	
06N 25E 03AAA1	435313113272301	5760	91	4	-	-	111ALVM	3/25/80		78.39	5681.61	*
								7/12/80		71.36	5688.64	
06N 28E 13DDA1	435045113031701	4945	201	16	P	100 TO 201	111ALVM	3/26/80		102.42	4842.58	*
								8/ 5/80		106.63	4838.37	
06N 29E 08CBB1	435154113015801	4945	198	18	P	105 TO 198	110ALVM	3/14/80		102.06	4842.94	*
06N 29E 16DDD1	435033112593701	4865	99	6	P	94 TO 99	111ALVM	3/26/80		61.80	4803.20	*
								8/ 5/80		79.45	4785.55	
06N 29E 23DBB1	435005112574601	4829	86	16	X	50 TO 86	110ALVM	3/12/80		49.60	4779.40	*
06N 29E 25AAA1	434947112560001	4801	43	40	-	-	110ALVM	3/12/80	D	-	4755.99	*
06N 29E 26CDC1	434847112575701	4820	132	16	P	85 TO 124	110ALVM	3/14/80		68.40	4751.60	*
					X	124 TO 132						
06N 29E 27BBB1	434938112593301	4851	95	18	X	37 TO 54	110ALVM	3/14/80		57.60	4793.40	*
					X	89 TO 95						
06N 29E 30DCD1	434919113030001	4903	262	16	P	65 TO 262	110ALVM	3/14/80		83.00	4820.00	*
								8/ 5/80	P	0.00	4903.00	
06N 29E 32ACA1	434836113011001	4861	133	16	P	88 TO 128	110ALVM	3/14/80		62.59	4798.41	*
								8/ 5/80		63.78	4797.22	
06N 29E 33ABB1	434847113001001	4852	100	16	P	60 TO 100	110ALVM	3/14/80		62.68	4789.32	*
								8/ 5/80		66.02	4785.98	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
06N 29E 33DCD1	434757112595901	4834	107	36	X	90 TO 108	110SKRV	3/14/80		102.91	4731.23	*
06N 29E 35ABA1	434841112573201	4808	68	36	-	-	110ALVM	3/15/80	D	-	<4740.01	*
								8/ 5/80	D	-	<4740.01	
06N 31E 10ACC1	435152112443101	4794	305	10	P	210 TO 255	110SKRV	3/15/80		213.63	4581.00	
								7/22/80		214.61	4580.02	
06N 31E 13DBB1	435053112420801	4796	326	8	P	255 TO 265	110SKRV	3/15/80		214.71	4581.31	
								7/22/80		215.61	4580.41	
06N 31E 21DCC1	434941112454201	4787	319	10	P	189 TO 315	110SKRV	3/15/80		207.50	4579.74	
								7/22/80		208.03	4579.21	
06N 31E 27BDD1	434915112443901	4790	1200	8	S	241 TO 261	110SKRV	3/15/80		210.94	4579.23	
								8/12/80		213.31	4576.86	
05N 25E 11CDC1	434613113265101	5725	287	18	-	-	110ALVM	3/17/80		152.66	5572.34	*
05N 26E 23CDA1	434436113193901	5488	197	20	-	-	111ALVM	3/25/80		37.04	5450.98	*
								7/12/80		23.17	5464.85	
05N 29E 01BBB1	434751112571801	4808	148	16	X	106 TO 148	110SKRV	3/26/80		123.39	4684.61	*
								8/ 5/80		124.61	4683.39	
05N 29E 04DDC1	434702112595501	4818	140	6	-	-	110ALVM	3/12/80		112.16	4705.84	*
								8/ 5/80		112.44	4705.56	
05N 29E 15ABD1	434558112585301	4805	540	8	X	520 TO 540	110SKRV	3/15/80		259.70	4545.33	
								8/ 5/80		270.82	4534.71	
05N 29E 23CDD1	434426112575701	4800	399	6	P	294 TO 305	110SKRV	3/ 5/80		275.25	4525.05	
								8/31/80		274.52	4525.78	
05N 30E 06DBB1	434723112552701	4797	650	8	P	160 TO 167	110SKRV	3/12/80	R	261.60	4535.40	*
					X	558 TO 650						
05N 30E 07AAD1	434650112545501	4794	816	18	P	543 TO 583	110SKRV	3/12/80		265.94	4528.06	
								8/ 5/80		280.36	4513.64	
05N 31E 14BCC1	434540112440901	4806	329	6	P	298 TO 322	110SKRV	3/17/80		269.43	4536.57	
								7/22/80		270.43	4535.57	
05N 31E 28CCC1	434334112463101	4795	716	12	X	535 TO 716	110SKRV	3/17/80		267.92	4527.11	
								8/12/80		271.07	4523.96	
04N 26E 04BBA1	434239113221801	5444	160	16	P	55 TO 160	112ALVM	3/17/80		38.41	5405.59	*
04N 26E 16ABB1	434055113214701	5409	139	16	P	36 TO 139	112ALVM	3/17/80		23.00	5386.00	*
04N 26E 18ADB1	434041113235901	5427	80	6	-	-	110ALVM	3/15/80	D	-	<5347.00	*
04N 26E 21ABB1	434001113215201	5390	760	6	P	656 TO 661	111ALVM	3/15/80		590.60	4799.40	*
								7/12/80		591.47	4798.53	
04N 26E 21BAA1	434000113215701	5391	36	20	-	-	110ALVM	3/17/80		27.02	5363.98	*
								8/ 5/80		11.97	5379.03	
04N 26E 25BBC1	433901113185401	5345	38	18	-	-	110ALVM	3/15/80		10.03	5334.97	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
04N 26E 26DCD1	433819113191601	5332	143	8	-	-	111ALVM	3/15/80		44.37	5287.88	*
								8/ 5/80		45.14	5287.11	
04N 26E 32CBB1	433748113234001	5371	253	16	X	205 TO 253	110SKRV	3/ 5/80		203.23	5167.99	*
								8/31/80		201.13	5170.09	
04N 27E 31DBC1	433742113170701	5344	221	8	X	138 TO 227	110QRNR	3/18/80		157.67	5186.73	*
								8/ 5/80		157.23	5187.17	
04N 29E 09DCD1	434055112593901	4884	463	6	P	410 TO 430	110SKRV	3/15/80		398.98	4485.27	
								7/22/80		399.55	4484.70	
04N 29E 14CAA1	434027112575701	4880	600	20	X	15 TO 600	-	3/17/80		396.09	4483.91	
								7/25/80		396.63	4483.37	
04N 30E 06ABA1	434234112551701	4813	1497	6	X	1280 TO 1497	110SKRV	3/17/80		318.54	4494.87	
								7/25/80		319.43	4493.98	
04N 30E 07ADB1	434126112550701	4820	563	12	-	-	110SKRV	3/ 3/80		327.57	4492.93	
								8/31/80		328.71	4491.79	
04N 30E 22BDD1	433937112515401	4834	498	6	P	437 TO 444	110SKRV	3/17/80		354.15	4480.58	
								7/25/80		354.52	4480.21	
04N 30E 26CCA1	433826112510701	4837	523	10	-	-	-	3/17/80		357.42	4479.58	
								7/25/80		357.97	4479.03	
04N 30E 31ABD1	433807112551501	4859	510	6	X	388 TO 510	110SKRV	3/17/80		379.51	4479.49	
								8/13/80		381.15	4477.85	
04N 31E 16ADC1	434031112453701	4899	620	6	P	452 TO 475	110SKRV	3/17/80		412.76	4487.13	
								7/25/80		414.14	4485.75	
03N 26E 02DDD1	433642113185901	5307	137	6	-	-	110SKRV	3/18/80		118.50	5189.04	*
								8/ 6/80	S	119.19	5188.35	
03N 26E 13BBB1	433541113185401	5309	-	16	-	-	110ALVM	3/13/80		56.87	5252.13	*
03N 26E 14DAA1	433517113190001	5307	200	20	P	65 TO 90	-	3/13/80		60.94	5246.06	*
03N 26E 22ABA1	433445113202801	5311	1025	24	X	969 TO 990	110SKRV	3/18/80		798.37	4513.26	
								7/12/80	S	799.42	4512.21	
03N 26E 28CBA1	433332113222001	5318	240	6	-	-	110SKRV	3/20/80		207.21	5111.17	*
03N 27E 08BCB1	433621113163301	5274	95	18	-	-	111ALVM	3/13/80		6.92	5267.08	*
03N 27E 11CCB1	433557113125401	5327	165	10	X	50 TO 165	110SKRV	3/15/80	0	-	-	*
03N 27E 18ACC1	433522113170301	5258	9	-	-	-	112ALVM	3/13/80		4.18	5253.82	*
03N 27E 19AAB1	433451113164801	5270	240	6	-	-	110ALVM	3/13/80		181.38	5088.62	*
								8/ 5/80		180.96	5089.04	
03N 29E 01DFB1	433657112563601	4883	505	8	P	401 TO 421	110SKRV	3/17/80		412.45	4470.95	*
								7/25/80		412.90	4470.50	
03N 29E 14ADD1	433520112572601	4917	588	8	P	447 TO 583	110SKRV	3/ 5/80		457.73	4459.91	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								8/31/80		458.63	4459.01	
03N 29E 14DDA2	433500112572502	4919	503	8	X	218 TO 475	110SKRV	3/31/80		459.67	4459.54	
								8/18/80		460.26	4458.95	
03N 29E 19CBB1	433422113031701	5049	657	6	P	619 TO 634	110SKRV	3/18/80		609.26	4439.94	
								7/21/80		609.84	4439.36	
03N 29E 23ABB1	433447112574501	4933	472	6	X	326 TO 472	110SKRV	7/24/80		466.47	4466.53	*
03N 29E 23DCD1	433356112574201	4938	505	6	X	324 TO 505	110SKRV	3/31/80		480.51	4458.29	
								8/13/80		481.10	4457.70	
03N 29E 24DDA3	433407112561501	4917	650	6	X	461 TO 650	110SKRV	3/31/80		457.95	4459.38	
								7/28/80		458.49	4458.34	
03N 29E 25CAA1	433326112564801	4929	571	12	-	-	110SKRV	3/18/80		471.40	4458.23	
								7/24/80		472.25	4457.38	
03N 29E 36ECB1	433246112571201	4940	637	6	X	522 TO 637	110SKRV	3/18/80		482.11	4459.04	
								8/13/80		482.71	4457.44	
03N 30E 06ACD1	433705112552101	4870	450	8	P	303 TO 449	110SKRV	3/18/80		393.47	4476.53	*
								7/25/80		394.12	4475.38	
03N 30E 12CDD1	433543112493901	4938	497	6	P	475 TO 497	110SKRV	3/18/80		466.56	4472.17	
								7/25/80		467.06	4471.67	
03N 30E 19DDC2	433401112551001	4908	700	8	P	470 TO 520	110SKRV	3/18/80		448.67	4459.56	
								8/13/80		449.24	4458.99	
03N 30E 31AAD1	433253112545901	4915	576	8	P	471 TO 480	110SKRV	3/18/80		460.38	4455.47	
								8/13/80		460.94	4454.91	
03N 31E 35DCA1	433223112470201	5130	877	-	-	-	-	3/18/80		668.95	4461.05	
								7/23/80		669.82	4460.18	
03N 32E 29DDC1	433320112432301	5125	704	6	P	675 TO 696	110SKRV	3/18/80		657.31	4468.56	
								7/23/80		658.23	4467.64	
02N 26E 22DDA1	432854113201001	5361	719	10	P	670 TO 675	110SKRV	3/18/80		662.48	4699.33	
								8/ 6/80		662.28	4699.53	
02N 26E 22DDA2	432854113201002	5361	1053	10	P	670 TO 675	110SKRV	3/19/80		983.06	4378.75	
								8/ 6/80		983.21	4378.60	
02N 27E 02DDC1	433121113115901	5195	812	6	P	781 TO 811	110SKRV	3/ 1/80		765.39	4430.05	
								8/19/80		765.50	4429.94	
02N 28E 13ADD1	433005113032901	5028	646	6	X	576 TO 646	110SKRV	3/21/80		600.36	4428.55	
								7/16/80		600.92	4427.99	
02N 28E 21BEB1	432935113090001	5081	691	5	X	49 TO 691	110SKRV	3/ 1/80		648.49	4432.53	
								8/19/80		648.66	4432.36	
02N 28E 35AAC1	432740113044501	5031	648	8	P	618 TO 643	110SKRV	3/ 5/80		606.61	4425.26	
								8/31/80		607.15	4424.72	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
02N 29E 13AAA1	433023112561501	4942	752	6	X	516 TO 752	110SKRV	3/19/80		497.51	4445.18	
								7/23/80		497.91	4444.78	
02N 29E 17C8C1	432952113020501	5010	626	6	X	580 TO 626	110SKRV	3/21/80		581.74	4428.47	
								7/16/80		582.01	4428.20	
02N 29E 18BDA1	433013113024201	5015	640	6	X	585 TO 640	110SKRV	3/21/80		587.56	4428.32	
								7/16/80		587.76	4428.12	
02N 29E 18CCD1	432940113030201	5020	635	6	X	587 TO 635	110SKRV	3/21/80		591.79	4428.63	
								7/16/80		592.42	4428.00	
02N 30E 04DCC1	433123112530101	4929	1057	10	X	681 TO 1057	110SKRV	3/18/80		471.64	4457.36	
								7/23/80		472.35	4456.65	
01N 29E 30BBD1	432336113064201	5066	704	6	P	672 TO 703	110SKRV	3/ 1/80		651.69	4415.20	
								8/19/80		652.29	4414.60	
01S 27E 14DCC1	431946113161401	5158	1041	4	P	1011 TO 1031	110SKRV	3/18/80		999.34	4159.52	
								8/ 6/80		999.84	4159.02	
CANYON COUNTY, IDAHO												
06N 05W 07ABC1	435241116585301	2170	45	12	P	25 TO 45	110ALVM	3/11/80		10.40	2159.60	
								8/ 4/80	P	17.00	2153.00	
06N 05W 19CCA1	435023116592101	2217	85	6	-	-	110ALVM	3/11/80		12.23	2204.77	
								8/ 4/80		7.09	2209.91	
06N 05W 30BAB1	435007116591501	2225	169	12	X	135 TO 169	112ALVM	3/11/80	V	30.24	2194.76	
								8/ 4/80	V	30.20	2194.80	
05N 05W 09ADB1	434719116560501	2269	315	18	P	144 TO 235	112IDHO	3/11/80	P	41.23	2227.77	*
								8/ 4/80	P	89.74	2179.26	
05N 05W 18CAC1	434603116590901	2225	250	6	-	-	112IDHO	3/11/80	R	12.59	2212.41	
								8/ 4/80	R	10.62	2214.38	
05N 05W 24DBB1	434522116524601	2300	98	18	-	-	112IDHO	3/12/80		10.39	2289.61	
								8/ 4/80		9.43	2290.57	
05N 04W 13BCB1	434627116461801	2395	105	4	-	-	112IDHO	3/12/80		20.21	2374.79	
								8/ 6/80	R	20.47	2374.53	
05N 04W 24ABA1	434543116453301	2510	448	16	S	264 TO 304	112GLFR	3/12/80	V	137.50	2372.50	
					S	331 TO 346						
					S	360 TO 390						
					S	405 TO 415						
05N 04W 34BCB1	434346116484101	2300	190	6	X	115 TO 190	112GLFR	3/12/80		6.78	2293.22	
								8/ 4/80		16.24	2283.76	
05N 04W 36BCC1	434339116461201	2345	146	24	X	135 TO 146	112IDHO	3/13/80		10.56	2334.44	
								8/ 4/80		7.26	2337.74	
05N 03W 11BCA1	434723116400001	2592	303	16	P	311 TO 349	112IDHO	3/13/80		158.13	2433.87	
								8/ 5/80		170.11	2421.89	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
05N 03W 19AAD1	434545116435701	2440	136	8	X	131 TO 143	112IDHO	3/12/80	R	30.11	2409.89	
								8/ 5/80		37.68	2402.32	
05N 03W 30DAA1	434433116440001	2470	149	6	X	149 TO 160	112IDHO	3/13/80		78.98	2391.02	
								8/ 4/80		77.99	2392.01	
05N 02W 19CBA1	434525116373601	2482	260	6	X	254 TO 260	112IDHO	3/13/80		43.88	2438.12	
								8/ 6/80		44.06	2437.94	
05N 02W 22CAD1	434514116334501	2605	450	12	P	279 TO 284	112IDHO	3/13/80	V	181.10	2423.90	
								8/ 6/80	V	186.97	2418.03	
05N 02W 24DAB1	434525116305101	2595	320	6	P	280 TO 320	112IDHO	3/12/80	P	162.43	2432.57	*
05N 02W 32CBD1	434331116362501	2500	233	6	X	230 TO 233	112IDHO	3/17/80		73.85	2426.15	
								8/ 7/80		72.64	2427.36	
04N 05W 07DCD1	434132116584001	2392	100	12	P	64 TO 100	112IDHO	3/14/80		16.14	2375.86	
								8/ 4/80	P	54.62	2337.38	
04N 05W 10CDD1	434128116551601	2423	305	4	P	287 TO 303	112GLFR	3/14/80		71.51	2351.49	
								8/ 4/80		72.63	2350.37	
04N 05W 12CBC1	434145116532401	2415	28	4	-	-	111TRRCY	3/14/80		17.09	2397.91	
								8/ 5/80		12.56	2402.44	
04N 05W 14CCC2	434040116543502	2424	910	12	P	500 TO 910	112IDHO	3/26/80	R	87.81	2336.19	
								8/ 5/80		82.59	2341.41	
04N 05W 22CCC2	433943116554502	2290	37	6	X	33 TO 37	-	3/21/80		13.25	2276.75	
								8/24/80		11.74	2278.26	
04N 05W 22CCC1	433943116554501	2290	101	3	-	-	111TRRCY	3/26/80		14.16	2276.44	
								8/ 4/80		12.74	2277.36	
04N 04W 05DDB1	434232116501001	2294	178	4	-	-	112IDHO	4/16/80		-4.12	2298.12	*
04N 04W 11DAA1	434154116462201	2312	42	4	-	-	110QRNR	3/14/80		8.49	2303.51	
								8/ 5/80		5.16	2306.84	
04N 04W 22DDD1	433945116473201	2353	132	24	X	72 TO 132	112IDHO	3/21/80		10.29	2343.11	
								8/ 5/80	P	30.85	2322.55	
04N 04W 24BCA1	434020116460301	2320	96	6	-	-	110QRNR	3/14/80		7.15	2312.85	
								8/ 5/80		3.44	2316.56	
04N 04W 32DBB1	433824116502901	2530	155	12	P	28 TO 48	112TRRCO	3/25/80		28.60	2501.40	
								8/ 5/80		22.40	2507.60	
04N 04W 33CDC2	433800116493001	2525	72	12	P	50 TO 63	111TRRCY	3/25/80		30.11	2494.89	
								8/ 5/80	P	47.43	2477.57	
04N 04W 33CDC3	433759116493201	2528	270	6	X	122 TO 270	112IDHO	3/25/80		74.99	2453.01	
								8/ 5/80	S	81.47	2446.53	
04N 03W 06AAA1	434312116435501	2372	160	12	P	31 TO 58	111TRRCY	3/12/80		12.64	2359.36	
								8/ 4/80		11.59	2360.41	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)
04N 03W 09BBD1	434210116422701	2378	200	10	S	113 TO 123	112IDHO	4/11/80		23.20	2354.80
								8/ 4/80		20.38	2357.62
04N 03W 13BAA1	434128116383601	2370	185	5	X	181 TO 185	112IDHO	4/11/80	E	-4.92	2374.92
04N 03W 24ACB1	434024116382901	2412	92	4	-	-	111TRRCY	3/15/80		20.18	2391.82
04N 03W 25DAA1	433920116375701	2422	120	3	X	119 TO 120	112IDHO	3/15/80		12.96	2409.04
04N 03W 32CCB2	433812116435402	2504	-	-	-	-	112IDHO	3/15/80		104.35	2399.65
								8/ 5/80		109.34	2394.66
04N 03W 35CCA1	433808116400601	2422	-	6	-	-	112IDHO	3/15/80		18.76	2403.24
04N 02W 05BAD1	434303116360801	2420	130	4	X	124 TO 130	112IDHO	3/17/80		10.24	2409.76
								8/ 5/80		8.83	2411.17
04N 02W 05ABB1	434314116360401	2497	475	-	-	-	112IDHO	3/17/80	R	82.79	2414.21
								8/ 7/80		83.48	2413.52
04N 02W 08ADD1	434200116353201	2407	80	4	X	60 TO 80	111ALVM	3/17/80		1.20	2405.80
								8/ 7/80		-0.07	2407.07
04N 02W 10CDA1	434144116334901	2425	64	6	X	0 TO 58	111ALVM	3/17/80		6.09	2418.91
								8/ 7/80		3.36	2421.64
04N 02W 11DBB1	434153116322301	2442	65	6	X	49 TO 65	111ALVM	3/17/80		9.83	2432.17
								8/ 7/80		4.51	2437.49
04N 02W 19ADA1	434022116364601	2421	130	4	-	-	111TRRCY	3/15/80		14.62	2406.38
								8/ 7/80		17.29	2403.71
04N 02W 22DCD1	433948116333201	2458	262	6	X	237 TO 262	112IDHO	3/17/80		5.52	2452.48
								8/ 7/80		7.14	2450.86
04N 02W 24CCC1	433951116315401	2479	77	6	X	53 TO 77	111TRRCY	3/17/80		25.47	2453.53
								8/ 7/80		22.94	2456.06
04N 02W 26CAD1	433910116323301	2472	152	24	X	140 TO 152	111TRRCY	3/18/80	V	11.96	2460.04
								8/ 7/80		13.37	2458.63
04N 02W 29CCB1	433905116364201	2432	130	5	P	101 TO 121	111TRRCY	3/15/80		11.75	2420.25
								8/ 7/80		7.19	2424.81
04N 02W 31DAD1	433816116364501	2438	110	6	-	-	111TRRCY	3/15/80		10.13	2427.87
								8/ 7/80		6.36	2431.64
04N 02W 34BDC1	433830116335901	2462	150	16	-	-	111TRRCY	3/17/80		12.16	2449.84
								8/ 7/80		9.88	2452.12
04N 02W 36CAD1	433818116312101	2491	66	24	-	-	111TRRCY	3/18/80		10.23	2480.77
								8/ 7/80	P	33.53	2457.47
03N 05W 11ADB2	433649116534101	2282	68	4	-	-	110ALVM	3/26/80		41.77	2240.23
03N 04W 11ADA1	433646116461801	2497	91	6	P	94 TO 99	111ALVM	3/20/80		14.73	2482.47
								8/ 5/80		10.69	2486.51
03N 04W 12AAD1	433656116451001	2492	140	6	-	-	111TRRCY	3/26/80		19.74	2472.96

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								8/ 5/80		15.45	2477.25	
03N 04W 12AAD2	433655116451001	2492	270	6	X	235 TO 270	112IDHO	3/26/80		35.20	2456.80	
								8/ 5/80		34.57	2457.43	
03N 04W 13ACC1	433547116454001	2522	125	6	-	-	111TRRCY	3/20/80		21.88	2500.12	
								8/ 5/80		18.95	2503.05	
03N 04W 15BAD1	433601116481301	2455	670	16	S	310 TO 390	112IDHO	3/20/80	V	109.02	2345.98	
								8/ 5/80	V	109.53	2345.47	
03N 03W 01CCC1	433713116390501	2425	121	3	-	-	111TRRCY	3/19/80		8.35	2417.25	
03N 03W 03BCB2	433745116412501	2429	94	6	P	22 TO 25	110QRNR	3/15/80		16.03	2413.20	
								8/ 5/80		15.83	2413.40	
03N 03W 08DCC1	433615116431601	2542	374	16	S	150 TO 230	112TRRCO	3/25/80	V	59.23	2482.77	
								8/ 5/80	P	93.01	2448.99	
03N 03W 09BBB2	433705116423601	2485	109	1	-	-	112TRRCO	3/21/80		47.30	2437.70	*
03N 03W 09CDC1	433617116422001	2555	145	8	-	-	112TRRCO	3/20/80		56.53	2499.19	
								8/ 5/80		59.73	2495.99	
03N 03W 14ADA1	433602116390801	2446	138	4	-	-	111TRRCY	3/19/80	R	11.89	2434.11	
								8/12/80	R	11.29	2434.71	
03N 03W 15BBB1	433614116412501	2598	257	12	P	197 TO 257	112TRRCO	3/25/80	V	129.01	2468.99	
								8/12/80	P	169.21	2428.79	
03N 03W 23BDD1	433502116394501	2493	165	-	-	-	111TRRCY	3/19/80		46.47	2446.53	
03N 03W 25AAA1	433430116375601	2463	145	6	-	-	111TRRCY	3/19/80		12.21	2450.79	
								8/12/80		10.63	2452.37	
03N 03W 32DDD1	433246116424401	2548	415	4	-	-	112IDHO	3/28/80		74.02	2473.98	
								8/10/80		69.93	2478.07	
03N 03W 36ADC1	433315116330701	2585	-	-	-	-	112IDHO	3/19/80	V	84.65	2500.72	
03N 02W 04CBB1	433737116353201	2456	209	24	X	84 TO 209	111TRRCY	3/19/80		14.34	2441.66	
								8/ 7/80	P	29.07	2426.93	
03N 02W 07DDD1	433619116364601	2450	92	4	X	77 TO 92	111TRRCY	3/19/80		10.04	2439.96	
								8/11/80		7.34	2442.66	
03N 02W 14CCD1	433526116325401	2483	147	16	-	-	112TRRCO	3/19/80		7.37	2476.33	
								8/ 9/80	P	22.52	2461.18	
03N 02W 19AAD1	433516116364401	2464	230	24	-	-	111TRRCY	3/19/80		15.10	2449.60	
								8/11/80	P	23.87	2440.83	
03N 02W 22CCA1	433443116340701	2485	83	6	X	60 TO 83	111TRRCY	3/19/80		15.74	2469.26	
03N 02W 23DBB1	433459116322201	2502	77	6	-	-	112TRRCO	3/18/80		15.60	2436.40	
								9/ 9/80		11.48	2490.52	
03N 02W 25BBB1	433432116315201	2511	300	4	-	-	112TRRCO	3/18/80		15.19	2495.81	
								8/ 9/80		12.21	2498.79	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)
03N 02W 32ABA1	433341116355101	2480	80	4	-	-	111TRRCY	3/19/80		10.85	2469.15
								8/11/80		8.94	2471.06
03N 02W 34CDA1	433255116334301	2506	146	6	X	67 TO 146	112TRRCO	3/18/80		12.10	2493.90
								8/ 9/80		5.60	2500.40
03N 02W 36CDC1	433249116313501	2531	90	6	X	45 TO 90	112TRRCO	3/18/80		21.88	2509.12
								8/ 9/80		14.88	2516.12
03N 01W 07BCB1	433658116304001	2494	51	6	P	45 TO 51	111TRRCY	3/18/80		3.28	2491.59
								8/ 8/80		10.57	2484.30
03N 01W 20BBB1	433525116293101	2632	182	6	X	175 TO 182	112IDHO	3/18/80		107.30	2524.70
								8/ 8/80		102.73	2529.27
03N 01W 29DDC1	433343116283701	2576	61	8	P	44 TO 66	112TRRCO	3/18/80		34.75	2541.25
03N 01W 31DDA1	433300116294001	2542	67	6	X	31 TO 67	112PLSC	3/18/80		14.94	2527.06
02N 03W 10BAA1	433153116405501	2485	150	4	-	-	112IDHO	3/28/80		63.82	2421.18
02N 03W 12DAA1	433123116380201	2535	48	4	-	-	111TRRCY	3/28/80		11.63	2523.37
								8/10/80	R	15.81	2519.19
02N 03W 18CBB1	433032116450001	2383	163	-	-	-	112IDHO	4/11/80		40.68	2343.12
02N 03W 22DDC1	432919116403701	2750	580	14	P	400 TO 580	112IDHO	4/ 3/80		356.48	2393.52
								8/12/80	V	357.29	2392.71
02N 02W 04ADA1	433228116342201	2519	50	8	-	-	-	3/18/80		17.17	2501.83
								8/ 9/80		13.50	2505.50
02N 02W 10CAA2	433128116335001	2575	183	6	X	178 TO 183	112IDHO	3/27/80		60.28	2514.72
								8/ 9/80		62.38	2512.62
02N 02W 11BBA2	433154116325602	2520	99	16	X	20 TO 99	110SKRV	3/27/80		1.86	2518.14
								8/ 9/80		1.05	2518.95
02N 02W 17CBC1	433030116363601	2555	55	6	-	-	111TRRCY	3/28/80	V	33.83	2521.17
02N 02W 23CBB1	432940116330501	2655	165	4	-	-	111ALVM	3/27/80		112.99	2542.01
								8/ 9/80		111.48	2543.52
02N 02W 28DDD1	432826116342001	2610	135	6	X	99 TO 135	112IDHO	3/27/80		61.65	2548.35
								8/ 9/80		61.49	2548.51
02N 02W 30BBA1	432917116373901	2590	160	6	X	140 TO 160	112TRRCO	3/28/80		62.51	2527.49
								8/10/80		63.98	2526.02
02N 01W 07BBC1	433145116304301	2547	103	5	P	97 TO 102	110SKRV	3/18/80		13.19	2533.81
								8/ 9/80		10.00	2537.00
01N 03W 25AAA1	432403116375601	2740	710	6	X	599 TO 710	112IDHO	4/ 3/80		396.61	2343.39
								8/ 9/80	R	399.54	2340.46
01N 02W 05ADD1	432708116353901	2675	720	12	P	415 TO 625	112IDHO	3/27/80	V	129.62	2545.38
								8/ 9/80	P	275.58	2399.42

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
01N 02W 06ADD1	432709116365101	2728	720	12	P	596 TO 720	112IDHO	3/27/80	V	257.00	2471.00	
01N 02W 09DDD2	432554116342101	2665	252	6	-	-	110SKRV	3/27/80		124.33	2540.67	
								8/ 9/80		132.22	2532.78	
01N 02W 09DDD1	432553116342101	2665	144	6	S	144 TO 0	110SKRV	3/27/80		115.76	2549.24	
01N 02W 10DDA1	432600116330901	2667	204	-	-	-	110SKRV	3/27/80		102.08	2564.92	
01N 02W 27CCD2	432313116340301	2638	300	8	-	-	110SKRV	4/ 2/80		178.80	2459.20	
								8/ 9/80		174.93	2463.07	
01N 02W 36CAA1	432240116313001	2700	620	8	P	538 TO 618	112IDHO	4/ 2/80		260.37	2439.63	
01S 02W 14CCC2	431948116330001	2395	235	6	-	-	112IDHO	4/ 2/80		49.66	2345.34	
								8/ 9/80		47.67	2347.33	
01S 02W 24CBA1	431917116313301	2490	-	16	-	-	112IDHO	4/ 3/80		120.11	2369.89	
01S 02W 25ECA2	431836116313601	2375	750	16	P	0 TO 83	112IDHO	4/ 3/80		47.83	2327.17	
								8/ 9/80	P	53.31	2321.69	
01S 02W 26AAB1	431846116320601	2390	-	-	-	-	112IDHO	4/ 3/80		38.47	2351.53	
								8/ 9/80		37.39	2352.61	
CASSIA COUNTY, IDAHO												
09S 25E 11CAA1	423917113300101	4187	107	18	-	-	110SKRV	3/14/80		56.43	4130.57	
								3/21/80		51.13	4235.87	
09S 25E 18DDA1	423811113341201	4206	150	6	X	77 TO 150	110SKRV	3/20/80		27.61	4178.68	
								8/19/80		22.18	4184.11	
09S 25E 23DBA1	423732113295801	4266	174	8	X	172 TO 174	110SKRV	3/19/80		136.17	4130.80	
								8/31/80		130.68	4136.29	
09S 26E 07AAB1	423943113272001	4199	152	-	P	145 TO 150	110SKRV	3/19/80		71.32	4128.63	
								8/ 6/80		60.30	4139.65	
09S 26E 07AAB2	423943113272002	4199	550	-	P	219 TO 224	110SKRV	3/19/80		71.79	4128.16	
								8/ 6/80		66.08	4133.87	
09S 26E 07AAB3	423943113272003	4199	304	1	P	777 TO 782	110SKRV	3/19/80		25.53	4174.42	
								8/ 6/80		26.54	4173.41	
09S 26E 07BCC1	423922113281201	4207	88	8	P	58 TO 88	110SKRV	3/19/80		78.08	4129.76	
09S 26E 10AAA1	423946113233801	4221	95	5	P	66 TO 95	110SKRV	3/19/80		90.77	4130.24	
09S 26E 11CCC1	423854113233501	4218	125	6	P	80 TO 100	110SKRV	8/ 6/80		82.97	4135.03	
					X	100 TO 125						
09S 26E 13CCC1	423803113221801	4281	170	8	-	-	110SKRV	3/15/80		150.63	4130.80	
09S 26E 20BBA1	423758113265601	4263	135	8	X	10 TO 135	110SKRV	3/13/80		128.09	4134.91	
09S 26E 22BBB1	423759113243901	4251	127	8	-	-	110SKRV	3/19/80		120.83	4130.33	
								8/ 6/80		116.74	4134.42	
09S 29E 30DDB1	423622113125901	4370	242	20	X	169 TO 242	311PRMNU	3/12/80		159.62	4210.81	*
								8/ 6/80	S	159.06	4211.37	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
10S 21E 34DDD1	423017113591301	4293	505	22	X	65 TO 473	110SKRV	3/18/80		448.10	3844.90	
								8/ 8/80	P	451.58	3841.42	
10S 22E 20CDC1	423206113542301	4149	561	6	X	285 TO 561	111SKRV	3/20/80		223.40	3926.12	
								8/20/80		233.14	3916.38	
10S 22E 22CCC3	423206113521601	4150	60	6	-	-	112ALVM	3/19/80		16.10	4134.26	*
								8/ 8/80		11.90	4138.46	
10S 22E 26DCD1	423111113524001	4226	310	4	-	-	110SKRV	3/19/80	P	263.93	3962.07	*
								8/ 8/80	P	261.46	3964.54	
10S 22E 32AED1	423100113535201	4281	389	20	X	20 TO 389	110SKRV	3/18/80		334.66	3946.34	
10S 22E 32CBC1	423028113544001	4374	-	-	-	-	110SKRV	3/18/80		449.40	3924.84	
10S 22E 33DDC2	423016113523501	4304	-	-	-	-	110SKRV	3/19/80		330.40	3973.77	
10S 22E 35DAD1	423030113495901	4203	65	6	-	-	112ALVM	3/19/80		43.88	4159.92	*
10S 23E 20DCC2	423200113472601	4163	1044	18	P	452 TO 464	110SKRV	3/17/80	R	199.70	3963.30	
					X	469 TO 1115						
10S 23E 32CB91	423035113480401	4188	42	4	-	-	112ALVM	3/17/80		22.53	4166.28	*
10S 24E 01DD81	423445113353201	4197	88	14	-	-	110SKRV	3/14/80		67.37	4130.39	*
10S 24E 12ABD1	423422113354301	4202	110	12	X	8 TO 110	110SKRV	3/14/80		76.75	4125.25	*
								8/ 6/80	V	70.91	4131.09	
10S 24E 13CC81	423259113362601	4189	46	6	-	-	110SKRV	3/15/80		38.58	4150.66	*
10S 24E 14AAB1	423336113364401	4181	47	6	X	4 TO 47	110SKRV	3/15/80		43.23	4138.20	*
								8/ 6/80		24.63	4156.80	
10S 24E 23BC81	423230113373301	4205	66	6	-	-	110SKRV	3/15/80		38.50	4166.37	*
								8/ 7/80		43.49	4161.38	
10S 24E 36CDC1	423013113361101	4257	90	6	-	-	110SKRV	3/15/80		34.69	4223.21	*
10S 25E 08BDA1	423420113334001	4295	185	14	X	8 TO 185	110SKRV	3/14/80		168.10	4126.90	
10S 25E 10ABB1	423429113311301	4303	181	6	X	4 TO 175	110SKRV	4/22/80	P	173.49	4130.01	*
								8/ 7/80	P	169.10	4134.40	
10S 25E 17ABD1	423328113332001	4312	220	-	-	-	110SKRV	3/14/80		194.25	4117.75	
10S 25E 17DBD1	423302113331801	4331	416	12	X	380 TO 420	110SKRV	3/14/80	V	192.01	4139.99	*
								8/ 7/80	P	216.80	4114.20	
10S 25E 21ABA1	423248113320801	4315	200	20	X	31 TO 200	110SKRV	3/14/80		167.15	4147.85	*
10S 26E 03ADD1	423459113233901	4435	-	-	-	-	110SKRV	3/12/80		240.89	4194.11	*
								8/ 6/80		280.22	4154.78	
10S 26E 03DCA1	423442113240001	4438	700	20	X	36 TO 284	110SKRV	3/12/80		248.61	4190.31	*
					X	681 TO 700						
10S 26E 34BAD2	423052113241401	4465	342	8	X	54 TO 342	110SKRV	3/15/80		282.74	4182.77	*
10S 27E 02ABB2	423516113154501	4256	500	18	X	494 TO 500	112PAFT	3/15/80		43.23	4212.77	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
10S 27E 19DAA1	423213113200301	4380	145	10	X	2 TO 145	110SKRV	3/15/80		126.93	4253.07	*
10S 27E 30CCC1	423103113211101	4417	301	-	-	-	110SKRV	3/12/80		139.20	4278.40	*
								8/ 6/80		163.54	4254.06	
10S 28E 06ACD1	423456113130901	4275	351	16	X	296 TO 351	311PRMNU	3/12/80		20.27	4254.73	*
10S 28E 08CCB1	423345113124801	4305	93	6	-	-	110ALVM	3/11/80		84.78	4221.06	*
10S 28E 14BDD1	423313113095001	4480	296	6	X	37 TO 296	112RAFT	3/11/80		198.20	4281.80	*
10S 28E 19AAC1	423238113130801	4344	500	18	P	338 TO 418	110ALVM	3/11/80	V	111.04	4233.14	*
					X	418 TO 500						
10S 28E 30DCA1	423111113131601	4392	400	20	P	260 TO 328	110ALVM	3/11/80		145.96	4246.83	*
11S 20E 24DDD1	422647114030401	4258	-	-	-	-	121BNBR	3/ 5/80		242.74	4015.26	
								8/20/80		252.41	4005.59	
11S 21E 05DAD1	422935114003401	4262	442	6	X	29 TO 442	110SKRV	3/18/80		417.75	3844.25	
								8/ 8/80		414.15	3847.85	
11S 21E 11ADD1	422902113570301	4385	-	-	-	-	110SKRV	3/18/80		469.40	3915.60	
11S 22E 10BCB1	422905113521601	4280	400	14	X	300 TO 400	110SKRV	3/19/80		350.00	3930.00	
11S 22E 16BBC1	422823113532701	4321	562	22	X	33 TO 562	110SKRV	3/18/80		393.95	3927.05	
								8/ 8/80		407.24	3913.76	
11S 22E 22CAD1	422701113514401	4278	697	16	X	332 TO 395	110SKRV	3/17/80		351.76	3926.24	
					X	480 TO 697						
11S 22E 28CCC1	422553113532701	4297	-	16	-	-	110SKRV	3/19/80		353.35	3943.65	
11S 22E 32CCC1	422501113543901	4309	635	6	X	605 TO 635	121IDVD	3/20/80		384.02	3925.68	
								8/ 8/80		403.47	3906.23	
11S 23E 01CCC1	422921113432301	4214	86	4	-	-	110SKRV	3/15/80		13.05	4201.64	*
11S 23E 34CDC1	422458113452701	4271	340	16	X	282 TO 346	110SKRV	3/11/80		333.71	3937.40	
								8/ 7/80		350.77	3920.34	
11S 25E 32CCC2	422458113340201	4680	500	14	P	0 TO 55	121IDVD	3/12/80		30.15	4649.85	*
								8/ 6/80		43.84	4636.16	
11S 27E 03CCB2	422927113173602	4397	800	16	P	250 TO 265	110ALVM	3/12/80	V	128.15	4269.78	*
					P	450 TO 540						
					P	585 TO 740						
11S 27E 12DDA1	422835113140701	4480	376	20	P	167 TO 245	112ALVM	3/15/80		232.30	4248.20	*
								8/ 6/80	P	258.49	4222.01	
11S 27E 29AAA1	422639113260101	4394	247	8	X	237 TO 247	112RAFT	3/ 5/80		99.31	4295.41	*
								8/31/80		108.31	4286.41	
12S 19E 02BBB1	422452114123201	4268	750	-	X	0 TO 735	121IDVD	3/20/80		314.21	3954.06	
								8/ 9/80		366.41	3901.86	
12S 20E 25BCA1	422113114035501	4625	1155	20	X	960 TO 1185	110ALVM	3/20/80		287.58	4337.50	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
12S 21E 02DAA1	422434113570201	4361	936	6	X	907 TO 936	121IDVD	3/ 5/80		394.85	3961.40	
								8/31/80		441.76	3919.49	
12S 21E 16DCC1	422227113595901	4377	256	20	X	233 TO 256	111ALVM	3/20/80		113.94	4264.05	
								8/ 8/80		124.11	4253.88	
12S 21E 25CCC1	422047113570101	4409	1870	20	X	188 TO 948	121IDVD	3/11/80		349.12	4060.52	*
								8/ 8/80		393.32	4016.32	
12S 25E 06DCC1	422405113343801	4755	102	6	-	-	111ALVM	3/12/80		8.95	4746.0	*
								8/ 6/80	P	17.25	4737.75	
12S 25E 09CCD1	422313113324701	4831	378	10	X	243 TO 379	-	3/12/80		93.54	4737.46	*
								8/ 6/80		93.56	4737.44	
12S 25E 18BBA1	422310113350901	4940	103	8	-	-	111ALVM	3/12/80		46.78	4893.22	*
								8/ 6/80		37.85	4902.15	
12S 25E 28AAA3	422125113314901	5356	177	-	-	-	-	3/12/80		80.37	5275.63	*
								7/24/80		71.85	5284.15	
12S 26E 02ACC1	422433113230401	4415	197	20	-	-	112RAFT	3/15/80		91.73	4323.68	*
12S 26E 14DCD1	422219113224101	4469	650	16	P	395 TO 627	112RAFT	3/15/80		131.25	4339.51	*
					X	627 TO 650						
12S 27E 36ADD1	422012113140701	4700	900	16	-	-	112RAFT	3/12/80		196.09	4504.39	*
13S 21E 18BBC1	421755114024401	4953	950	16	X	80 TO 950	300CRBN	3/ 5/80		576.82	4376.81	*
								8/31/80		578.32	4375.31	
13S 22E 03BCC2	421922113521302	4414	407	18	-	-	121IDVD	3/11/80		236.39	4178.40	*
13S 22E 21CCD1	421621113531601	4491	80	4	-	-	111ALVM	3/11/80		66.44	4425.36	*
								7/23/80		14.78	4477.02	
13S 22E 21CCD2	421620113531701	4491	1004	8	P	560 TO 606	111ALVM	3/11/80		68.21	4423.59	*
								7/23/80		43.60	4448.20	
13S 22E 21CCD3	421621113531602	4491	140	4	-	-	111ALVM	3/11/80		64.28	4427.52	*
								7/23/80		36.47	4455.33	
13S 26E 01CCC1	421852113222601	4517	223	16	P	24 TO 43	111ALVM	3/12/80		36.05	4481.57	*
					P	46 TO 64						
13S 26E 14CBC1	421721113233301	4576	603	16	P	6 TO 56	110ALVM	3/12/80		33.45	4543.05	*
					P	74 TO 100						
					X	114 TO 205						
13S 27E 15CAA1	421731113170601	4629	947	14	P	320 TO 348	111ALVM	3/12/80		158.59	4471.01	*
					P	355 TO 428						
					X	428 TO 585						
13S 27E 19BCB1	421653113211101	4528	425	18	P	0 TO 425	111ALVM	3/12/80		20.72	4507.38	*
14S 27E 33CAB1	420942113183201	4690	265	12	-	-	110ALVM	3/12/80		29.93	4660.69	*
14S 27E 33CDD1	420917113181501	4715	199	16	P	45 TO 50	111ALVM	3/ 5/80		44.35	4670.65	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								7/31/80		45.61	4669.39	
16S 28E 20CDC1	420039113122301	5280	295	8	X	200 TO 295	111ALVM	3/12/80		147.27	5132.73	*
CLARK COUNTY, IDAHO												
13N 41E 09BCA1	442808111391301	6504	85	6	X	56 TO 85	110SKRV	5/20/80		40.07	6463.93	*
								7/17/80		30.28	6473.72	
12N 39E 12CDB1	442242111481501	6395	-	6	-	-	110SKRV	5/ 8/80		90.28	6304.72	
11N 38E 09CA 1	441744111590601	6385	390	8	X	18 TO 390	110SKRV	5/ 6/80		794.90	5590.10	*
10N 34E 29AAC1	441014112284501	4990	360	20	X	49 TO 360	110VLCC	3/13/80		225.08	4764.92	*
10N 34E 31CCD1	440847112303501	4917	189	6	-	-	110SDMS	3/13/80		178.72	4738.28	
10N 35E 08BBB1	441258112222201	5253	360	8	-	-	110SKRV	3/13/80		251.27	5002.64	
10N 35E 13C6C1	441132112173301	5150	370	6	-	-	110SKRV	3/19/80		357.47	4793.49	
								8/ 5/80		356.90	4794.06	
10N 36E 20DAD1	441038112140701	5155	478	16	X	370 TO 478	110SKRV	3/19/80		353.87	4801.13	
10N 36E 21CAD1	441043112133201	5148	600	10	-	-	110SKRV	3/20/80	R	359.16	4788.45	
								8/ 5/80	R	359.70	4788.91	
10N 36E 33BAB1	440928112134201	5095	425	20	X	94 TO 426	110SKRV	3/20/80		300.70	4794.30	
10N 37E 09DCD1	441209112055501	5439	750	8	X	90 TO 750	110SKRV	5/ 6/80	P	653.07	4785.93	*
09N 33E 11BAC1	440740112325801	5010	280	8	-	-	110ALVM	3/13/80		74.92	4935.08	*
								8/ 5/80		77.12	4932.88	
09N 33E 34DAD1	440343112332101	4840	-	-	-	-	110SKRV	3/18/80		138.30	4701.70	
09N 34E 11ADD1	440725112245301	4955	196	4	-	-	110SKRV	3/ 5/80		157.00	4798.00	
								8/31/80		157.65	4797.35	
09N 34E 22AAB1	440600112261601	4870	118	24	-	-	110SKRV	3/19/80		85.01	4784.99	
09N 34E 27BDB1	440457112265201	4853	450	24	-	-	110SKRV	3/18/80		65.82	4787.18	
09N 34E 29ADC1	440448112283801	4839	420	20	X	356 TO 420	110SKRV	3/18/80		57.09	4781.91	
								8/ 5/80		74.90	4764.10	
09N 36E 04BAA1	440841112133001	5055	315	6	X	276 TO 315	110SKRV	3/20/80		255.18	4799.82	
								8/ 5/80		265.05	4789.95	
09N 36E 09CAB1	440719112133901	5005	280	20	X	35 TO 280	110SKRV	3/20/80		210.56	4794.44	
09N 36E 21CCA1	440524112134901	4920	200	20	X	40 TO 102	110SKRV	3/20/80		128.58	4791.42	
					X	146 TO 200						
09N 36E 31BAD1	440409112155801	4919	-	6	-	-	110SKRV	4/ 1/80		126.68	4792.32	
09N 36E 33CBB1	440353112135701	4865	155	6	X	12 TO 155	110SKRV	3/ 5/80		78.47	4786.53	
								8/31/80		80.15	4784.85	
ELMORE COUNTY, IDAHO												
01N 04E 23AAB1	432453115561601	3500	68	18	P	25 TO 65	110ALVM	4/ 3/80		22.73	3477.27	
01N 04E 27ACC1	432348115572601	3425	200	16	P	18 TO 200	112IDHO	4/ 3/80		13.30	3411.70	
01N 05E 29ADC1	432339115512701	3600	300	6	X	71 TO 300	110ALVM	4/ 3/80	R	66.37	3533.63	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
01S 04E 10DAD1	432055115571801	3300	452	12	S	496 TO 525	112IDHO	8/ 8/80		73.46	3526.54	
								3/25/80		341.29	2958.71	
								8/ 8/80		341.26	2958.74	
01S 11E 35CCC1	431707115072801	5081	15	33	-	-	110SDMS	3/25/80		6.91	5074.09	*
								8/18/80		6.98	5074.02	
02S 04E 34AAC1	431241115573901	3075	1100	16	P	40 TO 340	112BRUN	3/24/80		263.65	2811.35	
					X	340 TO 651						
02S 04E 36CDD1	431204115553101	3078	575	16	P	162 TO 312	112BRUN	3/25/80		264.68	2813.32	
					X	312 TO 575						
02S 05E 01DDA1	431632115474801	3360	295	16	X	30 TO 190	112BRUN	4/ 3/80		187.72	3172.28	
					P	190 TO 275						
					X	275 TO 295						
02S 05E 15ABA1	431523115503601	3281	450	6	P	390 TO 450	112BRUN	4/ 3/80		359.48	2921.52	
								8/ 8/80		359.55	2921.45	
02S 05E 26BDB1	431329115495301	3205	428	8	-	-	-	3/21/80		307.25	2897.75	
								8/ 8/80		307.25	2897.75	
02S 05E 36BBB1	431242115495501	3190	356	6	X	50 TO 356	112BRUN	3/21/80		281.70	2908.30	
								8/ 8/80		281.75	2908.25	
02S 06E 11DAC1	431527115420901	3400	1550	12	X	1040 TO 1550	112BRUN	3/21/80		104.94	3295.06	
								8/ 8/80		105.00	3295.00	
02S 11E 11CDD1	431521115065501	5110	226	16	S	142 TO 152	110SDMS	3/25/80		20.09	5089.91	*
								8/18/80		63.44	5046.56	
03S 05E 07BDD1	431044115542901	3074	497	18	P	240 TO 332	112BRUN	3/25/80		262.68	2811.32	
								8/ 8/80		265.44	2808.56	
03S 06E 09DDC1	431013115441901	3194	200	7	P	140 TO 190	112BRUN	3/21/80		138.75	3055.25	
								8/ 8/80		130.28	3063.72	
03S 06E 13BBA1	431011115411001	3240	150	12	-	-	112BRUN	3/21/80		35.47	3204.53	*
								8/ 8/80		46.79	3193.21	
03S 06E 33AAD1	430724115441501	3142	500	6	X	18 TO 500	112BRUN	3/11/80		402.94	2739.06	
								3/28/80		403.11	2738.89	
03S 06E 35ABB1	430732115422301	3135	14	12	-	-	111ALVM	3/21/80		4.43	3130.57	*
								8/12/80		5.35	3129.65	
03S 06E 35BCC1	430716115425101	3145	856	12	P	6 TO 264	112BRUN	3/21/80		410.45	2734.55	
								8/12/80		415.08	2729.92	
03S 07E 18CCD1	430921115401901	3250	350	8	X	19 TO 350	112BRUN	4/ 3/80		133.50	3116.50	
04S 03E 23CDD1	430321116040101	2917	600	20	X	65 TO 600	112BRUN	3/26/80		247.12	2669.88	
								8/11/80		247.51	2669.49	
04S 03E 29DDD1	430229116065901	2438	100	12	-	-	112IDHO	3/26/80		20.74	2417.26	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)
								8/11/80		8.08	2429.92
04S 05E 10CAC1	430520115505601	3080	706	20	X	18 TO 706	112BRUN	3/26/80		390.34	2689.66
04S 05E 24AAB1	430411115474901	3092	553	8	X	6 TO 553	112BRUN	3/26/80		415.48	2676.52
								8/11/80		417.17	2674.83
04S 05E 25BBC1	430310115485701	3048	530	-	-	-	112BRUN	3/26/80		383.93	2664.07
04S 06E 02DAA1	430616115414801	3112	420	8	X	27 TO 420	112BRUN	4/ 3/80		333.02	2778.98
								8/12/80		334.78	2777.22
04S 06E 36DCB1	430140115410401	3053	615	16	P	347 TO 547	112BRUN	3/27/80		372.92	2680.08
					X	557 TO 615					
04S 07E 09DCC1	430505115373401	3152	862	12	X	630 TO 665	112BRUN	3/21/80		383.07	2768.93
								8/11/80		396.10	2755.90
04S 07E 28BBA1	430307115375601	3075	464	6	X	456 TO 464	112BRUN	3/28/80		374.54	2700.46
								8/11/80		380.16	2694.84
04S 10E 30BBA1	430310115190901	3455	1481	16	P	1400 TO 2100	112GLFR	4/ 1/80		266.94	3188.06
								8/12/80		268.38	3186.62
05S 03E 10AAA1	430042116043701	2438	103	6	X	97 TO 103	112GLFR	3/26/80		18.33	2419.67
								8/11/80		6.95	2431.05
05S 04E 05CAA1	430112116001001	2850	470	14	P	225 TO 330	112BRUN	3/26/80		199.88	2650.12
								8/11/80		208.64	2641.36
05S 06E 06CAA1	430103115471101	3029	445	16	X	153 TO 445	112GLFR	3/27/80		367.77	2661.23
					X	174 TO 445					
05S 06E 15BCD1	425924115435401	3022	570	26	X	296 TO 330	112GLFR	3/28/80		379.25	2642.75
								8/11/80		379.09	2642.91
05S 06E 25ACA1	425747115405601	2855	460	6	-	-	112GLFR	3/28/80		390.19	2464.31
								8/ 8/80		390.05	2464.95
05S 06E 32AAA1	425708115452701	2515	68	8	X	66 TO 68	110ALVM	3/27/80		50.15	2464.85
05S 07E 03ADB1	430116115360501	3090	890	8	P	580 TO 603	112GLFR	3/28/80		411.39	2678.61
					X	653 TO 890					
05S 07E 24DDD1	425803115333001	2924	560	6	X	378 TO 560	112GLFR	3/28/80	R	353.00	2571.00
								8/ 8/80	R	362.30	2561.70
05S 08E 17CAB1	425917115315801	2890	1500	20	-	-	112IDHO	4/ 2/80		258.84	2631.16
05S 08E 29BCA1	425747115320701	2900	525	6	X	409 TO 525	112GLFR	4/ 2/80		411.60	2488.40
05S 08E 34DBA1	425644115291301	2520	75	6	-	-	112GLFR	3/11/80		47.96	2472.04
05S 08E 36CCC1	425621115273501	2536	90	6	-	-	112MEON	4/ 1/80		64.99	2471.01
								8/ 8/80		63.64	2472.36
05S 09E 31ACC1	425646115254301	2520	117	6	X	77 TO 117	112GLFR	4/ 1/80		37.07	2482.93
05S 10E 12CBC1	430002115132001	2570	89	6	X	88 TO 89	112GLFR	4/ 2/80		69.95	2500.05
								8/ 8/80		65.08	2504.92

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
05S 10E 28CAB1	425734115163401	2543	1100	8	X	146 TO 1100	112GLFR	4/ 1/80	E	-6.33	2549.58	*
								8/ 8/80	E	-5.01	2548.26	
05S 10E 30DDA1	425746115184701	2598	91	6	-	-	112GLFR	4/ 2/50		24.06	2573.94	
05S 10E 30CAC1	425723115190101	2725	400	6	X	34 TO 400	112GLFR	4/ 2/80		145.68	2579.32	
								8/ 8/80		152.08	2572.92	
05S 10E 31ABA1	425703115183001	2565	100	12	S	65 TO 75	112IDHO	4/ 2/80		59.90	2505.10	
06S 09E 33AAD1	425145115225601	3130	665	8	P	585 TO 665	112GLFR	3/11/80		402.94	2727.06	
06S 10E 30DBC1	425211115184501	2990	437	6	P	402 TO 437	112BRUN	3/11/80		251.60	2738.40	
								8/ 8/80		253.10	2736.90	
06S 11E 06BBA1	425617115120001	2690	445	6	-	-	112GLFR	4/16/80		119.28	2560.72	
								8/ 8/80		120.33	2559.67	
05S 03E 02BAA1	430130116040501	2548	280	12	P	141 TO 161	112GLFR	3/14/80		112.80	2435.20	
					X	161 TO 335						
FREMONT COUNTY, IDAHO												
15N 43E 13BCA1	443745111195401	6620	155	6	-	-	112ALVM	4/ 8/80		120.81	6499.19	*
								7/17/80		106.90	6513.10	
14N 43E 02AAC1	443419111202401	6516	125	6	X	19 TO 125	112YLSN	5/21/80		86.76	6429.24	*
								7/17/80		87.11	6428.89	
13N 43E 15ADC1	442709111213501	6300	58	6	X	38 TO 58	112LVCK	4/ 8/80	R	16.97	6283.03	*
								7/17/80		15.13	6284.87	
12N 40E 10ACA1	442312111432701	6540	-	6	-	-	110SKRV	5/20/80		223.99	6316.01	*
12N 40E 23ACD1	442121111421201	6655	15	36	-	-	110SKRV	5/20/80		1.00	6654.00	*
10N 41E 35CBD1	440853111353601	5462	175	10	X	20 TO 175	110SKRV	5/15/80	R	49.07	5412.93	*
09N 40E 05DDD1	440752111452901	5535	747	5	X	5 TO 730	110SKRV	6/24/80	O	-	<4788.40	*
								8/ 5/80	O	-	<4788.40	
09N 41E 12CDC1	440657111341301	5312	105	6	X	91 TO 105	110SKRV	5/22/80		59.34	5252.66	*
09N 42E 34DDA1	440332111293201	5228	110	16	X	7 TO 110	110SKRV	3/28/80		12.35	5215.65	*
								8/ 6/80	P	20.52	5207.48	
09N 44E 21AAD1	440547111151601	5660	132	6	-	-	112HKBR	5/ 8/80		114.19	5545.81	*
								8/ 1/80		109.85	5550.15	
08N 37E 10CBD1	440202112053101	5060	390	6	X	5 TO 390	110SKRV	4/ 2/80		277.34	4782.66	
								8/13/80		278.66	4781.34	
08N 37E 29CAC1	435923112075401	4911	200	16	X	17 TO 200	110SKRV	5/13/80		125.98	4785.02	
08N 37E 35DCC1	435813112035801	4945	160	4	-	-	110SKRV	4/ 1/80		150.08	4794.92	
								8/13/80		155.95	4789.05	
08N 38E 06DDA1	440248112010101	5338	550	20	X	20 TO 650	110SKRV	5/13/80		552.24	4785.76	
08N 38E 20BBD1	440043112004201	5217	480	16	X	24 TO 480	110SKRV	4/ 2/80		421.62	4795.38	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
08N 38E 30BBD1	435947112015201	5080	365	14	X	20 TO 365	110SKRV	4/ 1/80		281.83	4798.17	
08N 40E 01CAD1	440253111412101	5161	376	-	X	5 TO 355	110SKRV	5/15/80		336.89	4824.11	
								8/ 6/80		334.73	4826.27	
08N 40E 21DDD1	435958111441401	4963	80	-	F	72 TO 77	110SKRV	3/25/80	D	-	<4883.64	*
								8/ 5/80	D	-	<4883.64	
08N 40E 21DDD2	435958111441402	4963	382	-	F	207 TO 212	110SKRV	3/25/80		138.83	4824.91	
								8/ 5/80		135.37	4828.27	
08N 40E 21DDD3	435958111441403	4963	450	-	F	437 TO 442	110SKRV	3/25/80		139.12	4824.52	
								8/ 5/80		135.60	4828.04	
08N 41E 08ADA1	440217111382201	5075	578	10	X	147 TO 573	110SKRV	3/31/80		253.92	4821.08	
08N 41E 25CBB1	435924111343701	5075	140	6	X	91 TO 140	110SKRV	3/28/80	R	75.80	4999.20	
07N 39E 01CCD1	435724111485101	4904	122	6	X	84 TO 122	110SKRV	3/ 5/80		84.49	4819.81	
								8/31/80		75.93	4828.37	
07N 39E 01CCD2	435724111485102	4904	55	6	X	19 TO 55	110SKRV	6/24/80		41.91	4862.39	
								8/ 5/80		37.80	4866.50	
07N 39E 07BDA1	435705111542701	4874	340	6	X	75 TO 340	110SKRV	3/19/80		63.64	4810.36	
								8/31/80		56.89	4817.61	
07N 39E 07BDA2	435704111542701	4874	39	6	R	48 TO 0	110SKRV	3/19/80	D	-	<4819.00	*
07N 39E 15CCB1	435548111512201	4873	39	1	T	37 TO 39	112ALVM	3/19/80		26.11	4846.89	*
								8/ 5/80		7.39	4865.61	
07N 39E 16DBB1	435605111515803	4872	444	8	X	215 TO 444	110SKRV	3/ 5/80		61.37	4811.47	*
								8/31/80		57.46	4815.38	
07N 39E 16DBB2	435605111515802	4872	107	12	R	100 TO 105	110ALVM	3/18/80		39.92	4832.72	*
								8/31/80		24.88	4847.76	
07N 39E 16DBB3	435605111515801	4872	38	8	R	32 TO 37	110ALVM	3/ 5/80		23.39	4849.15	*
								8/31/80		4.81	4867.73	
07N 39E 16DBB4	435605111515804	4872	503	22	X	255 TO 503	110SKRV	3/18/80		61.16	4811.18	
07N 39E 23CCA1	435454111500001	4845	368	8	X	125 TO 320	110SKRV	3/19/80		29.03	4816.47	
								8/ 5/80		23.17	4822.33	
07N 40E 02BBB1	435811111425901	4948	324	10	X	40 TO 224	110SKRV	3/25/80		123.20	4825.34	
								8/ 5/80	P	136.13	4812.41	
07N 40E 05DBC1	435736111460201	4919	39	1	T	37 TO 39	110ALVM	3/19/80		12.91	4906.99	*
								8/ 5/80		3.10	4916.80	
07N 40E 09DDD1	435629111452901	4897	24	1	T	22 TO 24	110ALVM	3/18/80		17.44	4880.55	*
								8/ 5/80		2.65	4895.34	
07N 40E 12BCD1	435658111413901	4954	25	-	-	-	110ALVM	3/25/80		25.50	4929.38	*
07N 40E 16CEA1	435602111450801	4867	351	6	X	169 TO 351	110SKRV	3/19/80		43.77	4823.33	*
07N 40E 18CAD1	435553111472001	4899	44	6	-	-	110ALVM	3/19/80		37.25	4862.74	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								8/ 5/80		23.61	4876.38	
07N 40E 19ADD2	435516111464004	4856	355	8	X	144 TO 355	110SKRV	3/ 5/80		35.65	4820.68	
								8/31/80		30.23	4826.10	
07N 40E 19ADD3	435516111464003	4856	40	8	S	33 TO 38	110ALVM	3/18/80		21.78	4834.55	
								8/31/80		13.41	4842.92	
07N 40E 19ADD4	435516111464002	4856	20	8	S	13 TO 18	110ALVM	3/ 5/80		9.48	4847.45	
								8/31/80		2.74	4854.19	
07N 40E 19DCD2	435447111445701	4862	22	1	T	19 TO 22	110ALVM	3/19/80	D	-	<4840.10	*
								8/ 5/80		4.37	4857.73	
07N 40E 23ADD1	435516111415201	4937	-	6	-	-	110ALVM	3/25/80		39.95	4897.16	*
07N 40E 23CCB1	435457111430001	4923	50	1	T	48 TO 50	110ALVM	3/19/80	D	-	<4873.83	*
								8/ 6/80		35.73	4888.10	
07N 40E 28AAE1	435445111442401	4913	68	8	-	-	110ALVM	3/19/80		61.53	4851.98	*
07N 41E 14ABA1	435626111350401	5105	-	-	-	-	112HKBR	3/26/80		124.47	4981.43	*
07N 41E 25CCA1	435402111342401	5124	290	20	X	15 TO 290	112HKBR	3/26/80		265.70	4858.47	*
07N 41E 31DBC2	435315111395902	4947	261	20	W	0 TO 30	110SKRV	3/20/80	R	96.17	4851.73	*
								8/ 6/80	R	94.00	4853.90	
07N 41E 36DDA2	435311111333002	5261	525	20	W	0 TO 62	120VLCC	3/26/80		380.45	4881.05	*
					X	62 TO 525						
07N 42E 06DBC1	435733111325301	5234	835	22	X	57 TO 700	120VLCC	3/21/80		240.40	4994.03	*
07N 42E 06DDA1	435727111321901	5264	910	20	X	125 TO 910	120TRTR	6/ 2/80		266.45	4998.01	*
								8/ 6/80		255.82	5008.64	
07N 42E 10DCD1	435628111290001	5329	650	6	P	620 TO 650	120VLCC	3/21/80		147.44	5182.16	*
								8/31/80		158.67	5170.93	
07N 42E 17BAD1	435615111315001	5318	500	10	P	427 TO 500	112HKBR	3/ 5/80		326.60	4992.10	*
								8/31/80		333.16	4985.54	
07N 42E 19ABA1	435532111324101	5332	500	1	P	480 TO 500	112HKBR	6/25/80		346.52	4985.46	*
								8/ 6/80		345.66	4987.32	
07N 44E 02AAA1	435808111131101	6040	213	6	-	-	-	4/18/80		125.96	5914.04	*
								7/14/80		123.66	5916.34	
						GEM COUNTY, IDAHO						
07N 03W 09CBC1	435722116423701	2335	195	6	X	194 TO 195	112IDHO	3/11/80		71.24	2263.76	*
								8/ 4/80	R	73.97	2261.03	
07N 03W 24CBC1	435542116390201	2337	80	6	X	68 TO 80	110ALVM	3/16/80		2.90	2334.10	
07N 03W 34ABD1	435424116403701	2267	22	1	P	17 TO 20	111ALVM	3/11/80		2.70	2265.10	*
								8/26/80		1.65	2265.15	
07N 03W 34ABD2	435424116403702	2267	54	-	P	51 TO 52	112IDHO	3/11/80		0.64	2267.16	*
								9/25/80		-0.69	2268.49	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
07N 03W 34ABD3	435424116403703	2267	85	-	P	80 TO 81	112IDHO	3/11/80		-2.48	2270.28	*
								8/25/80		-3.69	2271.49	
07N 03W 36CDD1	435340116383601	2285	82	4	-	-	112IDHO	3/11/80	E	-13.11	2298.11	*
07N 02W 29BBA2	435523116362601	2396	291	6	-	-	112IDHO	3/16/80		22.18	2374.42	
								8/24/80		21.98	2374.62	
07N 02W 30CCC1	435432116374501	2361	85	6	-	-	112IDHO	3/16/80		45.35	2315.65	
07N 02W 35ABA1	435427116321801	2451	99	36	-	-	112IDHO	3/16/80		73.16	2377.84	
07N 01W 19DBA1	435543116295501	2530	91	6	P	29 TO 89	112IDHO	3/14/80	R	15.24	2514.76	*
07N 01W 28CCB1	435442116281701	2500	64	6	P	54 TO 64	112IDHO	3/14/80		38.85	2461.15	
								8/ 4/80	R	37.31	2462.69	
06N 03W 12CDC1	435200116384701	2314	53	-	P	48 TO 49	112IDHO	3/15/80		-0.29	2315.09	*
								8/ 4/80		-1.63	2316.43	
06N 02W 14BCA1	435139116324901	2341	21	1	P	18 TO 21	111ALVM	3/11/80		3.29	2338.51	*
								8/26/80		3.60	2338.20	
06N 02W 14BCA2	435139116324902	2341	84	-	P	79 TO 81	112IDHO	3/11/80		-0.69	2342.49	*
								8/26/80		-1.42	2343.22	
06N 01W 05DAD1	435300116282301	2380	241	4	X	31 TO 241	112IDHO	3/17/80		5.77	2374.23	
								8/ 4/80		2.74	2377.26	
06N 01W 07AAC1	435236116293901	2370	202	24	X	153 TO 194	112IDHO	3/17/80	R	14.76	2355.24	
					X	197 TO 202						
06N 01W 18DAA2	435125116293201	2371	30	4	X	22 TO 30	111ALVM	3/11/80		7.92	2363.98	
								8/26/80		4.74	2367.14	
06N 01W 20CCA1	435020116291301	2433	99	4	-	-	112IDHO	3/17/80		79.01	2353.99	
GOODING COUNTY, IDAHO												
04S 16E 31BCD1	430205114363701	3762	430	4	-	-	110SKRV	3/20/80		78.72	3683.28	
05S 12E 13DAB1	425919114581201	3571	380	6	-	-	110SKRV	3/11/80		350.91	3220.60	
								8/ 4/80		351.07	3220.44	
05S 12E 34ADD1	425647115002901	3265	62	4	-	-	110SKRV	3/11/80		43.70	3221.30	
05S 12E 34DAA1	425639115003301	3255	200	4	X	20 TO 50	110SKRV	3/11/80	D	-	<3055.00	*
					X	50 TO 200						
05S 12E 36BBA1	425709114590301	3280	410	4	X	326 TO 410	110SKRV	3/11/80		34.28	3245.72	
								8/ 4/80	R	26.18	3253.82	
05S 13E 32DDC1	425622114555901	3290	220	4	X	200 TO 220	110SKRV	3/11/80	R	183.91	3106.09	
								8/ 4/80	R	184.61	3105.39	
05S 14E 03DAD1	430056114461901	3547	185	6	X	20 TO 185	110SKRV	3/20/80	P	69.20	3477.80	*
05S 14E 08ABB1	430036114490801	3655	425	6	P	340 TO 370	110SKRV	3/20/80		213.50	3441.50	
								8/ 6/80		212.79	3442.21	
05S 14E 12BCB1	43002411450201	3542	130	6	-	-	110SKRV	3/20/80		77.30	3464.70	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)
05S 14E 13AAD1	425936114435701	3578	185	6	-	-	110SKRV	3/20/80		107.88	3470.12
05S 14E 15AAD1	425941114461801	3510	100	6	X	8 TO 100	110SKRV	3/20/80		78.19	3431.91
								8/ 6/80		68.65	3441.35
05S 14E 22AAD1	425845114461901	3501	-	8	-	-	110SKRV	3/20/80		82.67	3418.33
05S 14E 25CAA1	425736114443101	3536	150	6	X	40 TO 150	110SKRV	3/21/80		125.65	3410.35
								8/ 6/80	P	116.17	3419.83
05S 14E 34DDD1	425620114462301	3565	-	6	-	-	110SKRV	3/21/80		209.63	3355.37
								8/ 8/80	R	205.38	3359.62
05S 15E 03CCC1	430042114401901	3708	250	-	-	-	110SKRV	3/19/80	R	158.03	3549.97
								8/ 6/80	R	142.07	3565.93
05S 15E 07DCC1	425950114431201	3593	113	-	-	-	110SKRV	3/19/80		89.48	3503.52
								8/ 6/80		73.18	3519.82
05S 15E 23ACC1	425832114383201	3618	365	-	-	-	110SKRV	3/20/80		88.94	3529.06
05S 15E 23CBB1	425829114390401	3616	285	-	-	-	110SKRV	3/20/80		93.80	3522.20
05S 15E 28BBB1	425801114413001	3592	105	6	-	-	110SKRV	3/19/80		103.72	3488.28
								8/ 6/80		96.43	3495.57
05S 15E 35DBD2	425635114382302	3627	165	5	X	126 TO 170	110SKRV	3/19/80		142.36	3484.95
								8/20/80	R	137.64	3489.67
05S 16E 19BDD1	425831114362101	3695	155	6	X	113 TO 155	110SKRV	3/20/80		136.59	3558.41
								8/ 6/80		123.25	3571.75
06S 12E 05BDD1	425554115032601	3125	600	6	X	474 TO 600	110SKRV	4/ 4/80		438.80	2686.20
								8/11/80		436.22	2688.78
06S 13E 05CCC1	425527114564901	3280	438	6	-	-	110SKRV	3/17/80		306.01	2973.99
06S 13E 09CBB1	425458114554201	3260	-	6	-	-	110SKRV	3/17/80		158.95	3101.05
								8/ 4/80	P	149.90	3110.10
06S 13E 12AAA2	425524114510101	3358	160	20	-	-	110SKRV	3/21/80		87.18	3280.82
06S 13E 12AAA3	425521114510101	3366	230	-	-	-	110SKRV	3/21/80		126.79	3239.21
06S 13E 16AAD1	425425114543501	3285	313	8	-	-	110SKRV	3/17/80		160.36	3124.64
06S 13E 23ABA2	425340114523002	3293	280	8	X	19 TO 280	110SKRV	3/17/80		191.84	3101.16
								8/ 4/80		196.49	3096.51
06S 13E 23ABA1	425340114523101	3293	225	4	-	-	110SKRV	3/17/80		193.33	3099.67
								8/ 4/80		197.65	3095.35
06S 13E 24CCC1	425251114521001	3255	215	6	-	-	110SKRV	3/17/80	R	205.66	3049.34
06S 13E 36CDD1	425108114513601	3272	185	14	X	16 TO 185	110SKRV	3/17/80		163.27	3108.73
06S 14E 09ABB1	425524114475601	3443	148	6	X	134 TO 170	110SKRV	3/21/80		129.79	3313.21
								8/ 8/80		126.75	3316.25
06S 14E 12DAC1	425451114440501	3651	428	20	X	12 TO 423	110SKRV	3/21/80		293.54	3357.46

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
06S 14E 23DAA1	425309114450501	3512	-	-	-	-	110SKRV	3/19/80		228.58	3283.42	
								8/ 8/80		234.62	3277.38	
06S 14E 28DCD1	425158114472901	3388	150	4	-	-	110SKRV	3/18/80	P	127.03	3260.97	*
								8/ 5/80	R	125.79	3262.21	
06S 14E 35D8D1	425117114452201	3472	250	16	X	18 TO 20	110SKRV	3/18/80		191.75	3280.25	
					X	20 TO 250						
06S 15E 04C8C1	425545114412901	3590	200	-	X	180 TO 200	110SKRV	3/19/80	R	172.85	3417.15	
								8/ 6/80	R	164.27	3425.73	
06S 15E 05DAA1	425548114413201	3582	-	-	-	-	110SKRV	3/19/80		163.29	3418.71	
								8/ 6/80		154.10	3427.90	
06S 15E 17DCD1	425343114415901	3582	300	6	X	21 TO 300	110SKRV	3/18/80		241.24	3340.76	
								8/ 8/80		237.50	3344.50	
06S 15E 3CAB1	425243114431701	3561	-	-	-	-	110SKRV	3/18/80		254.92	3306.08	
06S 16E 06BBA1	425615114363501	3630	200	20	X	20 TO 200	110SKRV	3/20/80		116.27	3513.73	
06S 16E 06BBC1	425607114364601	3630	-	-	-	-	110SKRV	3/20/80		118.99	3511.01	
07S 13E 01DDD1	425027114520501	3230	-	6	-	-	110SKRV	3/17/80		89.34	3140.66	
								8/ 5/80	P	82.99	3147.01	
07S 13E 34BCE1	424641114553501	2879	139	6	X	79 TO 139	110SKRV	3/14/80	R	41.00	2838.00	
								8/ 4/80		32.09	2846.91	
07S 14E 05CDD1	425028114502401	3311	189	-	-	-	110SKRV	3/15/80		163.57	3147.43	
								8/ 5/80		162.37	3148.63	
07S 14E 09DAD1	424951114484101	3369	-	-	-	-	110SKRV	3/15/80		181.86	3187.14	
07S 14E 13CDD1	424845114453901	3405	246	12	X	6 TO 246	110SKRV	3/15/80		161.77	3243.23	
07S 14E 18BAB1	424933114515701	3255	150	-	-	-	110SKRV	3/15/80		114.51	3140.49	
								8/ 5/80		113.32	3141.68	
07S 14E 19ADA1	424829114510001	3270	130	16	X	20 TO 130	110SKRV	3/17/80		115.73	3154.27	
07S 14E 21AAA1	424842114484001	3350	228	16	X	8 TO 223	110SKRV	3/15/80		186.89	3163.11	
07S 14E 22DED1	424805114474901	3336	-	-	-	-	110SKRV	3/15/80		135.78	3200.22	
07S 14E 25BCB1	424735114461401	3335	158	-	-	-	110SKRV	3/14/80		91.33	3243.67	
07S 14E 30DDA1	424709114503901	3245	-	6	-	-	110SKRV	3/14/80		102.33	3142.67	
								8/ 5/80		101.89	3143.11	
07S 14E 34BAA3	424654114480201	3310	176	12	X	14 TO 176	110SKRV	3/14/80		110.82	3199.18	
								8/ 5/80		111.19	3198.81	
07S 15E 12CAC1	424950114385501	3600	350	6	X	4 TO 350	110SKRV	3/13/80		233.04	3367.00	
								8/ 8/80		231.90	3368.14	
07S 15E 21BAA2	424841114421601	3472	-	-	-	-	110SKRV	3/13/80		177.21	3294.79	
								8/ 9/80		174.89	3297.11	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
07S 15E 21BAA1	424842114421501	3475	195	6	-	-	110SKRV	3/13/80	D	-	<3280.00	*
07S 15E 28CDD1	424701114421601	3443	225	6	-	-	-	3/13/80	R	162.56	3280.44	
								8/ 8/80	R	107.76	3335.24	
07S 15E 32DDC2	424610114425501	3402	179	12	-	-	110SKRV	3/14/80		140.41	3261.59	
								8/ 9/80		136.70	3265.30	
07S 15E 36DCA1	424618114382401	3484	-	-	-	-	110SKRV	3/13/80		148.22	3335.78	
08S 13E 01BDB1	424548114525401	2902	60	6	X	45 TO 60	110SKRV	3/31/80		14.02	2887.98	
08S 14E 01ADA1	424553114450401	3338	115	-	-	-	110SKRV	3/31/80		93.37	3244.63	
08S 14E 03DDA2	424524114472601	3255	90	12	-	-	110SKRV	3/31/80		61.00	3194.00	
08S 14E 05CDB1	424523114503801	3151	76	-	-	-	110SKRV	3/31/80		67.82	3083.18	
								8/ 5/80		67.33	3083.67	
08S 14E 09DCD1	424427114485801	3215	-	-	-	-	110SKRV	3/31/80		80.15	3134.85	
08S 14E 12CBC1	424439114461201	3272	86	6	X	7 TO 86	110SKRV	3/31/80		67.49	3204.51	
								8/ 5/80	R	65.17	3206.83	
08S 14E 15DDD1	424332114472701	3274	104	6	-	-	110SKRV	3/21/80		82.05	3192.20	
								8/ 5/80		80.75	3193.50	
08S 14E 16C581	424353114494701	3175	53	6	X	50 TO 53	110SKRV	3/ 5/80		39.65	3135.62	
								8/31/80		39.10	3136.17	
08S 14E 23AAA1	424330114461901	3305	132	16	X	4 TO 132	110SKRV	3/31/80		108.72	3196.28	
08S 14E 24DDD1	424238114450501	3276	100	10	X	74 TO 100	110SKRV	3/31/80		54.77	3221.23	
								8/ 5/80		52.78	3223.22	
08S 14E 28DCD1	424149114490201	3188	75	6	-	-	110SKRV	3/31/80		62.56	3126.02	
								8/ 5/80		62.04	3126.54	
08S 14E 35CDD2	424054114465001	3229	135	6	X	110 TO 135	110SKRV	3/31/80		84.71	3144.29	
08S 15E 04DAA1	424535114414001	3382	135	14	X	6 TO 135	110SKRV	3/14/80		101.76	3280.24	
08S 15E 07ADB1	424457114441401	3340	-	-	-	-	110SKRV	3/21/80		89.69	3250.31	
08S 15E 14BAC1	424411114400401	3463	201	7	-	-	110SKRV	3/14/80	R	162.10	3301.50	
								8/ 9/80		156.88	3306.72	
08S 15E 16CCC1	424329114424501	3345	120	16	X	11 TO 120	110SKRV	3/12/80		80.88	3264.12	
08S 15E 20CDC1	424238114433501	3304	113	12	X	10 TO 113	110SKRV	3/12/80		64.33	3239.67	
								8/ 9/80	S	62.17	3241.83	
08S 15E 26DCD1	424150114393201	3412	-	-	-	-	110SKRV	3/12/80		118.61	3293.39	
								8/ 9/80		114.85	3297.15	
08S 15E 28AAD1	424226114413601	3367	-	-	-	-	110SKRV	3/12/80		99.32	3267.68	
								8/ 9/80		96.57	3270.43	
08S 15E 31BAA1	424145114443601	3280	80	16	X	10 TO 80	110SKRV	3/12/80		61.77	3218.23	
08S 15E 32BBA1	424144114434101	3314	110	16	X	7 TO 110	110SKRV	3/12/80		78.28	3235.72	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
08S 15E 34BDD1	424122114410201	3375	-	-	-	-	110SKRV	3/12/80		101.32	3273.68	
08S 15E 36CBB1	424112114391401	3416	188	16	X	13 TO 188	110SKRV	3/12/80		131.31	3284.69	
08S 16E 07AAD1	424505114365901	3514	168	6	X	12 TO 168	110SKRV	3/13/80	P	164.30	3349.70	*
08S 16E 18AAA1	424414114370201	3516	197	6	X	6 TO 197	110SKRV	3/13/80		171.60	3344.70	
								8/ 9/80		165.17	3351.13	
08S 16E 30ABA1	424234114371501	3487	240	20	X	52 TO 240	110SKRV	3/12/80		164.90	3322.10	
09S 14E 03BAA1	424053114480301	3203	93	6	-	-	110SKRV	3/31/80		74.50	3128.74	*
								8/ 5/80		73.82	3129.42	
09S 15E 02DBD1	424015114393501	3400	-	-	-	-	110SKRV	3/12/80		128.81	3271.19	
09S 15E 04AAA1	424052114414301	3360	-	-	-	-	110SKRV	3/12/80		96.39	3263.61	
09S 15E 05BBB1	424051114435701	3310	-	-	-	-	110SKRV	3/12/80		79.56	3230.44	
								8/ 9/80		78.09	3231.91	
09S 16E 06CAD1	424013114373901	3472	-	-	-	-	110SKRV	3/12/80		190.89	3281.11	
09S 16E 07DCA1	423920114371501	3447	128	6	X	32 TO 128	110SKRV	3/31/80		113.10	3334.40	*
								8/ 9/80		98.96	3348.54	
JEFFERSON COUNTY, IDAHO												
08N 01E 14ABB1	440143112323801	4806	245	18	X	166 TO 245	110SKRV	4/ 2/80		57.15	4749.48	
								8/ 6/80		100.78	4705.85	
08N 33E 15CAD1	440109112335701	4804	201	20	X	67 TO 200	110SKRV	4/ 2/80		57.33	4747.57	
08N 33E 33DDD1	435820112343501	4790	145	6	X	90 TO 145	110SKRV	4/ 2/80	R	82.40	4707.60	
08N 34E 15DCA1	440106112263101	4822	83	24	X	6 TO 83	110SKRV	4/ 4/80		36.93	4785.52	
08N 34E 17CCC3	440058112293601	4808	440	10	P	340 TO 350	110SKRV	4/ 4/80		42.63	4766.29	
								8/ 6/80		67.60	4741.32	
08N 34E 17CCC4	440058112293602	4808	545	10	P	511 TO 516	110SKRV	4/ 4/80		44.85	4764.07	
								8/ 6/80		56.32	4752.60	
08N 34E 17CCC5	440058112293603	4808	838	10	P	602 TO 607	110SKRV	4/ 4/80		166.86	4642.06	
								8/ 6/80		176.54	4632.38	
08N 34E 17CCC6	440058112293604	4808	1006	10	P	922 TO 927	110SKRV	4/ 4/80		223.47	4585.45	
								8/ 6/80		225.89	4583.03	
08N 34E 17CCC7	440058112293605	4808	47	6	P	40 TO 47	110SKRV	4/ 4/80		26.95	4781.97	
								8/ 6/80		30.15	4778.77	
08N 34E 26CCB1	435919112260201	4813	75	24	X	10 TO 75	110SKRV	4/ 4/80		29.87	4784.07	
08N 34E 29CCC1	435916112293601	4796	30	24	X	12 TO 31	110SKRV	4/ 4/80		15.20	4781.63	
08N 36E 09ACC1	440213112133401	4842	67	6	-	-	110SKRV	4/17/80		24.49	4817.51	*
09N 36E 21AAA1	440053112130401	4821	57	12	X	20 TO 57	110SKRV	4/17/80		31.83	4789.66	
07N 33E 02DBC1	435744112324201	4799	335	21	X	17 TO 335	110SKRV	4/10/80		55.32	4733.68	
07N 33E 05BBE1	435817112365401	4796	232	10	X	160 TO 232	110SKRV	4/10/80	P	206.61	4589.39	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
07N 33E 09BAA2	435725112351201	4791	167	10	X	45 TO 168	110SKRV	4/10/80		118.19	4672.81	
07N 33E 12CCB1	435644112315901	4790	290	16	X	163 TO 290	110SKRV	4/10/80		40.49	4749.53	
								8/ 6/80	V	96.06	4693.96	
07N 33E 13DAC1	435556112311301	4782	285	20	X	202 TO 285	110SKRV	4/10/80		37.64	4744.36	
07N 33E 16BAC1	435621112351901	4789	335	16	X	89 TO 335	110SKRV	4/10/80		207.66	4581.34	
								8/ 6/80		210.04	4578.96	
07N 33E 23BBC1	435517112331701	4785	230	6	-	-	110SKRV	4/17/80		85.99	4699.01	
07N 33E 35BCC1	435332112331801	4784	54	1	T	52 TO 54	110SKRV	4/15/80		29.20	4754.80	
								8/ 6/80		14.97	4769.03	
07N 34E 04CDC1	435729112281101	4791	57	4	X	41 TO 57	110SKRV	4/14/80		10.10	4781.66	
								8/ 6/80		28.71	4763.05	
07N 34E 10CDD1	435638112264901	4804	75	20	-	-	110SKRV	4/15/80		16.52	4787.55	
07N 34E 13ACC1	435610112241501	4799	52	24	P	12 TO 28	110SKRV	4/14/80	P	22.43	4777.18	*
					X	28 TO 32						
					X	32 TO 52						
07N 34E 23BAB3	435541112254303	4791	135	26	-	-	110SKRV	4/14/80		14.22	4777.61	
07N 34E 24AAC1	435535112235801	4792	106	26	X	56 TO 106	110SKRV	4/14/80	P	22.69	4769.92	*
07N 34E 30AAA1	435447112294601	4791	141	6	-	-	110SKRV	4/10/80	R	6.64	4775.16	
								8/ 6/80		3.98	4777.82	
07N 35E 06ACC1	435755112231001	4857	-	6	-	-	110SKRV	4/17/80	P	75.93	4781.07	*
07N 35E 13AAD1	435626112164301	4789	515	14	P	322 TO 327	110SKRV	4/ 7/80		6.69	4782.31	
								8/ 7/80		8.66	4790.34	
07N 35E 13AAD2	435626112164302	4789	760	14	P	637 TO 642	110SKRV	4/ 9/80		6.28	4783.22	
								8/ 7/80		6.48	4783.02	
07N 35E 13AAD3	435626112164303	4789	927	14	P	809 TO 814	110SKRV	4/ 9/80		1.55	4787.95	
								8/ 7/80		2.40	4787.10	
07N 35E 13AAD4	435626112164304	4789	1000	14	P	862 TO 867	111SKRV	4/ 9/80		1.68	4787.82	
								8/ 7/80		2.56	4786.94	
07N 35E 13CCC1	435545112174001	4794	36	-	X	0 TO 36	110SKRV	4/ 9/80	P	15.05	4779.29	*
07N 35E 13CCD1	435547112173701	4792	50	24	-	-	110SKRV	4/ 9/80	P	21.56	4770.73	*
07N 35E 13CCD2	435549112173501	4790	115	30	P	10 TO 34	110SKRV	4/ 7/80		14.84	4775.75	
					X	60 TO 115						
07N 35E 20CBD1	435504112222301	4818	58	20	X	45 TO 65	110SKRV	3/ 5/80		38.92	4779.23	
								3/31/80		55.14	4763.01	
07N 35E 22DAD1	435505112190201	4792	43	30	-	-	110SKRV	4/17/80		13.44	4779.05	
07N 36E 02ADB1	435803112104301	4935	225	20	X	9 TO 225	110SKRV	4/ 2/80		145.55	4789.45	
07N 36E 06BCA1	435803112162101	4798	38	14	X	12 TO 33	110SKRV	4/ 4/80		13.11	4785.11	
07N 36E 08BBC1	435718112152201	4799	200	12	X	190 TO 200	110SKRV	4/ 4/80		11.95	4787.89	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
07N 36E 13AAA1	435628112092701	4852	153	16	X	15 TO 153	110SKRV	4/ 2/80		66.70	4786.05	
07N 36E 22APD4	435528112121201	4791	24	6	X	18 TO 24	110SKRV	4/ 8/80	P	8.24	4783.49	*
								8/ 7/80	P	9.91	4781.82	
07N 36E 31BAB1	435358112161101	4788	100	12	X	70 TO 100	110SKRV	3/31/80		29.42	4759.46	
07N 36E 33CBC1	435325112140101	4808	367	12	X	235 TO 367	110SKRV	3/31/80		26.94	4781.08	
								8/ 7/80	R	28.89	4779.13	
07N 37E 05BCC1	435751112081001	4908	135	6	-	-	110SKRV	4/ 2/80		119.97	4788.85	
								8/11/80		121.58	4787.24	
07N 37E 14CBC1	435554112043301	4863	93	6	-	-	110SKRV	4/17/80		79.53	4784.25	
								8/11/80		78.94	4784.84	
07N 37E 28CCD1	435402112065001	4848	135	8	X	103 TO 135	110SKRV	4/ 8/80		65.38	4783.54	
								8/11/80		66.40	4782.52	
06N 32E 11ABA1	435212112394001	4789	266	6	P	232 TO 266	110SKRV	3/15/80		207.98	4581.81	
								8/12/80		209.52	4580.27	
06N 32E 26CAB1	434909112400401	4790	577	10	P	577 TO 677	110SKRV	3/13/80		219.76	4570.24	
								7/19/80		220.25	4569.75	
06N 32E 26CDB1	434856112400001	4787	321	8	P	236 TO 313	110SKRV	3/13/80		221.14	4566.78	
								7/19/80		221.54	4566.38	
06N 32E 36ADD1	434819112380501	4795	291	-	-	-	110SKRV	3/13/80		222.65	4562.93	*
								7/19/80		223.18	4562.40	
06N 33E 26DDB1	434851112321901	4784	312	6	P	250 TO 260	110SKRV	3/13/80		223.62	4560.70	*
					P	298 TO 308						
06N 34E 06AAA1	435304112294401	4783	323	18	X	280 TO 400	110SKRV	4/17/80		81.37	4701.96	
06N 34E 10CBB1	435145112271701	4781	12	15	-	-	110QRNR	4/10/80		9.07	4772.18	*
								8/ 6/80		6.75	4774.50	
06N 34E 15BCC1	435100112271601	4784	247	6	X	115 TO 247	110SKRV	4/10/80		203.30	4581.45	
								8/ 6/80		204.96	4579.79	
06N 34E 23BAA1	435026112253101	4784	270	6	-	-	110SKRV	4/10/80		219.74	4565.25	
								8/ 7/80		222.32	4562.67	
06N 35E 01DAD1	435229112163201	4793	375	18	X	14 TO 145	110SKRV	3/31/80		85.28	4708.45	
								8/ 7/80		86.86	4706.37	
06N 35E 07CCB1	435132112234001	4783	253	6	X	125 TO 253	110SKRV	4/14/80		199.58	4584.13	*
								8/ 7/80	R	200.99	4582.72	
06N 35E 21AAB1	435023112202601	4784	275	16	-	-	110SKRV	4/15/80		100.64	4683.86	*
								8/ 7/80	P	127.02	4657.48	
06N 35E 27DDA1	434857112185901	4798	260	20	X	8 TO 235	110SKRV	4/15/80	V	236.08	4562.15	*
					X	235 TO 260						

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
06N 36E 11ABA1	435208112105101	4817	126	-	P	118 TO 123	110SKRV	3/19/80		72.36	4745.54	
								8/11/80		73.54	4744.36	
06N 36E 11ABA2	435208112105102	4817	272	-	P	264 TO 269	110SKRV	3/19/80		35.72	4782.18	
								8/11/80		43.70	4774.20	
06N 36E 11ABA3	435208112105103	4817	661	-	P	653 TO 658	110SKRV	3/19/80		37.24	4780.66	
06N 36E 11ABA4	435208112105104	4817	971	10	P	962 TO 967	110SKRV	3/19/80		32.93	4784.97	
								8/11/80		51.81	4766.09	
06N 36E 12BBD1	435203112102001	4811	62	6	-	-	110SKRV	4/ 1/80		58.64	4752.36	
06N 36E 15ACA1	435106112120401	4875	170	12	X	5 TO 170	110SKRV	4/ 8/80		152.38	4722.76	
06N 36E 27BAA1	434933112122701	4884	227	8	X	7 TO 227	110SKRV	4/15/80		184.79	4699.52	
								8/ 8/80		186.11	4698.20	
06N 37E 29ACA1	434922112072201	4823	62	16	X	21 TO 62	111SKRV	3/19/80		45.86	4777.76	
								8/11/80		44.90	4778.72	
06N 37E 29ACA2	434922112072202	4823	175	12	X	151 TO 175	110SKRV	3/19/80		49.40	4774.22	
								8/11/80		49.09	4774.53	
06N 37E 29ACA3	434922112072203	4823	440	10	X	404 TO 440	110SKRV	3/19/80		42.94	4780.68	
								8/11/80		42.66	4780.96	
06N 37E 29ACA4	434922112072204	4823	573	6	X	505 TO 573	110SKRV	3/ 5/80		40.96	4782.66	
								8/31/80		42.30	4781.32	
06N 38E 30BAD2	434924112013801	4874	308	6	P	260 TO 270	110SKRV	4/ 7/80	0	-	-	*
								8/11/80		91.64	4782.71	
06N 38E 30BAD3	434924112013802	4874	543	-	P	442 TO 447	110SKRV	4/ 7/80		87.94	4786.41	
								8/11/80		88.12	4786.23	
06N 38E 30BAD4	434924112013803	4874	638	-	P	587 TO 592	110SKRV	4/ 7/80		89.90	4784.45	
								8/11/80		90.05	4784.30	
05N 32E 36ADD1	434307112382601	4839	405	6	P	360 TO 400	110SKRV	3/ 1/80		330.75	4508.69	
								8/31/80		333.02	4506.42	
05N 33E 10CDC1	434625112342101	4886	428	8	P	285 TO 305	110SKRV	3/13/80		254.26	4631.93	
								7/19/80		256.10	4630.09	
05N 33E 13BDC1	434601112315401	4794	405	5	P	276 TO 290	110SKRV	3/13/80		266.23	4528.35	
								7/19/80		269.73	4524.85	
05N 33E 13BDC2	434601112315402	4794	493	-	P	392 TO 397	110SKRV	3/13/80		264.17	4530.41	
								7/19/80		267.83	4526.75	
05N 33E 13BDC3	434601112315403	4794	1006	1	P	717 TO 722	110SKRV	3/13/80		255.33	4539.25	
								8/24/80		259.04	4535.54	
05N 33E 17ACD1	434600112360101	4771	334	6	P	254 TO 274	110SKRV	3/13/80		229.17	4542.44	
								7/19/80		230.46	4541.15	
05N 33E 23DDA1	434444112322101	4812	392	6	P	306 TO 324	110SKRV	3/13/80		286.40	4525.98	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								7/19/80		289.74	4522.64	
05N 34E 09BDA1	434657112292201	4791	553	6	P	285 TO 315	110SKRV	3/13/80		257.69	4533.59	
								8/12/80		263.62	4527.66	
05N 34E 29DAA1	434407112285101	4877	425	6	P	363 TO 398	110SKRV	3/13/80		350.93	4526.59	
								7/19/80		355.00	4522.52	
05N 35E 01CCC1	434714112175801	4793	300	24	X	21 TO 300	110SKRV	4/15/80		237.42	4555.58	
05N 36E 02BDA1	434748112113601	4763	405	16	X	18 TO 405	110SKRV	4/17/80		48.83	4714.74	
								8/ 8/80		49.10	4714.47	
05N 36E 02BDA2	434748112113602	4763	923	12	X	838 TO 923	110SKRV	4/17/80		1.63	4761.94	
								8/ 8/80		2.74	4760.83	
05N 36E 02BDA3	434748112113603	4763	995	8	X	985 TO 995	110SKRV	4/17/80		-3.73	4767.30	
								8/ 8/80		-3.69	4767.26	
05N 36E 19CDD1	434437112162201	4834	327	6	-	-	110SKRV	3/25/80		293.82	4540.78	
05N 36E 21D4C1	434447112133401	4800	299	6	X	102 TO 299	110SKRV	3/19/80		258.30	4542.64	
								8/ 8/80		260.88	4540.06	
05N 36E 22BBC1	434512112131801	4780	400	5	X	97 TO 180	110SKRV	3/19/80		156.83	4624.03	
								8/ 8/80		168.26	4612.60	
05N 36E 22BBC2	434512112131802	4780	505	-	P	475 TO 480	110SKRV	3/19/80		127.35	4653.51	
								8/ 8/80		128.99	4651.87	
05N 36E 22BBC3	434512112131803	4780	626	-	P	590 TO 595	110SKRV	3/19/80		23.39	4757.47	
								8/ 8/80		25.59	4755.27	
05N 36E 23CBB1	434459112120601	4760	28	36	-	-	110QRNR	4/15/80		14.81	4745.85	*
05N 37E 21DBB1	434453112063601	4774	289	5	X	190 TO 289	110SKRV	3/19/80		1.13	4773.46	*
								8/30/80		0.25	4774.34	
05N 37E 21DBB2	434453112063602	4774	342	-	P	334 TO 339	110SKRV	3/19/80		2.21	4772.38	*
								8/30/80		2.34	4772.25	
05N 37E 21DBB3	434453112063603	4774	478	-	P	470 TO 475	110SKRV	3/19/80		3.43	4771.16	*
								8/30/80		0.95	4773.64	
05N 37E 32ACA1	434323112073801	4770	124	8	X	90 TO 124	110SKRV	4/ 7/80		13.79	4756.21	
								8/ 8/80	R	33.21	4736.79	
05N 37E 32ACA2	434323112073802	4770	310	8	-	-	110SKRV	4/ 7/80	R	13.87	4756.13	
								8/ 8/80	P	32.99	4737.01	
05N 38E 09DDC1	434618111591201	4825	-	16	-	-	110SKRV	4/ 7/80		34.26	4790.74	
								8/12/80		33.49	4791.51	
05N 38E 35ADA1	434323111563801	4882	109	6	X	100 TO 109	110SKRV	3/13/80		63.96	4818.04	
								8/12/80		54.19	4827.81	
04N 35E 01D8 1	434209112172101	4920	560	20	X	20 TO 560	110SKRV	3/21/80		371.67	4548.33	
04N 35E 14AAA1	434102112180701	4939	1000	8	X	430 TO 500	110SKRV	8/ 8/80		416.06	4523.26	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
					X	500 TO 1000						
04N 35E 19CAB1	433944112234601	5040	618	20	X	20 TO 618	110SKRV	3/25/80		518.29	4521.71	
04N 35E 36DCB1	433745112172701	4930	508	20	X	23 TO 508	110SKRV	3/19/80		401.08	4528.92	
04N 36E 01DAC1	434211112095701	4832	942	18	P	120 TO 171	110SKRV	3/19/80		94.88	4737.12	
					P	608 TO 660						
04N 36E 08ADB1	434139112144901	4852	467	20	X	42 TO 467	110SKRV	3/21/80		323.20	4528.80	
								8/12/80		329.65	4522.35	
04N 36E 11DAA1	434130112111001	4845	395	22	X	15 TO 395	110SKRV	3/21/80		230.81	4614.19	
04N 36E 18BDC1	434040112163501	4898	520	22	X	15 TO 520	110SKRV	3/21/80		365.02	4532.98	
04N 36E 23AAC1	434005112111401	4794	265	-	-	-	110SKRV	3/18/80		262.99	4531.50	
04N 36E 25DAB1	433853112100101	4837	430	22	X	48 TO 430	110SKRV	3/19/80		292.41	4544.59	
04N 36E 27CAB1	433852112130101	4826	-	-	-	-	110SKRV	3/18/80		302.30	4523.70	
04N 36E 32CDA1	433748112151201	4860	412	20	X	53 TO 412	110SKRV	3/18/80		340.92	4519.08	
04N 37E 28BBC1	433913112071601	4736	245	6	-	-	110SKRV	3/18/80		225.97	4560.91	
								8/13/80		218.29	4568.59	
04N 37E 36CCB1	433747112033801	4754	195	6	P	125 TO 135	110SKRV	3/19/80		149.56	4614.54	*
								8/13/80		115.15	4648.95	
04N 37E 36CCB2	433747112033802	4754	285	-	P	277 TO 282	110SKRV	3/19/80		147.57	4616.53	*
								8/13/80		127.25	4636.85	
04N 38E 05DCD1	434158112003201	4795	195	6	X	170 TO 195	110SKRV	3/13/80	R	12.65	4782.35	
04N 38E 10DDD1	434110111574701	4821	70	6	-	-	110ALVM	4/ 7/80		26.86	4794.14	
04N 38E 12BBB1	434153111563201	4829	420	10	P	190 TO 200	110SKRV	3/13/80		22.60	4806.95	
								8/12/80		2.64	4826.91	
04N 38E 12BBB2	434153111563202	4829	480	6	P	472 TO 477	110SKRV	3/13/80		45.35	4784.20	
								8/12/80		31.83	4797.72	
04N 38E 12BBB3	434153111563203	4829	550	-	P	542 TO 547	110SKRV	3/13/80		44.92	4784.63	
								8/12/80		31.55	4798.00	
04N 38E 12BBB4	434153111563204	4829	760	-	P	752 TO 757	110SKRV	3/13/80		48.25	4781.30	
								8/12/80		34.39	4795.16	
04N 38E 12BBB5	434153111563205	4829	918	-	P	910 TO 915	110SKRV	3/13/80		104.13	4725.42	
								8/12/80		86.06	4743.49	
04N 38E 15CBB2	434038111585701	4805	488	6	X	450 TO 515	110SKRV	3/13/80		47.30	4757.70	
								8/12/80		-2.82	4807.82	
04N 38E 15CBB3	434038111585702	4805	-	10	-	-	110SKRV	3/13/80		25.96	4779.04	
04N 38E 23DAA1	433942111563601	4832	100	6	-	-	110ALVM	3/20/80		50.24	4781.76	
04N 38E 32BAB1	433826112010301	4783	-	6	-	-	110SKRV	3/20/80		133.47	4649.53	
04N 39E 16DAD1	434028111515001	4885	77	6	-	-	110ALVM	3/20/80		58.81	4826.19	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
04N 39E 25DBB1	433855111484301	4932	90	6	-	-	110ALVM	8/12/80		12.18	4872.82	
04N 39E 26DAA1	433849111492601	4922	107	6	-	-	111ALVM	3/20/80		72.18	4859.82	
								8/12/80		77.56	4844.44	
										21.82	4900.18	
JEROME COUNTY, IDAHO												
07S 16E 14ADD1	424911114321701	3746	350	-	-	-	110SKRV	4/ 2/80		291.04	3454.96	
07S 16E 20CBA1	424811114364101	3560	-	16	-	-	110SKRV	3/21/80		181.54	3378.46	
07S 16E 25BBC1	424749114321301	3765	400	6	X	362 TO 364	110SKRV	3/21/80	R	318.27	3446.73	
								8/10/80	P	319.03	3445.97	
07S 16E 34DCC1	424605114335901	3630	300	-	X	0 TO 300	110SKRV	3/20/80		216.75	3413.25	
07S 16E 36DDD1	424608114310601	3782	344	6	X	19 TO 344	110SKRV	3/20/80	R	297.78	3484.22	
								8/11/80	P	301.13	3480.87	
07S 17E 06ACA1	425053114302201	3879	345	20	P	322 TO 345	110SKRV	3/11/80		319.42	3560.19	
								8/ 9/80		317.12	3562.49	
07S 17E 14BAA1	424930114260001	3901	383	6	-	-	110SKRV	3/20/80		324.32	3576.68	
07S 17E 16AAB1	424931114280301	3878	332	6	X	275 TO 332	110SKRV	3/20/80		315.42	3562.58	
								8/10/80		295.51	3582.49	
07S 17E 26ADD1	424721114252601	3925	395	20	X	22 TO 395	110SKRV	3/20/80		322.95	3602.05	
07S 17E 27BBC1	424736114274201	3875	-	-	-	-	110SKRV	3/20/80		300.97	3574.03	
								8/11/80	R	297.94	3577.06	
07S 20E 33AAA1	424643114063501	4288	482	6	-	-	110SKRV	3/17/80		431.50	3856.50	
								8/10/80		431.43	3856.57	
08S 16E 08BBC1	424504114365601	3514	-	-	-	-	110SKRV	3/13/80	P	163.83	3350.17	*
								9/ 8/80	P	157.16	3356.84	
08S 16E 12AAD1	424459114310601	3742	292	-	X	0 TO 292	110SKRV	4/ 2/80	R	270.89	3471.11	
								8/10/80	R	264.89	3477.11	
08S 16E 21AAA1	424323114343701	3582	251	6	X	19 TO 30	110SKRV	3/20/80		195.15	3386.85	
					X	30 TO 251						
08S 16E 26BCC1	424209114331801	3620	240	6	X	19 TO 240	110SKRV	3/20/80		178.09	3441.91	
								8/10/80		171.26	3448.74	
08S 16E 33BAE1	424143114352801	3520	220	16	X	8 TO 220	110SKRV	3/20/80		185.21	3334.79	
08S 16E 36CDC1	424054114315601	3654	210	-	X	0 TO 210	110SKRV	3/20/80		175.81	3478.99	
								8/10/80	R	169.98	3484.82	
08S 17E 10BAA1	424510114271001	3960	483	6	X	19 TO 60	110SKRV	3/20/80		400.75	3559.25	
								8/ 9/80		397.84	3562.16	
08S 17E 15ABC1	424409114270801	4047	600	-	-	-	110SKRV	3/20/80		467.53	3579.47	
08S 17E 25BDD1	424209114245401	4050	497	19	X	7 TO 497	110SKRV	3/19/80		415.59	3634.41	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
08S 17E 32AAA1	424140114285501	3830	325	-	-	-	110SKRV	3/20/80		292.68	3538.02	
								8/11/80		281.65	3549.05	
08S 17E 34CBB2	424112114274201	3835	-	-	-	-	110SKRV	3/20/80		276.96	3558.04	
								8/10/80		258.90	3576.10	
08S 18E 07CAA1	424439114234501	4041	460	20	X	14 TO 460	110SKRV	3/20/80		409.72	3631.28	
08S 18E 19DAD1	424246114230501	3992	541	20	X	20 TO 541	110SKRV	3/19/80		359.01	3632.99	
								8/ 9/80		355.45	3636.55	
08S 18E 35AAC1	424128114183601	3930	325	20	-	-	110SKRV	3/19/80		234.32	3695.68	
08S 19E 05DAB1	424529114150901	4075	329	21	X	4 TO 197	110SKRV	3/19/80		277.23	3798.31	
								8/11/80		274.69	3800.85	
08S 19E 34DAD1	424100114123601	3974	193	4	X	176 TO 193	110SKRV	3/19/80		159.40	3814.60	
								8/11/80		154.92	3819.08	
08S 21E 10DBA1	424435113593401	4510	-	-	-	-	110SKRV	4/ 2/80		578.48	3931.52	
08S 21E 16AAD1	424404113592501	4375	-	-	-	-	110SKRV	3/12/80		452.53	3922.47	
08S 21E 22DAB1	424249113582401	4219	351	20	X	14 TO 351	110SKRV	3/12/80	D	-	<3868.47	*
08S 21E 24BDA1	424300113563501	4259	400	16	X	10 TO 400	110SKRV	3/12/80		321.31	3933.03	
08S 21E 26ADB1	424211113571401	4249	527	24	X	17 TO 527	110SKRV	3/12/80		335.56	3914.06	
08S 21E 36DAD1	424056113555701	4242	389	21	X	4 TO 389	110SKRV	3/12/80		300.93	3941.07	
09S 16E 05DCC1	424000114361601	3492	-	-	-	-	110SKRV	3/20/80		189.42	3302.58	
								8/ 9/80		182.26	3309.74	
09S 16E 09CCA1	423919114353001	3508	300	18	X	10 TO 300	110SKRV	3/20/80		135.95	3372.05	
09S 16E 11DDD2	423912114321601	3580	115	6	-	-	110SKRV	3/20/80		106.68	3473.32	
								8/10/80	R	100.81	3479.19	
09S 17E 10DBA1	423926114265401	3710	-	-	-	-	110SKRV	3/19/80		128.75	3581.25	
09S 17E 16BBA1	423906114284201	3650	150	6	X	21 TO 150	110SKRV	3/21/80		100.07	3549.93	
								8/ 9/80	P	97.98	3552.02	
09S 17E 18BBA1	423904114305701	3622	178	5	X	156 TO 178	110SKRV	3/21/80		139.28	3482.72	
								8/ 9/80		127.54	3494.46	
09S 17E 20CAA1	423747114293101	3632	600	18	X	10 TO 570	110SKRV	3/21/80		212.55	3419.45	
								8/11/80		216.95	3415.05	
09S 17E 24AAD1	423806114241801	3731	-	-	-	-	110SKRV	4/ 1/80		102.18	3628.82	
								8/ 7/80		101.44	3629.56	
09S 17E 27EAA1	423718114271501	3641	320	8	X	15 TO 320	110SKRV	4/ 1/80		138.09	3502.91	
								8/ 7/80		138.07	3502.93	
09S 18E 04BBB1	424040114214601	3852	-	5	-	-	110SKRV	3/19/80		225.92	3626.08	
								8/ 9/80		211.81	3640.19	
09S 18E 12ABB1	423950114173501	3917	-	-	X	0 TO 0	110SKRV	3/19/80		231.89	3685.11	
								8/ 9/80	R	217.43	3699.57	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
09S 18E 30CCC1	423625114240601	3733	200	-	-	-	110SKRV	4/ 1/80		147.64	3585.36	
								8/ 7/80	R	146.87	3586.13	
09S 18E 35CCA1	423538114191901	3818	176	6	X	44 TO 176	110SKRV	3/18/80		141.57	3676.69	
								8/ 9/80		140.83	3677.43	
09S 19E 08BAB1	423949114153901	3928	246	4	X	222 TO 246	110SKRV	3/19/80		207.61	3720.39	
09S 19E 12BAB1	423945114110301	4037	246	6	X	240 TO 247	110SKRV	3/19/80		224.87	3812.13	
								8/11/80		221.59	3815.41	
09S 19E 25BBC1	423659114111601	3932	207	21	P	114 TO 134	110SKRV	3/18/80		125.85	3806.52	
								8/18/80		120.70	3811.67	
09S 19E 31ABD1	423609114152601	3952	-	-	-	-	110SKRV	3/18/80		285.08	3666.92	
								8/ 9/80		282.07	3669.93	
09S 20E 04DDD1	423952114063601	4096	283	-	X	0 TO 286	110SKRV	3/17/80		265.10	3830.90	
								8/10/80		264.23	3831.77	
09S 20E 22BBB1	423803114062201	4083	305	6	X	19 TO 305	110SKRV	3/17/80		255.03	3827.97	
								8/10/80		255.74	3827.26	
09S 20E 32ABA1	423618114075801	4043	-	-	-	-	110SKRV	3/17/80		211.96	3831.04	
								8/10/80		208.11	3834.89	
09S 20E 35CCA2	423537114050502	4050	-	8	-	-	110SKRV	3/17/80		218.89	3831.11	
								8/10/80		214.43	3835.57	
09S 21E 17ADB1	423844114005101	4117	380	10	X	36 TO 40	110SKRV	3/13/80		273.99	3843.01	
					X	40 TO 380						
09S 21E 18DBA1	423828114021001	4145	340	16	X	12 TO 340	110SKRV	3/17/80		304.95	3840.05	
09S 21E 28DBD1	423636113594201	4164	334	20	X	31 TO 334	110SKRV	3/13/80		315.89	3848.11	
09S 21E 31BCC1	423556114025201	4079	250	6	X	21 TO 250	110SKRV	3/17/80		239.90	3839.10	
								8/10/80		237.13	3841.87	
10S 18E 01ADA1	423511114171101	3963	322	6	X	18 TO 322	110SKRV	3/18/80		301.98	3661.02	
								9/ 9/80		300.34	3662.66	
10S 18E 03AAA1	423528114193601	3808	162	6	-	-	110SKRV	3/18/80		134.08	3673.92	*
10S 19E 13DDA1	423259114101701	4039	350	6	X	295 TO 350	110SKRV	3/15/80		277.44	3811.56	
								8/10/80		273.60	3815.40	
10S 19E 16AAA1	423339114134701	4103	442	6	X	123 TO 442	110SKRV	3/15/80		366.32	3736.68	*
								8/ 9/80		367.25	3735.75	
10S 19E 24DDD1	423203114101401	4052	335	6	X	29 TO 335	110SKRV	3/15/80		249.36	3802.64	
								8/10/80		246.84	3805.16	
10S 20E 08BBB1	423433114084601	4152	348	5	X	324 TO 348	110SKRV	3/19/80		315.78	3836.22	
10S 20E 10ACD1	423412114053901	4221	427	20	X	8 TO 427	110SKRV	3/15/80		378.59	3842.41	
10S 20E 13BCC2	423322114040501	4192	390	24	-	-	110SKRV	3/15/80		356.70	3835.30	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
10S 20E 16ADB1	423329114063801	4237	525	-	X	0 TO 525	110SKRV	3/15/80		330.43	3906.57	*
								8/10/80		333.27	3903.73	
10S 20E 20DCB1	423212114080401	4148	517	16	X	54 TO 517	110SKRV	3/15/80		332.07	3815.93	
10S 20E 22BAA1	423250114055301	4211	510	23	X	40 TO 510	110SKRV	3/15/80		380.26	3830.74	
10S 20E 27BCC1	423134114062601	4182	735	20	X	20 TO 735	110SKRV	8/11/80		343.84	3838.29	
10S 21E 06CDC1	423437114023801	4115	291	-	X	0 TO 291	110SKRV	3/14/80		277.35	3837.69	
								8/10/80		273.32	3841.71	
10S 21E 07DDA1	423352114014701	4157	412	6	-	-	110SKRV	3/14/80		316.70	3841.18	
								8/11/80		320.79	3837.09	
10S 21E 12CDD1	423345113563201	4273	435	6	-	-	110SKRV	3/14/80		302.02	3970.98	*
								8/11/80		303.11	3969.89	
LINCOLN COUNTY, IDAHO												
03S 18E 36BAB1	430738114160801	4481	464	6	X	20 TO 464	-	4/ 3/80		436.39	4044.61	
								8/ 8/80		441.30	4039.70	
03S 20E 02DDA1	431116114021301	4603	569	4	P	536 TO 566	110SKRV	3/17/80		543.13	4060.47	
								8/ 4/80		538.14	4065.46	
04S 16E 34AAD1	430215114320501	3901	288	6	X	20 TO 288		4/ 4/80	R	219.14	3681.86	
04S 17E 10BEA1	430553114255201	4500	-	-	-	-	-	3/20/80		212.41	4287.59	*
04S 17E 35DAD1	430147114234301	4174	640	6	-	-	-	3/20/80		276.55	3897.45	
								8/ 8/80		273.20	3900.80	
04S 19E 20CDD1	430318114132601	4345	400	6	-	-	-	4/ 3/80	R	363.63	3981.37	
05S 16E 09CDD1	425951114335201	3777	-	-	-	-	-	4/ 4/80		188.60	3588.40	
05S 16E 28CBB1	425736114342401	3716	198	-	-	-	-	3/20/80		153.19	3562.81	
05S 17E 14ABA1	425947114240501	4008	329	-	-	-	-	3/20/80	R	186.45	3821.88	
								8/ 8/80		188.03	3820.30	
05S 17E 26ACA1	425746114240101	3972	253	16	X	200 TO 253	110SKRV	3/ 5/80		205.85	3766.79	
								9/31/80		195.96	3776.68	
05S 17E 36DCD1	425620114225301	3968	-	-	-	-	-	4/ 4/80		197.92	3770.08	
05S 18E 07AAA1	430039114212401	4105	-	-	-	-	-	4/ 4/80		162.02	3942.98	
05S 18E 08BAB1	430039114205201	4128	235	-	-	-	-	4/ 4/80		169.59	3958.41	
								9/ 8/80		162.65	3965.35	
05S 18E 18BAD1	425940114215401	4050	-	6	-	-	-	4/ 4/80		164.58	3885.42	
05S 18E 31DDD1	425618114211601	4056	253	6	X	19 TO 253	-	4/ 3/80		247.40	3818.60	
05S 18E 33ABD2	425702114191502	4034	180	-	-	-	-	4/ 3/80		166.46	3867.54	
05S 19E 04BAB1	430129114122901	4237	344	8	-	-	-	4/ 3/80		273.43	3963.57	
								8/ 8/80		270.02	3966.98	
05S 19E 31AAA1	425706114140601	4293	420	6	X	7 TO 421	-	3/15/80		397.51	3895.49	
05S 21E 03DAC1	430050113561001	4434	454	-	-	-		3/17/80		373.52	4060.48	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								8/ 6/80		374.40	4059.60	
05S 21E 36ACD1	425642113535901	4300	505	20	X	19 TO 197	-	4/ 3/80	D	-	<3795.00	*
					X	234 TO 240						
					X	240 TO 505						
05S 23E 17CAA1	425909113444101	4374	332	6	P	310 TO 330	110SKRV	3/ 5/80		312.70	4062.17	
								8/31/80		314.98	4059.89	
06S 16E 11DBB1	425454114311901	3876	341	-	-	-	-	3/18/80		312.26	3563.74	
								8/ 5/80		308.69	3567.31	
06S 16E 16DCA1	425351114334101	3760	300	6	X	18 TO 300	-	3/20/30		227.85	3532.15	
06S 17E 31BBA1	425152114291701	3917	392	18	-	-	-	4/ 2/80		327.41	3589.59	
								8/ 9/80	S	328.38	3588.62	
06S 18E 07BCB1	425506114222001	3980	223	21	X	8 TO 225	110SKRV	3/15/80		179.04	3801.38	
								8/ 5/80		152.92	3827.50	
06S 18E 10DDA1	425439114174001	4128	-	-	X	0 TO 20	-	3/15/80		309.54	3818.89	
					X	20 TO 296						
06S 18E 25BCC1	425228114162501	3974	177	6	X	161 TO 177	-	3/14/80		158.20	3815.87	
06S 18E 36DCC1	425109114154801	3996	200	20	-	-	-	3/14/80		172.58	3823.94	
06S 19E 02BCB1	425601114244701	3983	425	18	X	301 TO 425	-	3/14/80		217.00	3766.00	
06S 19E 03CDC1	425524114111001	4179	-	5	-	-	-	4/ 3/80		294.26	3884.74	
06S 19E 19ADC1	425313114140501	4037	-	-	-	-	-	4/ 3/80		238.23	3798.77	
06S 20E 05ADA1	425558114053901	4198	292	6	P	250 TO 292	-	3/17/80		248.00	3950.00	
								8/ 6/80		249.83	3948.17	
06S 20E 27DBD1	425212114033501	4415	513	6	P	472 TO 512	-	4/ 3/80		468.27	3946.73	
								8/ 5/80		471.33	3943.67	
06S 21E 24DBC1	425300113541301	4215	340	16	X	29 TO 340	-	4/ 2/80		200.82	4014.55	
06S 22E 28CDD1	425155113503901	4222	-	-	-	-	-	3/13/80		199.23	4023.43	
06S 22E 36ACC1	425126113465401	4290	293	20	X	7 TO 293	-	4/ 2/80		218.99	4071.01	
07S 18E 02AAC1	425102114183201	3970	227	16	X	6 TO 227	-	3/14/80		158.81	3811.59	
07S 19E 03DAA1	425039114122401	4040	325	16	X	52 TO 325	-	3/15/80		221.81	3818.19	
07S 21E 04AEC1	425053113595801	4345	486	20	-	-	-	4/ 2/80		397.50	3947.50	
07S 21E 21ADA1	424814113592701	4263	378	20	X	15 TO 378	-	4/ 2/80		321.88	3941.12	
07S 22E 25ACD1	424714113490901	4320	372	21	X	13 TO 372	-	3/13/80		283.50	4036.50	
07S 23E 05CDC1	425019113474101	4272	340	-	-	-	110SKRV	3/13/80		223.20	4048.80	
MADISON COUNTY, IDAHO												
07N 38E 23DBA1	435506111563101	4852	236	20	X	177 TO 236	110SKRV	3/ 5/80		45.11	4807.24	
								8/31/80		42.17	4810.18	
07N 38E 23DBA2	435506111563102	4852	152	8	P	65 TO 140	111ALVM	3/ 5/80		38.81	4813.37	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
07N 38E 23DBA3	435506111563201	4855	201	8	P	127 TO 127	110SKRV	8/31/80		36.37	4816.01	
								3/17/80		43.36	4812.39	
								7/18/80		41.42	4814.33	
07N 38E 23DBA4	435506111563202	4855	426	-	P	317 TO 322	110SKRV	3/17/80		49.11	4806.64	
								7/18/80		46.49	4809.26	
07N 38E 23DBA5	435506111563203	4855	595	-	P	467 TO 472	110SKRV	3/17/80		49.05	4806.70	
								7/19/80		46.40	4809.35	
07N 38E 23DBA6	435506111563204	4855	632	-	P	622 TO 627	110SKRV	3/17/80		49.04	4806.71	
								7/18/80		46.40	4809.35	
07N 39E 29CDC1	435355111532401	4849	29	1	T	27 TO 29	111ALVM	3/18/80		16.43	4833.52	
								8/ 6/80		2.68	4847.27	
07N 39E 35CDD1	435303111494201	4842	24	1	T	22 TO 24	112ALVM	3/14/80		7.10	4835.43	*
								8/ 6/80		4.39	4838.14	
06N 38E 02DBD1	435228111563401	4884	325	5	-	-	110SKRV	3/18/80		78.49	4806.21	
								7/18/80		75.78	4808.92	
06N 38E 02DBD2	435228111563402	4884	484	5	P	618 TO 623	110SKRV	3/18/80		82.51	4802.19	
								7/18/80		78.93	4805.77	
06N 38E 25ACB1	434917111553201	4825	685	24	X	450 TO 685	110SKRV	3/17/80		19.37	4805.74	
								8/ 5/80		15.90	4809.21	
06N 38E 25ACB2	434917111553202	4826	246	8	R	236 TO 241	110SKRV	3/17/80		23.62	4802.48	
								8/ 5/80		20.80	4805.30	
06N 38E 25ACB3	434917111553101	4826	50	8	R	43 TO 43	110SKRV	3/17/80		19.02	4807.48	
								8/ 5/80		16.83	4809.67	
06N 38E 25ACB4	434917111553102	4826	681	8	X	483 TO 681	110SKRV	3/17/80		21.44	4805.26	
								8/ 5/80		18.07	4808.63	
06N 39E 10BBB1	435209111512101	4834	260	6	X	168 TO 260	110SKRV	3/14/80		23.68	4810.52	
								8/ 8/80		20.14	4814.06	
06N 39E 10BBB2	435209111512102	4834	317	-	P	307 TO 312	110SKRV	3/13/80		23.80	4810.40	
								8/ 8/80		20.25	4813.95	
06N 39E 10BBB3	435209111512103	4834	545	-	P	376 TO 381	110SKPV	3/14/80		23.74	4810.46	
								8/ 8/80		20.21	4813.99	
06N 39E 10BBB4	435209111512104	4834	636	-	P	592 TO 597	112HKBR	3/14/80		20.67	4813.53	
								8/ 8/80		20.52	4813.68	
06N 39E 12BBA1	435208111434501	4860	27	2	-	-	110ALVM	3/14/80		18.96	4841.72	*
06N 39E 13ABA1	435119111441601	4863	29	1	T	27 TO 29	110ALVM	3/19/80		18.79	4844.72	
								8/ 6/80		6.76	4856.75	
06N 39E 16DAA1	435048111512701	4834	26	1	T	24 TO 26	111ALVM	7/18/80		2.97	4831.88	*
06N 39E 23AAC1	435015111495301	4844	25	8	R	15 TO 23	111ALVM	3/19/80		7.04	4837.09	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								8/31/80		5.35	4838.78	
06N 39E 23AAC2	435015111495302	4843	449	8	X	257 TO 449	111SKRV	3/ 5/80		31.32	4812.52	
								8/31/80		27.65	4816.19	
06N 39E 23AAC3	435015111495303	4844	426	24	S	245 TO 426	110SKRV	3/14/80		31.28	4812.98	
								8/ 6/80	V	27.87	4816.29	
06N 39E 28BBB1	434932111523701	4828	26	1	T	24 TO 26	110ALVM	3/12/80		8.60	4820.09	*
								8/ 5/80		3.91	4824.78	
06N 39E 30ADC1	434915111540501	4816	295	6	X	263 TO 295	110SKRV	3/12/80		7.05	4809.87	
								8/ 8/80		3.47	4813.45	
06N 39E 30ADC2	434915111540502	4816	620	-	P	437 TO 442	110SKRV	3/12/80		9.85	4807.07	
								8/ 8/80		6.55	4810.37	
06N 39E 30ADC3	434915111540503	4816	699	-	P	677 TO 682	110SKRV	3/12/80		8.23	4809.69	
								8/ 8/80		6.72	4810.20	
06N 39E 35CBB2	434816111501302	4840	27	1	T	25 TO 27	110ALVM	3/12/80		9.37	4831.20	*
								8/ 5/80		3.73	4836.84	
06N 40E 09BBB2	435205111452301	4886	25	1	T	23 TO 25	111ALVM	3/18/80		20.54	4866.26	*
								8/ 7/80		5.78	4881.02	
06N 40E 26AAC1	434926111420801	5110	330	20	X	0 TO 330	110VLCC	3/24/80		273.29	4837.61	*
06N 40E 31DAA1	434810111463801	5153	351	20	X	15 TO 360	110SKRV	3/24/80		328.12	4825.38	*
06N 41E 02BDC1	435237111352701	5131	350	18	X	60 TO 350	110SKRV	3/20/80		273.44	4858.36	*
06N 41E 11CDB2	435128111353402	5220	512	20	X	18 TO 512	112PLSC	3/20/80		360.50	4859.50	*
06N 41E 16DDD1	435025111370401	5195	725	16	X	388 TO 725	110VLCC	3/20/80		333.50	4861.50	*
05N 38E 02BAD1	434749111571801	4852	82	16	X	15 TO 82	110ALVM	3/17/80		49.72	4803.08	
05N 39E 08DAD1	434638111530401	4830	27	1	T	25 TO 27	111ALVM	3/12/80		7.66	4822.70	
								8/ 5/80		4.86	4825.50	
05N 39E 15C9B1	434545111515001	4845	19	2	-	-	110ALVM	3/12/80		9.21	4836.74	
05N 39E 18CAC1	434546111550301	4823	336	6	P	300 TO 336	111ALVM	3/12/80		6.30	4823.19	
								8/ 5/80		0.20	4823.29	
05N 40E 01CCD1	434712111415601	5305	508	20	X	104 TO 716	110SKRV	3/24/80		439.47	4865.53	*
								7/21/80		441.91	4863.09	
05N 40E 32BAA1	434339111463001	4905	-	6	-	-	110VLCC	3/13/80		35.55	4869.45	*
								8/ 7/80		9.74	4895.26	
04N 40E 10CAD1	434118111440501	5098	731	10	P	309 TO 339	110VLCC	3/13/80		225.67	4873.29	*
					X	535 TO 1075						
04N 40E 16ABB1	434103111451301	4961	69	6	-	-	110ALVM	3/13/80		31.40	4929.60	*
MINIDOKA COUNTY, IDAHO												
03S 24E 20ABA1	430918113371401	4645	655	5	-	-	110SKRV	3/14/80		578.82	4066.18	
04S 24E 06BBC1	430626113391001	4493	443	6	P	420 TO 444	110SKRV	3/ 5/80		420.63	4072.91	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)
05S 25E 22DAD1	425812113271201	4583	581	4	P	525 TO 538	110SKRV	8/31/80		422.45	4070.99
								3/14/80		498.47	4094.90
								8/ 7/80		500.20	4083.17
06S 23E 26BAC1	425230113411901	4400	394	16	X	6 TO 394	110SKRV	3/14/80		334.10	4065.90
06S 24E 33DCB1	425138113362701	4308	350	16	-	-	110SKRV	3/14/80		239.03	4068.97
06S 24E 35DAC1	425112113333001	4324	318	16	X	8 TO 318	110SKPV	3/14/80		244.38	4079.75
07S 23E 23DAA1	424756113433001	4366	510	24	-	-	110SKRV	3/13/80		305.51	4060.49
								8/ 5/80	P	310.87	4055.13
07S 24E 02ADD1	425040113363101	4295	252	8	P	222 TO 252	110SKRV	3/19/80		215.12	4070.76
								8/ 4/80		217.90	4067.98
07S 24E 05DDA1	425026113400301	4393	411	16	X	13 TO 411	110SKRV	3/12/80		327.91	4065.09
07S 24E 18DAC1	424842113413001	4346	390	16	X	11 TO 390	110SKRV	3/12/80		279.37	4066.63
								8/ 1/80		279.41	4066.59
07S 24E 22BCA1	424815113383401	4283	329	16	X	34 TO 329	110SKRV	3/12/80		215.27	4063.44
07S 24E 30CCA1	424654113421301	4310	290	6	X	18 TO 290	110SKRV	3/13/80		253.75	4056.25
07S 24E 32AAC1	424636113401401	4278	270	6	X	19 TO 42	110SKRV	3/12/80		213.83	4064.17
								8/ 5/80		220.75	4057.25
07S 24E 36BAD1	424634113355901	4256	-	-	-	-	110SKRV	3/12/80		182.00	4074.00
								8/ 5/80		186.89	4069.11
07S 25E 16CDA1	424841113322601	4333	340	20	X	8 TO 340	110SKRV	3/13/80		253.43	4080.48
07S 25E 19BAA1	424828113345201	4320	284	5	P	254 TO 284	110SKRV	3/21/80		245.91	4074.52
								8/19/80		252.27	4068.16
07S 25E 27CDA1	424651113311901	4299	346	18	X	10 TO 346	110SKRV	3/12/80		218.73	4080.69
08S 22E 14DBD1	424334113501701	4363	490	20	X	14 TO 490	110SKRV	3/15/80		339.49	4023.51
								8/ 7/80		366.27	3996.73
08S 22E 32AAA1	424132113533401	4341	360	6	-	-	110SKRV	3/20/80		345.85	3995.15
								8/ 7/80		358.84	3982.16
08S 23E 02BAA1	424550113440101	4263	290	8	P	20 TO 80	110SKRV	3/13/80		209.96	4053.68
								8/ 5/80	S	218.15	4045.49
08S 23E 09DAA1	424433113470101	4288	351	24	X	20 TO 351	110SKRV	3/13/80		243.01	4044.99
08S 23E 17CCC1	424316113480801	4259	289	16	X	17 TO 289	110SKRV	3/15/80		214.87	4044.13
08S 23E 27BDC1	424201113452701	4234	260	20	X	21 TO 260	110SKRV	3/19/80		186.95	4047.05
								8/ 5/80	P	199.56	4034.44
08S 24E 04CCA1	424511113394501	4268	301	24	X	37 TO 301	110SKRV	3/13/80		200.96	4067.16
08S 24E 20BDA1	424257113404201	4217	297	24	X	25 TO 366	110SKRV	3/17/80		156.74	4061.24
08S 24E 25DDA1	424143113351801	4195	163	6	-	-	110SKRV	3/17/80		113.41	4081.59
								8/ 6/80		116.63	4078.37

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
08S 24E 31DAC1	424053113412801	4226	194	8	P	158 TO 188	110SKRV	3/ 5/80		154.52	4072.02	
								8/31/80		158.40	4068.14	
08S 24E 34CCB1	424046113384901	4159	134	6	X	26 TO 134	110SKRV	3/15/80		77.80	4081.20	
								8/ 6/80		73.96	4085.04	
08S 25E 01CBD1	424511113291401	4275	282	8	-	-	110SKRV	3/11/80		187.98	4087.02	
09S 25E 05AAB1	424546113331601	4284	238	24	X	190 TO 238	110SKRV	3/12/80		207.39	4077.22	
08S 25E 08DAA1	424431113330401	4222	215	16	X	19 TO 215	110SKRV	3/12/80		142.85	4079.15	
08S 25E 16DAC1	424334113320201	4243	230	20	-	-	110SKRV	3/19/80		162.60	4080.30	
								8/ 6/80		166.37	4077.03	
08S 25E 22DAC1	424235113305501	4245	225	20	X	23 TO 225	110SKRV	3/11/80		158.10	4086.90	
08S 25E 27BBC1	424210113314201	4187	180	20	X	26 TO 180	110SKRV	3/13/80		100.72	4086.28	
								8/ 6/80		103.85	4083.15	
08S 25E 32DDD2	424042113330001	4162	125	6	X	18 TO 125	110SKRV	3/14/80		81.79	4080.21	
08S 25E 34DCA1	424046113305901	4161	100	6	-	-	110SKRV	3/14/80		73.48	4088.50	
08S 25E 36DAA1	424102113292101	4209	207	10	X	110 TO 207	110SKRV	3/19/80		112.10	4096.90	
								8/19/80		111.39	4097.61	
09S 22E 03ABA1	424039113512801	4265	315	20	X	279 TO 315	110SKRV	3/20/80		238.28	4026.72	
09S 22E 04CCA1	424002113531101	4235	330	16	X	20 TO 330	110SKRV	3/20/80		254.86	3980.14	
09S 22E 07ACA1	423933113550501	4227	540	16	X	3 TO 540	110SKRV	4/ 1/80		290.07	3936.93	
								8/ 8/80	S	301.29	3925.71	
09S 22E 12DDD1	423856113484701	4162	127	6	-	-	110SKRV	3/18/80		117.11	4044.89	
09S 22E 16CDB1	423817113530201	4201	495	21	X	16 TO 297	110SKRV	3/20/80		249.97	3951.03	
					X	473 TO 495						
09S 22E 19BCB1	423747113555001	4202	422	18	X	340 TO 356	110SKRV	4/ 1/80		330.25	3872.69	
09S 22E 25BCC1	423647113495501	4145	125	6	X	104 TO 125	110SKRV	3/19/80		34.19	4110.81	*
09S 22E 33ADA1	423604113522401	4192	252	12	X	90 TO 252	110SKRV	3/20/80		237.08	3955.34	
								8/ 7/80		239.40	3953.02	
09S 22E 36CDC1	423528113493701	4154	298	6	X	257 TO 298	110SKRV	3/19/80		223.53	3930.47	
								8/ 7/80		218.37	3935.63	
09S 23E 01AAC1	424029113422901	4149	130	8	X	92 TO 130	110SKRV	3/14/80		95.14	4053.86	
09S 23E 09DCD1	423857113454801	4145	135	6	-	-	110SKRV	3/14/80	P	93.34	4052.18	*
								8/ 7/80	R	91.05	4054.47	
09S 23E 11DBA1	423920113435201	4147	-	6	-	-	110SKRV	3/14/80	P	73.38	4074.14	*
09S 23E 13ABA1	423854113423501	4148	137	6	P	64 TO 74	110SKRV	3/14/80		74.78	4073.22	
								8/ 7/80		78.91	4069.09	
09S 23E 25DAB1	423643113423001	4148	155	10	X	109 TO 155	110SKRV	3/15/80		25.44	4122.56	*
09S 24E 02CDD1	423951113371401	4163	100	6	X	1 TO 100	110SKRV	3/15/80		78.10	4084.90	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
09S 24E 08DDD1	423900113400401	4156	101	6	X	60 TO 101	110SKRV	8/ 6/80		71.42	4091.58	
								3/19/80		77.35	4078.65	
								8/ 6/80		66.85	4089.15	
09S 24E 13BBB1	423855113362701	4163	86	6	-	-	110SKRV	3/19/80		58.30	4105.60	
								8/ 5/80		46.84	4117.06	
09S 24E 13CCB2	423815113362401	4155	92	6	X	62 TO 92	110SKRV	3/19/80		42.28	4112.72	
09S 24E 15BCC1	423836113384801	4156	-	6	-	-	-	3/19/80	D	-	<4156.00	*
09S 24E 16DCD1	423805113391601	4157	120	6	X	100 TO 120	110SKRV	3/19/80		72.97	4084.03	
								8/ 6/80		74.06	4082.94	
09S 24E 29AAB1	423707113401801	4154	560	16	X	475 TO 560	110SKRV	3/17/80		140.16	4014.45	*
								8/ 6/80		141.46	4013.15	
09S 25E 06BAA2	424037113345301	4167	138	6	X	31 TO 33	110SKRV	3/15/80		93.93	4073.07	
								8/ 6/80	R	58.73	4108.27	
09S 25E 07BCC1	423923113351801	4156	74	6	X	22 TO 74	110SKRV	3/19/80		53.36	4102.64	
09S 25E 08CBB2	423915113340401	4160	110	6	X	90 TO 110	110SKRV	3/18/80		40.25	4119.75	
09S 25E 18BCB1	423842113351701	4155	74	6	X	30 TO 74	110SKRV	3/18/80		38.93	4116.93	
10S 22E 12CCC2	423344113495401	4145	-	6	-	-	111ALVM	3/19/80		7.33	4137.67	*
								8/ 4/80		5.67	4139.33	
10S 22E 16ABB1	423343113525101	4239	330	20	X	30 TO 330	110SKRV	3/19/80		302.30	3936.70	
								8/ 7/80		259.04	3979.96	
10S 22E 18CDB1	423300113552801	4241	531	20	X	106 TO 531	110SKRV	3/19/80		393.93	3847.07	*
10S 22E 24BAA1	423248113492401	4141	61	6	P	55 TO 58	111ALVM	3/19/80		8.65	4132.35	*
								8/ 4/80		7.30	4133.70	
10S 23E 13CBB1	423313113432501	4149	98	6	P	90 TO 94	111ALVM	3/18/80		6.33	4142.67	*
								8/ 4/80		4.19	4144.81	
10S 23E 18AAA1	423339113481001	4147	120	6	P	101 TO 102	111ALVM	3/19/80		10.04	4136.96	*
								8/ 4/80	R	8.65	4138.35	
10S 23E 25BAA1	423156113425901	4149	131	6	-	-	111ALVM	3/18/80		28.89	4121.03	*
								8/ 4/80		49.74	4100.18	
10S 24E 06BCD1	423504113420901	4150	122	6	X	117 TO 122	110SKRV	3/18/80		18.93	4131.07	*
								8/ 4/80		18.01	4131.99	
10S 24E 16ADA1	423325113395301	4155	141	6	-	-	111ALVM	3/19/80		13.91	4141.22	*
10S 24E 18CCD1	423251113421301	4151	-	-	-	-	111ALVM	3/18/80		66.69	4084.31	
10S 24E 21ABB1	423248113391601	4150	84	8	X	76 TO 84	111ALVM	3/18/80	R	9.12	4140.88	*
								8/ 4/80		5.57	4144.43	
OWYHEE COUNTY, IDAHO												
09N 05W 13CCB1	440649116532701	2195	88	6	S	83 TO 88	110ALVM	3/11/80		57.55	2137.45	
								8/ 5/80		58.25	2136.75	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
09N 05W 21DDD1	440551116560001	2132	32	6	-	-	110ALVM	3/12/80		17.79	2114.21	
								8/ 6/80		17.95	2114.05	
08N 05W 03BAD1	440402116552801	2156	25	12	-	-	111ALVM	3/11/80		8.25	2147.75	
								8/ 6/80	P	11.02	2144.98	
08N 05W 08BAA1	440312116574501	2140	220	6	X	87 TO 220	112IDHO	3/13/80		24.10	2115.90	
								8/ 6/80	S	7.00	2133.00	
08N 05W 13ACD1	440158116524501	2165	47	6	P	21 TO 22	112IDHO	3/13/80	P	11.51	2153.49	*
					X	26 TO 47						
08N 05W 14CDD1	440134116541601	2212	42	3	-	-	110ALVM	3/11/80		31.41	2180.59	
								8/ 5/80		30.07	2181.93	
08N 05W 16DDD1	440138116555901	2200	123	4	X	51 TO 123	112IDHO	3/13/80		69.86	2130.14	
								8/ 6/80		71.26	2128.74	
08N 05W 36DCC1	435900116525601	2260	50	8	P	43 TO 49	110ALVM	3/13/80		23.73	2236.27	
					X	49 TO 50						
08N 04W 17BDD1	440203116503101	2195	18	48	-	-	112ALVM	3/13/80		10.85	2184.15	
08N 04W 30DCA1	435958116513201	2215	53	6	X	39 TO 53	112IDHO	3/14/80		17.20	2197.80	
								8/ 6/80		13.19	2201.81	
08N 04W 33ACA1	435933116485901	2211	28	6	-	-	111ALVM	3/ 5/80		8.40	2202.60	
								8/31/80		4.18	2206.82	
08N 03W 19ACD1	440110116441401	2295	600	12	-	-	112IDHO	3/11/80		30.34	2264.66	*
07N 05W 02BCC1	435832116544301	2276	55	10	-	-	112ALVM	3/11/80	V	35.32	2240.63	
								8/ 5/80	V	30.47	2245.53	
07N 05W 13DCC1	435620116525501	2450	400	12	S	220 TO 240	112IDHO	3/18/80		120.94	2329.06	
					S	328 TO 388						
07N 05W 21BBC1	435603116570901	2255	94	6	-	-	110ALVM	3/18/80	R	72.73	2182.27	*
								8/ 5/80		72.21	2182.79	
07N 05W 25DBC1	435450116525101	2470	352	16	S	273 TO 333	112IDHO	3/18/80		147.15	2322.85	
07N 05W 33AAD1	435423116560401	2355	228	6	X	160 TO 228	112IDHO	3/18/80		116.74	2248.26	
07N 04W 09ACB1	435749116491201	2272	62	10	-	-	112IDHO	3/13/80		18.13	2253.87	
07N 04W 13CBB1	435643116461701	2280	137	6	X	135 TO 137	112IDHO	3/18/80		10.55	2269.45	
								8/ 6/80	R	14.98	2265.02	
07N 04W 21BAA1	435614116492701	2360	160	6	S	156 TO 160	112IDHO	3/21/80		39.64	2320.36	
								8/ 6/80	R	36.19	2323.81	
07N 04W 29BCC1	435504116495501	2481	400	6	P	300 TO 359	112IDHO	3/17/80		97.81	2383.19	
06N 05W 13CCC1	435105116532501	2565	355	6	X	342 TO 355	112IDHO	3/17/80	P	267.99	2297.01	*
								8/ 6/80	R	272.16	2292.84	
06N 05W 26DCD1	434919116540001	2550	455	16	S	210 TO 290	112IDHO	4/ 3/80		232.44	2317.56	
					S	330 TO 438						

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
06N 05W 36CDB1	434836116531201	2500	385	16	P	308 TO 373	112IDHO	4/ 3/80		183.27	2316.73	
								8/ 6/80	R	204.77	2295.23	
06N 04W 01ADB1	435326116451501	2460	-	-	-	-	112IDHO	3/14/80		84.24	2375.76	
06N 04W 10ABA1	435247116475501	2498	371	6	X	357 TO 371	112IDHO	3/17/80		136.09	2361.91	
06N 04W 28CDC1	434922116493301	2630	705	16	S	369 TO 429	112IDHO	3/14/80		283.81	2346.19	
					S	450 TO 470						
					S	570 TO 670						
06N 03W 30DCC1	434920116442701	2440	216	6	X	206 TO 216	112IDHO	3/17/80		27.92	2412.08	
03N 06W 01ACC1	433733116595801	2420	255	6	X	106 TO 255	112IDHO	3/11/80		21.67	2398.33	
03N 05W 05CBB1	433727116580801	2350	250	-	-	-	112IDHO	3/11/80		15.75	2334.25	
								8/ 4/80		11.43	2338.57	
03N 05W 18BAB1	433608116585801	2285	270	6	-	-	112IDHO	3/11/80	R	64.75	2220.25	
								8/ 4/80	R	64.66	2220.34	
03N 05W 19DCD1	433429116583601	2378	325	4	X	110 TO 325	112IDHO	3/11/80	R	86.72	2291.28	
03N 05W 25ADC1	433403116522401	2292	386	16	P	29 TO 69	112IDHO	3/11/80		37.39	2254.61	
					X	69 TO 386						
03N 05W 34CBB1	433306116554001	2323	95	6	X	65 TO 95	112IDHO	3/11/80		17.15	2305.85	
								8/ 4/80		14.48	2308.52	
03N 04W 30AAB1	433423116511401	2305	200	12	P	63 TO 71	112IDHO	3/11/80		56.68	2248.32	
								8/ 4/80	S	61.23	2243.77	
03N 04W 30CCD1	433337116520301	2288	544	16	P	35 TO 55	112IDHO	3/11/80		27.13	2260.87	
					X	468 TO 544						
03N 04W 32BBA1	433335116504801	2302	250	12	P	180 TO 250	112IDHO	3/11/80		36.95	2265.05	
02N 04W 03BBB1	433242116483801	2305	960	8	-	-	112IDHO	3/12/80		60.44	2244.56	
02N 04W 07DBB1	433124116513501	2356	1100	4	-	-	-	3/12/80	R	82.00	2274.00	
01N 04W 12DBB1	432609116453501	2375	1210	6	X	40 TO 640	112IDHO	3/12/80		1.10	2373.90	
					X	90 TO 1210						
01N 03W 06DDC1	432640116440701	2240	560	8	X	415 TO 560	112IDHO	3/12/80		-23.22	2263.22	*
								8/ 4/80		-21.93	2261.93	
01N 03W 20CCC1	432411116435001	2481	155	12	X	90 TO 155	112IDHO	3/12/80		37.29	2443.71	
								8/ 4/80	P	70.94	2410.06	
01N 03W 20DAC1	432420116425601	2382	1305	12	X	120 TO 170	-	8/ 4/80		38.95	2343.05	
					X	510 TO 1305						
01N 03W 21BBC1	432443116423501	2300	850	-	-	-	112IDHO	3/12/80		-14.12	2314.12	*
								8/ 4/80		-21.52	2321.52	
01N 03W 28DBA1	432336116415201	2346	420	-	-	-	112IDHO	3/12/80	P	8.43	2337.57	
01N 03W 35ABC1	432259116393901	2262	1035	-	-	-	112IDHO	3/12/80	P	11.16	2250.84	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
01N 03W 35B0B1	432255116395701	2318	-	3	-	-	112IDHO	3/12/80		2.49	2315.51	
								8/ 4/80		2.68	2315.32	
01S 03W 01BBC1	432208116385701	2290	1800	3	-	-	-	3/12/80	E	-8.22	2298.22	*
								8/ 4/80	E	-8.93	2298.93	
01S 03W 09ADA1	432112116412001	2540	550	12	X	40 TO 550	112IDHO	3/12/80		149.80	2390.20	
01S 03W 11DAC1	432053116391401	2420	410	-	-	-	112IDHO	3/12/80		80.44	2339.56	
								8/ 4/80		78.90	2341.10	
01S 02W 18CCA1	431956116373201	2375	-	-	-	-	112IDHO	3/12/80		43.00	2332.00	
								8/ 4/80		39.38	2335.62	
01S 02W 29ADB1	431838116353501	2364	-	-	-	-	112IDHO	3/13/80	E	-0.18	2364.18	*
								8/ 5/80	E	-0.18	2364.18	
02S 02W 02CAD1	431633116323501	2455	855	10	X	120 TO 855	112IDHO	3/13/80		6.66	2448.34	
					X	150 TO 950						
02S 02W 03CBB1	431641116341101	2465	900	8	X	65 TO 750	-	3/13/80		32.80	2433.00	
					X	65 TO 900						
02S 02W 36CCD1	431156116313501	2930	1182	20	P	228 TO 428	-	3/13/80		386.80	2543.20	
					X	1142 TO 1182						
02S 01W 06DDC1	431620116294501	2525	302	-	X	200 TO 302	112IDHO	3/13/80		180.30	2344.70	
								8/ 5/80	R	180.05	2344.95	
03S 01W 15DCC1	430922116263401	2735	250	-	-	-	121BNBR	3/13/80		57.57	2677.43	
03S 01W 18DCC1	430919116300301	3240	738	6	X	260 TO 738	112IDHO	3/13/80		360.00	2880.00	
								8/ 5/80	R	367.05	2872.95	
03S 01E 35DAC1	430704116174901	2330	300	6	X	60 TO 300	112IDHO	3/14/80	E	-0.02	2330.02	*
								8/ 5/80	R	-0.04	2330.04	
04S 01E 25BBD1	430304116172201	2500	1600	-	-	-	112IDHO	3/14/80	E	-13.22	2513.22	*
								8/ 6/80	E	-12.73	2512.73	
04S 01E 30BBB1	430310116233601	2803	320	10	X	32 TO 320	112IDHO	3/14/80		35.97	2767.03	
								8/ 5/80		54.37	2748.63	
04S 01E 34BAD1	430215116192601	2570	2980	12	X	2160 TO 2980	121IDVD	3/13/80	E	-206.00	2776.00	*
05S 01E 20DAD1	425816116211701	2799	666	10	X	74 TO 666	121BNBR	3/13/80	V	31.76	2767.24	
								8/ 5/80	V	37.99	2761.01	
05S 02E 01BBC1	430122116102901	2395	1900	2	-	-	121BNBR	3/14/80	E	-121.00	2516.00	*
								8/ 5/80	E	-172.00	2567.00	
05S 02E 05BCD1	430109116150201	2530	2009	10	-	-	112IDHO	3/14/80	E	-46.42	2576.42	*
								8/ 6/80	E	-46.93	2576.93	
05S 02E 25AAA1	425801116092501	2615	3025	16	X	820 TO 3025	121BNBR	3/14/80		4.62	2610.38	*
05S 03E 20B9B1	425854116080801	2465	-	5	-	-	112IDHO	3/17/80		-4.92	2469.92	*
								8/ 6/80		-5.13	2470.13	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
05S 03E 35CCC1	425624116042701	2500	2570	12	-	-	121IDVD	3/17/80	E	-154.00	2654.00	*
05S 03E 36CAC1	425636116025801	2498	400	6	X	60 TO 400	112IDHO	3/19/80	R	19.35	2478.65	
								8/ 7/80		21.74	2476.26	
05S 04E 32DCB1	425632116001201	2476	440	6	X	139 TO 440	112IDHO	3/19/80	R	98.48	2377.52	*
06S 03E 09ACC1	425504116055301	2610	1425	20	X	103 TO 1425	121BNBR	3/17/80		46.05	2563.95	
06S 03E 14BCB1	425414116043301	2643	1341	6	X	373 TO 1341	112IDHO	3/ 5/80		35.47	2607.53	*
								8/31/80		45.42	2597.58	
06S 03E 23CDD1	425249116035901	2740	1343	14	X	248 TO 550	121BNBR	3/17/80		88.09	2651.91	
					X	1156 TO 1241						
06S 04E 14ABC1	425425115563801	2665	1905	12	X	1600 TO 1905	121IDVD	3/19/80	V	27.54	2637.46	*
								8/ 6/80	P	100.45	2564.55	
06S 04E 32BDA2	425142116002101	2899	360	6	-	-	112IDHO	3/19/80		250.30	2648.70	
06S 04E 32BDA1	425140116002101	2897	885	18	X	485 TO 500	112IDHO	3/19/80		248.75	2648.25	
					X	645 TO 885						
06S 04E 33BBD1	425144115592601	2848	1176	16	X	700 TO 1176	121BNBR	3/19/80		208.20	2639.80	
06S 04E 36CCC1	425106115560901	2670	2000	14	X	1017 TO 2000	121IDVD	3/20/80		-14.12	2684.12	*
06S 05E 24BCA1	425323115484301	2525	1095	6	X	76 TO 1095	121BNBR	3/18/80		-51.22	2576.22	*
								8/ 6/80		-26.83	2551.83	
06S 05E 33DBB1	425127115515501	2540	142	6	-	-	-	8/ 6/80		22.76	2517.24	*
06S 05E 35CCA1	425117115495501	2612	476	16	S	230 TO 350	112IDHO	3/20/80		83.38	2528.62	
					X	350 TO 476						
06S 06E 19CCD1	425255115473501	2579	913	6	X	277 TO 913	121BNBR	3/18/80	E	-32.42	2611.42	*
								8/ 6/80	E	-27.33	2606.33	
06S 07E 02CDD1	425527115352301	2455	1350	4	-	-	112IDHO	3/20/80		-17.02	2502.02	*
								8/ 7/80	E	-21.43	2506.43	
06S 07E 08BBA1	425524115391001	2755	365	6	X	339 TO 365	112IDHO	3/20/80		298.10	2456.90	
								8/ 7/80		298.02	2456.98	
06S 08E 33ABA1	425156115302101	3080	4000	14	X	2118 TO 4000	121IDVD	3/20/80		317.69	2762.31	
								8/ 7/80		317.98	2762.02	
07S 03E 04ACD1	425041116054701	2935	804	14	X	300 TO 804	121BNBR	3/17/80		249.90	2685.10	
07S 04E 10BDB1	424956115580501	2755	1145	16	P	537 TO 568	121BNBR	3/19/80		78.40	2676.60	
					P	616 TO 737						
					X	738 TO 1145						
07S 05E 13CBB1	424853115485401	2771	1954	20	P	180 TO 710	121BNBR	3/18/80		114.92	2656.08	
					P	1070 TO 1180						
					P	1560 TO 1680						
					X	1680 TO 1954						
07S 06E 09BAD2	425004115445302	2578	960	8	X	80 TO 960	121BNBR	3/18/80		-47.32	2625.32	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
07S 06E 16CDC1	424829115450601	2595	513	12	X	389 TO 513	121BNBR	8/ 6/80	E	-11.43	2589.43	
								3/18/80	E	-85.00	2680.00	*
07S 06E 22AAD1	424818115430901	2640	1410	14	X	400 TO 1410	121IDVD	3/18/80		-27.42	2667.42	*
07S 06E 22DCC1	424736115433201	2598	630	16	X	158 TO 250	121BNBR	3/18/80	E	-69.00	2667.00	*
					X	580 TO 630						
08S 11E 21BAB1	424327115102701	3175	305	6	P	200 TO 280	121BNBR	3/18/80		41.56	3133.44	
					X	304 TO 305						
08S 11E 33BCD1	424121115103601	3168	290	6	P	250 TO 285	112IDHO	3/18/80		167.95	3000.05	
								8/ 4/80		167.78	3000.22	
09S 12E 29ACD1	423655115041001	3625	530	20	X	10 TO 355	121IDVD	3/18/80		232.09	3392.91	*
								8/ 8/80		234.12	3390.88	
POWER COUNTY, IDAHO												
05S 28E 26BBD1	425746113093901	4941	760	4	P	730 TO 760	110SKRV	3/17/80		682.58	4258.42	
05S 33E 29CBC1	425712112364901	4431	210	18	P	160 TO 205	112SNRM	3/18/80		34.09	4396.91	*
05S 33E 34CBC1	425620112353801	4437	123	6	-	-	112SNBM	3/17/80		35.62	4401.38	
05S 33E 35CDC1	425608112340901	4424	60	6	-	-	111ALVM	3/ 5/80		25.30	4399.23	
								8/31/80		25.44	4399.14	
06S 29E 06DDD1	425519113062501	4812	-	8	-	-	110SKRV	3/11/80		502.02	4310.00	
								8/ 8/80		504.51	4307.51	
06S 29E 13CDC1	425332113011401	4635	407	20	X	40 TO 407	110SKRV	3/11/80		308.67	4326.33	
								8/ 8/80		313.50	4321.50	
06S 29E 25DAA1	425211113003001	4585	350	8	X	18 TO 350	110SKRV	3/11/80	R	245.97	4339.03	
								8/ 8/80	R	250.99	4334.01	
06S 29E 28CBC1	425201113050701	4755	600	20	X	19 TO 30	110SKRV	3/11/80		440.87	4314.13	
					X	168 TO 600						
06S 30E 36ACB1	425129112534901	4427	154	16	X	85 TO 154	110SKRV	3/12/80		61.47	4365.59	
								8/ 8/80		65.33	4361.73	
06S 31E 36ACC1	425123112464201	4388	176	16	P	166 TO 176	112ALVM	3/13/80		29.46	4358.54	
								8/13/80	P	65.17	4322.83	
06S 32E 11AAC1	425502112404001	4402	101	6	X	98 TO 101	112ALVM	3/17/80	V	11.20	4390.80	
								8/ 6/80	V	36.92	4365.08	
06S 32E 14AAB1	425422112403901	4409	175	18	P	158 TO 175	112ALVM	3/17/80	V	13.98	4395.02	
06S 32E 27ADC1	425216112414301	4416	63	6	P	63 TO 65	111ALVM	3/ 5/80		33.01	4393.69	
								8/31/80		34.88	4381.82	
06S 32E 29DCB1	425200112442401	4403	299	12	S	164 TO 265	112ALVM	3/14/80		40.39	4362.61	
06S 33E 04BBA1	425606112363201	4416	223	16	P	189 TO 218	112MCHO	3/19/80	V	13.64	4402.36	
					X	222 TO 223						

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
06S 33E 11DBD1	425441112333501	4452	130	16	-	-	112MCHD	3/18/80	V	51.68	4400.32	
06S 33E 20AAC1	425319112370801	4436	151	4	-	-	112ALVM	3/18/80		35.96	4400.89	
06S 33E 28CAD1	425206112361801	4548	220	5	X	200 TO 220	112ALVM	3/17/80		155.43	4392.57	*
								8/ 6/80		156.53	4391.47	
06S 34E 07CDA1	425431112313101	4446	229	20	P	68 TO 215	112ALVM	3/19/80	P	66.20	4379.80	*
07S 29E 25CCC1	424639113081401	4516	300	6	-	-	110SKRV	3/18/80		258.26	4257.74	
										269.84	4246.16	
07S 29E 10ADC1	424946113024701	4548	262	22	X	7 TO 262	110SKRV	3/12/80		234.25	4314.24	
07S 29E 16CAD1	424835113042401	4527	251	-	X	8 TO 251	110SKRV	3/18/80		229.90	4297.10	
07S 29E 24CAC1	424749113010201	4557	475	-	X	0 TO 475	110SKRV	3/12/80		255.13	4301.91	
07S 30E 05BDA1	425042112552801	4529	251	18	X	30 TO 251	110SKRV	3/12/80		184.50	4344.78	
								8/ 8/80		189.70	4339.58	
07S 30E 11BDA1	424953112545001	4462	160	16	X	130 TO 160	110SKRV	3/13/80		117.09	4345.23	
07S 30E 13DCA1	424834112533001	4386	210	8	-	-	110SKRV	3/13/80		44.09	4341.99	
07S 30E 14DCC1	424823112544901	4415	67	5	-	-	112AMCF	3/18/80	R	55.72	4359.41	
07S 30E 17BDB1	424900112584001	4604	303	20	X	20 TO 303	110SKRV	3/12/80		260.53	4343.65	
								8/ 9/80		266.15	4338.03	
07S 30E 24DDC1	424730112531701	4394	215	16	X	187 TO 215	110SKRV	3/17/80		55.29	4339.04	
								8/ 8/80		60.39	4333.94	
07S 30E 26DDD1	424641112541601	4395	243	7	X	225 TO 243	110SKRV	3/19/80		57.68	4337.74	
								8/ 9/80		62.83	4332.59	
07S 30E 28BBC1	424717112574501	4533	287	20	X	3 TO 287	110SKRV	3/17/80		197.56	4335.99	
								8/ 8/80		204.93	4328.62	
07S 31E 01AFD1	425044112463002	4412	208	14	S	120 TO 130	112ALVM	3/13/80		49.86	4362.14	
					S	160 TO 165						
					S	168 TO 173						
					S	193 TO 208						
07S 31E 01BDB1	425042112470501	4403	297	16	P	52 TO 55	112ALVM	3/13/80		43.65	4359.48	
					P	198 TO 205						
					P	240 TO 243						
					P	255 TO 260						
					P	270 TO 276						
07S 31E 11BDD1	424940112490701	4421	288	14	-	-	112ALVM	3/13/80		60.78	4361.17	
								8/13/80		65.35	4356.60	
07S 31E 30CBA1	424700112530001	4395	165	8	X	146 TO 165	112ALVM	3/18/80		57.28	4333.00	
07S 31E 31AAD1	424625112520701	4350	600	20	L	199 TO 235	121SRLG	3/13/80		66.93	4283.19	
								8/13/80		67.50	4282.61	
07S 32E 03DBD1	425020112415001	4440	540	16	P	223 TO 264	112SNBM	3/19/80	V	48.50	4391.50	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
					P	340 TO 368						
					P	419 TO 534						
07S 32E 06BAB1	425055112455501	4408	389	14	R	187 TO 200	112SNBM	3/13/80		42.57	4365.43	*
								8/13/80	P	60.42	4347.58	
07S 32E 18CCB1	424832112461101	4462	-	6	-	-	112SNBM	3/13/80		83.69	4373.31	
								8/13/80		83.22	4378.78	
07S 32E 19ACC1	424756112453701	4480	-	-	-	-	112SNBM	3/13/80		98.39	4391.61	*
07S 32E 22APD1	424811112415701	4562	234	5	-	-	121SRLG	3/19/80		150.53	4411.47	*
07S 32E 24DBC1	424745112394301	4607	215	5	-	-	121SRLG	3/17/80	V	171.62	4435.38	*
06S 32E 32BCB1	424626112450101	4398	-	15	-	-	121SRLG	3/14/80		35.90	4362.10	*
07S 33E 07DDC1	424913112381901	4477	220	20	-	-	111ALVM	3/17/80		65.75	4411.25	*
08S 28E 24DAA1	424238113071301	4428	230	6	X	10 TO 230	110SKRV	3/15/80		186.84	4241.16	
08S 28E 26DDC1	424128113083001	4352	155	6	X	2 TO 155	110SKRV	3/15/80		106.18	4245.82	
08S 29E 09CAD1	424420113041801	4454	209	6	X	10 TO 209	110SKRV	3/18/80		202.75	4251.66	
08S 29E 15ABA1	424400113025601	4407	154	6	X	10 TO 154	110SKRV	3/18/80		141.50	4265.98	
08S 29E 21CAC1	424232113043001	4250	63	6	X	52 TO 63	111ALVM	3/18/80		9.17	4250.83	
08S 29E 23BAB1	424307113021001	4447	210	6	X	10 TO 210	110SKRV	3/18/80		187.60	4259.44	
								8/ 9/80		188.99	4258.05	
08S 29E 34CBC1	424052113033901	4389	665	4	X	170 TO 313	112RAFT	3/15/80		148.74	4240.60	
								8/ 9/80		148.89	4240.45	
08S 29E 34CBC2	424052113033902	4389	704	4	P	696 TO 701	121SRLG	5/21/80		152.84	4236.51	
								8/ 9/80		152.47	4236.88	
08S 29E 34CBC3	424052113033903	4389	861	4	P	852 TO 858	121SRLG	5/21/80		92.88	4296.46	
								8/ 9/80		93.16	4296.18	
08S 30E 12CCD1	424403112540301	4370	-	-	-	-	121NELV	3/11/80		140.24	4229.76	*
08S 30E 18CCA1	424322112595801	4397	350	16	X	310 TO 350	110SKRV	3/18/80		137.41	4259.35	
08S 30E 24ABA1	424308112533001	4513	-	-	-	-	112SNBM	3/17/80		165.71	4347.29	*
08S 30E 28DA 1	424143112565001	4445	350	6	-	-	112SNBM	3/11/80		238.44	4206.56	
08S 31E 04CBB1	424512112505201	4569	277	6	X	16 TO 277	112SNBM	3/17/80		242.32	4326.08	*
								8/12/80		244.98	4323.42	
08S 31E 06CDA1	424500112524401	4440	297	18	-	-	111ALVM	3/12/80		139.60	4300.40	*
								8/12/80	P	164.62	4275.38	
08S 31E 17ABB2	424357112512802	4430	280	-	-	-	121SLLK	3/19/80		123.01	4506.99	*
08S 31E 32BAC1	424112112514901	4955	190	18	X	168 TO 190	121SRLG	3/12/80		163.76	4791.24	*
09S 29E 18BAD1	423837113134301	4216	150	1	P	17 TO 22	112RAFT	3/15/80		14.30	4202.50	
								8/ 6/80		13.62	4203.18	
09S 28E 18BAD2	423837113134302	4216	505	-	P	412 TO 417	112RAFT	3/15/80		12.19	4204.61	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
09S 28E 18BAD3	423837113134303	4216	1013	1	P	546 TO 551	121SRLG	8/ 6/80		10.87	4205.93	
								3/15/80		31.72	4185.08	
								8/ 6/80		31.19	4185.61	
09S 28E 24CCA1	423716113075601	4220	24	8	-	-	112RAFT	3/12/80		16.58	4203.42	*
								8/13/80		15.32	4204.68	
09S 28E 25DDA1	423620113070201	4396	-	-	-	-	112RAFT	3/12/80		120.56	4265.44	*
09S 29E 04BCB1	424013113044901	4244	20	12	-	-	111ALVM	3/15/80		9.51	4234.49	
09S 29E 16CDD1	423756113042001	4241	52	6	-	-	111ALVM	3/12/80	D	-	<4189.00	*
09S 29E 31DDB1	423527113060701	4500	175	6	-	-	112RAFT	3/12/80		157.55	4342.45	*
								8/13/80		157.48	4342.52	
09S 30E 03BBB2	424029112563602	4563	700	6	-	-	121SLLK	3/17/80		316.48	4246.52	*
09S 30E 05BBC1	424023112585901	4323	173	6	X	100 TO 173	121NELY	3/11/80		130.06	4192.94	*
09S 30E 15DDD1	423801112553401	4495	700	16	-	-	121SLLK	3/17/80		12.20	4482.80	*
09S 30E 35BBD1	423600112551501	4678	1700	10	-	-	111ALVM	3/17/80		128.10	4549.90	*
09S 31E 21BDC1	423729112503701	4980	500	8	-	-	121SLLK	3/11/80		37.72	4942.28	*
09S 31E 31CAD1	423533112524101	4690	408	14	X	30 TO 408	121SLLK	3/11/80		52.01	4637.99	*
09S 31E 33CDA1	423530112502101	4914	-	-	-	-	121SLLK	3/11/80		81.04	4832.96	*
TWIN FALLS COUNTY, IDAHO												
08S 12E 24CCC1	424239115001801	3469	500	12	X	46 TO 500	121BNBR	4/16/80		237.68	3231.32	
								8/ 8/80		237.03	3231.97	
08S 13E 23CCD1	424242114541601	3390	100	6	X	50 TO 100	121BNBR	3/19/80		69.56	3320.44	
								8/ 8/80		68.72	3321.28	
08S 13E 35ACD1	424121114533501	3479	700	16	X	170 TO 420	121BNBR	3/18/80		182.71	3296.29	
					X	420 TO 700						
09S 12E 35BCD1	423603115011201	3711	797	20	X	85 TO 462	121IDVD	3/18/80		345.13	3365.87	
					P	462 TO 500						
					X	500 TO 585						
					X	585 TO 797						
09S 13E 20CCD1	423722114574801	3805	790	20	X	165 TO 625	121IDVD	3/18/80		449.92	3355.08	
								8/ 7/80		453.55	3351.45	
09S 13E 22DDD1	423723114543901	3698	575	6	X	46 TO 575	121IDVD	3/18/80	P	418.57	3279.43	*
09S 13E 25ADD1	423658114521101	3680	400	16	X	129 TO 400	121IDVD	3/17/80		180.28	3499.72	
09S 13E 31DDC1	423541114582001	3809	340	16	X	401 TO 340	121IDVD	3/18/80		459.80	3349.20	
09S 14E 17BAB1	423905114503001	3358	415	6	X	214 TO 415	121BNBR	3/17/80		154.47	3203.53	
								8/ 5/80		119.30	3238.70	
09S 14E 21ABC1	423804114490701	3280	117	8	X	64 TO 117	111ALVM	3/17/80		38.66	3241.34	
09S 14E 34DDB1	423543114474201	3647	-	6	-	-	110SNRV	3/17/80		14.10	3632.90	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
								8/ 4/80		9.78	3637.22	
09S 15E 16DDD1	423814114413701	3572	119	6	X	19 TO 23	110SKRV	3/19/80	P	55.78	3516.22	*
					X	23 TO 119		8/ 5/80		37.34	3534.66	
09S 15E 28AAB1	423720114414801	3615	120	6	X	23 TO 120	110SKRV	3/19/80		50.22	3564.78	
09S 16E 21DCD1	423722114345101	3545	75	6	X	28 TO 31	110SKRV	3/17/80		14.68	3530.32	
								8/ 5/80		12.40	3532.60	
09S 16E 26BBA1	423719114330401	3568	95	6	X	43 TO 95	110SKRV	3/17/80		47.55	3520.45	
								8/ 5/80		44.81	3523.19	
09S 16E 32ABB1	423629114360801	3591	-	6	-	-	110SKRV	3/17/80		26.66	3564.34	
10S 12E 11DBD1	423406115003401	3761	687	24	X	6 TO 500	121IDVD	3/18/80		371.33	3389.67	*
								8/ 7/80		415.81	3345.19	
10S 12E 12CDC2	423355114595102	3742	500	20	X	10 TO 500	121IDVD	3/18/80		367.77	3374.23	*
10S 13E 05CBD1	423458114574301	3822	575	12	X	100 TO 575	121IDVD	3/18/80		452.33	3369.67	
10S 15E 12DDC1	423351114381201	3810	70	6	-	-	110SKRV	3/17/80		19.88	3790.12	
10S 15E 26DDA1	423125114391001	4059	245	6	X	19 TO 245	112GLFR	3/15/80		219.94	3839.06	
								8/ 5/80		215.26	3843.74	
10S 16E 06CCB1	423452114375501	3730	200	6	X	19 TO 200	110SKRV	3/17/80		54.81	3675.19	
								8/ 5/80		52.73	3677.27	
10S 16E 15DDC1	423259114332501	3817	200	6	X	21 TO 200	110SKRV	3/17/80	P	59.82	3757.18	*
								8/ 5/80		47.32	3769.68	
10S 16E 20BCB2	423241114364001	3885	115	6	X	19 TO 115	110SKRV	3/17/80		45.14	3839.86	
10S 16E 24DDA1	423217114305601	3792	175	6	X	21 TO 175	110SKRV	3/12/80		13.64	3778.36	
								8/ 5/80		10.74	3781.26	
10S 17E 02ADD1	423506114251501	3672	68	6	X	21 TO 68	110SKRV	3/12/80		8.47	3663.53	
								8/ 6/80		7.00	3665.00	
10S 17E 07BBA1	423443114304301	3660	97	6	X	26 TO 97	110SKRV	3/12/80		46.14	3613.86	
								8/ 5/80		40.84	3619.16	
10S 17E 13CCB1	423306114250801	3788	138	6	X	25 TO 133	110SKRV	3/12/80		61.08	3726.92	
								8/ 6/80		53.60	3734.40	
10S 17E 33BBA2	423111114283201	3925	568	20	X	9 TO 568	110SKRV	3/13/80		151.00	3774.00	
10S 18E 19AAD1	423241114230301	3858	164	6	X	29 TO 34	110SKRV	3/12/80		114.40	3743.60	
					X	34 TO 164						
10S 18E 19CBA1	423222114240101	3835	110	6	-	-	110SKRV	3/12/80		76.41	3758.59	
10S 18E 20DDD1	423207114215301	3919	1200	8	P	300 TO 735	110SKRV	3/12/80		176.73	3742.27	
								8/ 6/80		180.00	3739.00	
10S 18E 24DDD1	423201114171101	4046	360	6	X	40 TO 327	110SKRV	3/14/80		293.46	3752.84	
								8/ 6/80		290.20	3756.10	
10S 18E 36CBC1	423034114181501	4050	280	6	X	61 TO 63	110SKRV	3/14/80		178.18	3871.82	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
10S 19E 35DDC1	423016114114001	4163	1540	16	X	63 TO 280	121IDVD	3/15/80		202.43	3960.57	
					X	629 TO 695		8/ 6/80		197.33	3965.67	
11S 15E 07ACB1	422913114442601	4108	347	6	P	225 TO 275	121BNBR	3/15/80		231.22	3876.92	*
								8/ 7/80		224.79	3883.35	
11S 16E 11DCD1	422837114322301	4215	487	8	X	25 TO 487	121BNBR	3/12/80	R	246.54	3968.46	
11S 17E 01ADD1	422952114241001	3905	81	6	X	23 TO 81	110SKRV	3/13/80		37.08	3867.92	
11S 17E 10ABB1	422926114265501	4018	-	6	-	-	110SKRV	3/12/80		147.53	3870.47	
11S 17E 13CDA1	422753114244401	4070	143	6	X	18 TO 24	121BNBR	3/13/80		78.72	3991.28	
					X	24 TO 143						
11S 17E 14DCD1	422742114253801	4143	500	-	-	-	121BNBR	3/13/80		150.10	3992.90	
11S 17E 25DDD2	422600114240901	4138	351	6	P	145 TO 175	110SKRV	3/13/80		94.39	4044.15	
								8/ 8/80		84.52	4054.02	
11S 17E 27CBC1	422615114272501	4365	500	6	-	-	121BNBR	3/13/80		287.95	4077.05	
11S 18E 07BAB1	422925114234501	3930	160	6	X	19 TO 160	110SKRV	3/13/80		28.88	3901.12	
11S 18E 08CCD1	422844114225501	3981	-	6	-	-	110SKRV	3/15/80		64.91	3916.09	
11S 19E 13CCC1	422740114112201	4173	270	6	X	35 TO 270	110SKRV	3/15/80		161.69	4011.31	
11S 19E 17ABA1	422830114151401	4229	360	14	X	16 TO 860	110SKRV	3/ 5/80		327.20	3901.80	
								8/10/80		326.06	3902.94	
11S 19E 19DAD2	422705114160501	4144	186	-	-	-	110SKRV	3/13/80		149.60	3994.70	
11S 19E 21BCC2	422713114145301	4162	1075	14	X	40 TO 1075	121IDVD	3/13/80		203.87	3958.13	
11S 19E 31ADD1	422529114160701	4197	350	8	X	140 TO 350	111ALVM	3/14/80	R	149.10	4048.60	
								8/ 6/80		161.81	4035.89	
11S 20E 21ABC1	422726114065901	4164	117	12	X	19 TO 117	110SKRV	4/ 1/80		74.88	4089.31	
11S 20E 21DCB1	422658114070101	4168	270	13	X	159 TO 270	110SKRV	4/ 1/80		75.30	4092.70	
11S 20E 29CDD1	422557114081501	4189	350	12	-	-	121IDVD	4/ 1/80		97.93	4091.37	
11S 20E 32CCC1	422503114084501	4220	320	-	-	-	121IDVD	4/ 1/80		135.65	4085.28	
11S 20E 33DAD1	422518114062701	4245	680	14	X	40 TO 311	121IDVD	3/15/80		179.98	4065.15	
								8/ 6/80		239.15	4005.88	
14S 15E 28BAD2	421100114421201	4976	455	6	P	231 TO 341	121IDVD	3/25/80		115.02	4861.10	*
					X	341 TO 455						
WASHINGTON COUNTY, IDAHO												
11N 06W 14BCB1	441728117015301	2178	72	12	P	45 TO 72	112IDHO	3/13/80		23.70	2154.30	
11N 06W 25CAC1	441527117002501	2127	39	10	X	27 TO 39	110SDMS	3/27/80		11.73	2115.27	
								8/ 5/80	R	6.65	2120.35	
11N 05W 30BBC1	441556116592901	2170	50	12	-	-	110SDMS	3/13/80		17.85	2152.15	
11N 05W 32BDD1	441452116575001	2120	-	60	-	-	110SDMS	3/13/80		11.17	2108.83	

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
11N 05W 33CDA1	441432116563301	2105	4	10	-	-	110SDMS	3/13/80	D	-	<2101.00	*
11N 05W 36DDD1	441424116521901	2180	95	8	-	-	110SDMS	3/12/80		16.15	2163.85	
11N 04W 27CCC1	441512116482301	2272	450	12	-	-	112IDHO	3/12/80		59.16	2212.84	
11N 04W 32DDA1	441426116495801	2165	27	6	X	19 TO 27	110SDMS	3/12/80		1.56	2163.44	
10N 05W 04CAD1	441341116563501	2114	25	16	-	-	110SDMS	3/13/80		9.96	2104.04	
								8/ 5/80	R	12.08	2101.92	
10N 05W 09CAD1	441252116563801	2125	28	8	P	23 TO 28	110SDMS	3/13/80		14.12	2110.88	
10N 05W 16DBA1	441209116561801	2120	25	72	X	25 TO 25	110SDMS	3/11/80		13.12	2106.88	
10N 05W 20AAA1	441139116571301	2115	20	8	-	-	110SDMS	3/11/80		18.57	2096.43	
10N 05W 23CBA1	441118116542601	2112	35	20	-	-	110SDMS	3/13/80		10.29	2101.71	
								8/ 5/80		11.15	2100.85	
10N 05W 25CBC1	441019116532601	2116	18	72	-	-	110SDMS	3/11/80		11.60	2104.40	
10N 04W 06ADD1	441357116510701	2185	460	6	-	-	112IDHO	3/13/80	E	-16.71	2201.71	*
10N 04W 18AAA1	441232116510601	2300	310	14	P	150 TO 310	112IDHO	3/12/80		81.97	2218.03	*
								8/ 5/80		107.05	2192.95	
10N 04W 19ACA1	441131116512501	2390	-	4	-	-	112IDHO	3/12/80		76.37	2313.63	*
								8/ 5/80		61.55	2328.45	
10N 04W 31BDD1	440942116514801	2330	750	-	-	-	-	3/12/80		12.20	2267.80	*
MALHEUR COUNTY, OREGON												
15S 47E 29ADA1	441421116591001	2101	30	6	P	21 TO 24	121VPSM	3/19/80		5.95	2095.05	
					X	29 TO 30						
15S 47E 30DDA1	441356117002001	2099	40	16	P	21 TO 39	121VPSM	3/19/80		5.68	2093.32	
								8/ 5/80		5.42	2093.58	
16S 46E 26DAC1	440839117024801	2757	606	8	X	21 TO 606	121VPSM	3/19/80		193.06	2563.94	*
16S 47E 17ABC1	441048116593901	2370	410	6	P	80 TO 100	112IDHO	3/19/80		52.00	2318.00	*
								9/ 5/80		50.92	2319.08	
17S 44E 11DBA1	440615117172401	2360	1300	14	-	-	121VPSM	3/26/80		28.51	2331.49	*
17S 44E 25ADA1	440349117155201	2330	73	12	-	-	121VPSM	3/26/80		45.45	2284.55	*
17S 47E 02CDC1	440642116541101	2134	66	12	P	31 TO 61	121VPSM	3/28/80		14.60	2119.40	
					X	61 TO 66						
17S 47E 07BCB1	440623117012401	2330	887	8	X	20 TO 887	121VPSM	3/28/80		9.28	2320.72	*
17S 47E 31BAB1	440313117010401	2343	523	6	X	140 TO 523	121VPSM	3/28/80		61.25	2281.75	
								8/ 7/80		63.29	2279.71	
18S 44E 21DCA1	435909117195101	2575	558	6	X	20 TO 558	121VPSM	3/25/80		62.22	2512.78	*
								8/ 7/80		55.23	2519.77	
18S 44E 24DDD1	435901117155501	2340	367	6	X	57 TO 367	121VPSM	3/25/80	R	61.44	2278.56	*
18S 45E 10CCA1	440045117120401	2325	50	-	-	-	110SDMS	3/27/80		26.45	2298.55	*

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
18S 45E 10CCD1	440042117120001	2330	425	6	X	21 TO 425	121VPSM	3/27/80		91.33	2238.67	*
18S 45E 21BBB1	435945117132601	2240	140	12	P	10 TO 40	121VPSM	3/26/80		9.65	2230.35	*
					X	40 TO 140						
18S 45E 26BDD1	435832117103801	2290	420	12	X	20 TO 420	121VPSM	3/26/80		70.40	2219.60	*
18S 45E 3CABD1	435845117150201	2245	30	12	P	20 TO 30	121VPSM	3/25/80		7.72	2237.28	*
18S 46E 09BDD1	440107117054901	2290	300	6	X	40 TO 303	121VPSM	3/27/80		13.82	2276.18	*
18S 46E 13DCD1	435946117014901	2210	30	36	P	18 TO 24	121VPSM	3/26/80		13.37	2196.63	
18S 46E 19ACC1	435927117080501	2203	398	16	P	20 TO 30	121VPSM	3/27/80		6.40	2196.60	*
					X	30 TO 398						
18S 46E 19CCA1	435904117082901	2210	435	16	P	18 TO 28	121VPSM	3/26/80		11.92	2198.08	*
					X	28 TO 435						
18S 46E 23DCC1	435858117030901	2250	240	14	P	21 TO 54	121VPSM	3/26/80		16.79	2233.21	
					X	54 TO 240						
18S 47E 02CAC1	440144116562001	2145	50	12	S	24 TO 40	121VPSM	4/ 1/80		15.34	2129.66	
18S 47E 02CDD1	440132116560801	2138	50	16	S	26 TO 40	121VPSM	3/20/80	P	17.33	2120.67	*
					X	50 TO 51						
18S 47E 10AEC1	440118116571201	2152	120	12	P	14 TO 30	121VPSM	3/28/80		16.28	2135.72	
								8/ 7/80		17.36	2134.64	
18S 47E 11BDA2	440117116560602	2140	78	-	-	-	121VPSM	3/20/80	P	30.63	2109.37	*
18S 47E 17BBB1	440036117001201	2180	135	-	-	-	110ALVM	3/28/80		11.86	2168.14	
								9/ 6/80		15.51	2164.49	
18S 47E 19DBB1	435918117004401	2203	61	6	P	55 TO 60	121VPSM	3/27/80		20.78	2182.22	
18S 47E 31DDC1	435715117003201	2210	190	14	P	46 TO 80	121VPSM	3/28/80		30.30	2179.70	
					X	83 TO 190						
19S 42E 35BBB1	435252117324301	2472	100	12	P	12 TO 18	121VPSM	3/25/80		5.20	2466.80	*
					X	18 TO 100						
19S 43E 03BCB1	435701117264501	2350	680	16	P	30 TO 37	121VPSM	3/25/80		6.61	2343.39	*
					X	38 TO 690						
19S 43E 10ADA1	435607117254301	2375	85	12	-	-	110SDMS	3/25/80	R	37.56	2337.44	*
19S 43E 22DDA1	435359117253801	2968	718	6	P	678 TO 718	112PCPC	3/24/80		505.98	2462.02	*
19S 45E 05BBB1	435710117144001	2270	92	5	P	21 TO 27	121VPSM	3/21/80		10.09	2259.91	*
					X	27 TO 92						
19S 45E 06DBA1	435645117150501	2290	50	12	P	40 TO 48	121VPSM	3/26/80		32.56	2257.44	*
19S 45E 09DBB1	435552117124701	2820	696	6	P	596 TO 696	121VPSM	3/25/80		574.35	2245.65	*
19S 45E 11BCC1	435557117103801	2660	494	-	-	-	121VPSM	3/24/80		313.35	2346.65	*
19S 45E 28ACB1	435330117125101	2855	620	6	P	540 TO 620	121VPSM	3/24/80		465.80	2389.20	*
					X	620 TO 622						

LOCAL WELL NUMBER	SITE IDENTIFICATION NUMBER	ALTITUDE (FT ABOVE SEA LEVEL)	DEPTH OF WELL (FT)	CASING DIAMETER (IN.)	TYPE OF OPENING	OPENINGS (FT)	GEOHYDROLOGIC UNIT IDENTIFIER	DATE OF MEASUREMENT	SITE STATUS	DEPTH TO WATER (FT BELOW LAND SURFACE)	WATER SURFACE ALTITUDE (FT ABOVE SEA LEVEL)	
19S 46E 04ACA1	435651117053101	2590	400	12	X	301 TO 415	121VPSM	3/26/80		203.45	2386.55	*
19S 46E 13CDC1	435439117022401	2300	340	-	X	60 TO 340	121VPSM	4/ 1/80		18.14	2281.86	
								8/ 7/80		18.05	2281.95	
19S 46E 15DCA1	435446117041301	2525	524	12	X	50 TO 524	121VPSM	4/ 2/80		149.00	2376.00	*
19S 46E 22BAB1	435432117044401	2520	-	-	-	-	121VPSM	3/31/80		172.50	2347.50	*
19S 47E 08ACC1	435553116593601	2181	145	16	P	27 TO 47	121VPSM	3/31/80	P	26.20	2154.80	*
								8/ 7/80		20.96	2160.04	
19S 47E 17DDD1	435437116591301	2165	175	24	P	30 TO 82	121VPSM	3/31/80		8.11	2156.89	
					P	33 TO 43						
					X	82 TO 175						
19S 47E 18DDC1	435438117003601	2189	57	12	P	26 TO 46	121VPSM	3/31/80	P	26.96	2162.04	*
								8/ 7/80	P	26.88	2162.12	
19S 47E 20DAA1	435404116591101	2165	44	6	P	28 TO 40	121VPSM	3/31/80		4.74	2160.26	
					X	40 TO 44						
19S 47E 29DAC1	435307116592001	2175	190	8	X	150 TO 190	121VPSM	3/31/80		2.48	2172.52	
19S 47E 32ACA1	435237116593101	2175	60	16	P	27 TO 47	121VPSM	3/31/80		10.40	2164.60	
					X	47 TO 60						
20S 46E 15DDD1	434926117043001	2335	620	6	X	20 TO 620	112IDHO	4/ 2/80		75.32	2259.68	
								8/ 7/80		72.11	2262.89	
20S 46E 28ADC1	434811117055901	2260	110	12	P	40 TO 70	121VPSM	4/ 2/80		10.75	2249.25	
					X	75 TO 110						
20S 46E 36DAC1	434704117022201	2200	147	12	P	30 TO 40	121VPSM	4/ 2/80		15.77	2184.23	
					X	40 TO 147						
21S 46E 14CBD1	434427117041901	2221	536	8	X	27 TO 536	121VPSM	4/ 2/80		5.94	2215.06	
21S 46E 14CBD2	434427117042001	2221	401	8	X	33 TO 401	121VPSM	4/ 2/80		6.21	2214.79	
								8/ 7/80		7.23	2213.77	
21S 46E 15CAD1	434428117050901	2400	228	6	X	124 TO 228	121VPSM	4/ 2/80		102.83	2297.17	
								8/ 7/80		103.52	2296.48	